

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	89	PM _{2.5}	1
2	Agra	Moderate	107	PM ₁₀	6
3	Ahmedabad	Moderate	103	PM ₁₀	5
4	Aizawl	Good	41	PM ₁₀	1
5	Ajmer	Moderate	112	PM ₁₀	1
6	Alwar	Satisfactory	79	PM ₁₀	1
7	Amaravati	Satisfactory	66	со	1
8	Ambala	Moderate	153	PM ₁₀	1
9	Anantapur	Good	46	PM _{2.5}	1
10	Ankleshwar	Satisfactory	58	PM ₁₀	1
11	Araria	Moderate	114	PM ₁₀	1
12	Ariyalur	Good	45	NO ₂	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

kar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore

Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Notes: Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	171	PM ₁₀	1
14	Asansol	Satisfactory	91	PM ₁₀	1
15	Aurangabad (Bihar)	Moderate	190	PM ₁₀	1
16	Aurangabad (Maharashtra)	Satisfactory	86	PM ₁₀	1
17	Baddi	Poor	244	O ₃	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Poor	228	PM ₁₀	1
20	Bahadurgarh	Moderate	193	PM ₁₀	1
21	Ballabgarh	Moderate	142	PM _{2.5}	1
22	Banswara	Moderate	112	PM ₁₀	1
23	Bareilly	Moderate	118	O ₃	2
24	Baripada	Moderate	109	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

xar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore

Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Notes: Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	84	PM ₁₀	1
26	Bathinda	Moderate	106	PM ₁₀	1
27	Begusarai	Poor	230	PM _{2.5}	1
28	Belgaum	Good	47	PM ₁₀	1
29	Bengaluru	Satisfactory	72	O ₃ , PM ₁₀	9
30	Bettiah	Moderate	148	PM ₁₀	1
31	Bhagalpur	Moderate	154	PM ₁₀	2
32	Bharatpur	Moderate	142	PM ₁₀	1
33	Bhilai	Satisfactory	52	PM ₁₀	2
34	Bhilwara	Satisfactory	90	PM ₁₀	1
35	Bhiwadi	Poor	203	PM ₁₀	1
36	Bhiwani	Moderate	111	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Da

Notes: Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	100	PM ₁₀	3
38	Bidar	Good	34	NH ₃	1
39	Bihar Sharif	Moderate	182	PM ₁₀	1
40	Bikaner	Moderate	159	PM ₁₀	1
41	Bileipada	Moderate	143	PM ₁₀	1
42	Brajrajnagar	Good	41	03	1
43	Bulandshahr	Poor	247	03	1
44	Bundi	Moderate	179	со	1
45	Chamarajanagar	Good	38	PM ₁₀	1
46	Chandigarh	Moderate	185	O ₃ , PM ₁₀	3
47	Chandrapur	Moderate	121	PM ₁₀	1
48	Charkhi Dadri	Poor	256	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darb

Notes: Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	65	СО	7
50	Chhal	Satisfactory	94	PM ₁₀	1
51	Chhapra	Poor	263	PM ₁₀	1
52	Chikkaballapur	Satisfactory	73	PM ₁₀	1
53	Chikkamagaluru	Satisfactory	56	03	1
54	Chittorgarh	Satisfactory	86	PM ₁₀	1
55	Cuddalore	Satisfactory	94	NO ₂	2
56	Damoh	Good	40	PM ₁₀	1
57	Dausa	Moderate	174	PM ₁₀	1
58	Davanagere	Good	32	PM _{2.5}	1
59	Dehradun	Satisfactory	89	PM ₁₀	1
60	Delhi	Poor	215	PM ₁₀	37

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Da

Notes: Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Moderate	113	PM ₁₀	1
62	Dhanbad	Moderate	154	со	1
63	Dharuhera	Poor	210	PM ₁₀	1
64	Dharwad	Satisfactory	61	PM ₁₀	1
65	Dholpur	Satisfactory	67	03	1
66	Dindigul	Good	49	PM ₁₀	1
67	Durgapur	Moderate	101	PM ₁₀	1
68	Eloor	Satisfactory	80	PM ₁₀	1
69	Faridabad	Moderate	152	PM ₁₀ , PM _{2.5}	4
70	Fatehabad	Moderate	176	O ₃	1
71	Firozabad	Moderate	112	PM ₁₀	2
72	Gadag	Good	44	SO ₂	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, De

Notes: Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	88	PM _{2.5} , PM ₁₀	3
74	Gaya	Moderate	118	PM ₁₀ , PM _{2.5}	3
75	Ghaziabad	Poor	233	PM ₁₀ , O ₃	4
76	Gorakhpur	Moderate	120	PM ₁₀	1
77	Greater Noida	Poor	242	PM ₁₀	2
78	Gurugram	Moderate	183	PM _{2.5}	4
79	Guwahati	Satisfactory	71	O ₃ , PM _{2.5}	3
80	Gwalior	Moderate	137	PM ₁₀ , PM _{2.5}	4
81	Hajipur	Moderate	126	PM ₁₀	1
82	Haldia	Good	49	PM ₁₀	1
83	Hanumangarh	Poor	202	PM ₁₀	1
84	Hapur	Poor	243	O ₃	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhai

Notes:

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun,
Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram,
Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur,
Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Satisfactory	73	PM ₁₀	1
86	Haveri	Good	45	PM ₁₀	1
87	Hisar	Moderate	154	PM _{2.5}	1
88	Hosur	Satisfactory	72	PM ₁₀	1
89	Howrah	Satisfactory	72	PM ₁₀	3
90	Hubballi	Satisfactory	81	PM ₁₀	2
91	Hyderabad	Satisfactory	81	PM ₁₀	9
92	Indore	Satisfactory	70	PM ₁₀	2
93	Jabalpur	Moderate	122	PM ₁₀	1
94	Jaipur	Moderate	126	PM ₁₀	6
95	Jaisalmer	Moderate	123	PM ₁₀	1
96	Jalandhar	Moderate	140	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan,

Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Satisfactory	99	PM ₁₀	1
98	Jhunjhunu	Moderate	164	03	1
99	Jind	Moderate	140	PM _{2.5}	1
100	Jodhpur	Moderate	112	PM ₁₀	3
101	Kadapa	Satisfactory	75	03	1
102	Kaithal	Moderate	149	PM ₁₀	1
103	Kalaburgi	Satisfactory	86	PM ₁₀	2
104	Kanchipuram	Good	47	PM ₁₀	1
105	Kanpur	Moderate	105	PM _{2.5}	4
106	Karauli	Satisfactory	80	03	1
107	Karnal	Moderate	110	PM ₁₀	1
108	Katihar	Moderate	106	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan,

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Notes: Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

kar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katni	Poor	225	PM ₁₀	1
110	Keonjhar	Satisfactory	73	PM ₁₀	1
111	Khanna	Moderate	105	PM ₁₀	1
112	Khurja	Satisfactory	95	PM _{2.5}	1
113	Kishanganj	Satisfactory	82	PM ₁₀	1
114	Kochi	Satisfactory	68	со	1
115	Kohima	Satisfactory	75	PM ₁₀	1
116	Kolhapur	Satisfactory	77	03	2
117	Kolkata	Satisfactory	60	O ₃ , PM ₁₀	7
118	Koppal	Satisfactory	66	03	1
119	Korba	Moderate	166	PM ₁₀	2
120	Kota	Moderate	103	PM _{2.5}	3

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, D

Notes:

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun,
Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram,
Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur,
Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kunjemura	Moderate	104	PM ₁₀	1
122	Kurukshetra	Moderate	163	O ₃	1
123	Lucknow	Moderate	156	PM _{2.5}	6
124	Ludhiana	Moderate	143	PM ₁₀	1
125	Madikeri	Good	29	PM ₁₀	1
126	Mandi Gobindgarh	Moderate	114	PM ₁₀	1
127	Mandideep	Moderate	102	PM ₁₀	1
128	Mandikhera	Good	25	SO ₂	1
129	Manesar	Poor	270	PM _{2.5}	1
130	Mangalore	Satisfactory	61	PM ₁₀	1
131	Manguraha	Satisfactory	88	O ₃	1
132	Meerut	Poor	212	O ₃	2

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan,

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Milupara	Satisfactory	85	PM ₁₀	1
134	Moradabad	Moderate	119	PM _{2.5}	5
135	Motihari	Satisfactory	80	PM ₁₀	1
136	Mumbai	Satisfactory	73	PM ₁₀	18
137	Munger	Poor	210	PM ₁₀	1
138	Muzaffarnagar	Moderate	150	PM ₁₀	1
139	Muzaffarpur	Poor	220	PM _{2.5}	3
140	Mysuru	Satisfactory	54	PM ₁₀	1
141	Nagaon	Satisfactory	78	O ₃	1
142	Nagpur	Satisfactory	99	PM ₁₀	1
143	Narnaul	Moderate	117	PM ₁₀	1
144	Nashik	Satisfactory	51	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbh

Notes:

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun,
Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram,
Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur,
Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Navi Mumbai	Satisfactory	78	PM ₁₀	2
146	Nayagarh	Satisfactory	89	PM ₁₀	1
147	Noida	Poor	234	PM ₁₀	4
148	Pali	Moderate	113	PM ₁₀	1
149	Palkalaiperur	Satisfactory	62	SO ₂	1
150	Palwal	Satisfactory	85	PM ₁₀	1
151	Panchkula	Moderate	117	PM _{2.5}	1
152	Panipat	Moderate	125	PM ₁₀	1
153	Patiala	Moderate	112	O ₃	1
154	Patna	Poor	220	PM _{2.5}	6
155	Pimpri Chinchwad	Satisfactory	97	PM _{2.5}	2
156	Pithampur	Satisfactory	100	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, De

Notes: Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Moderate	107	PM ₁₀	1
158	Prayagraj	Satisfactory	80	PM ₁₀	3
159	Puducherry	Satisfactory	52	PM ₁₀	1
160	Pune	Satisfactory	99	NO ₂ , PM _{2.5}	4
161	Purnia	Moderate	127	PM ₁₀	1
162	Raipur	Satisfactory	65	PM ₁₀ , NO ₂	4
163	Rairangpur	Satisfactory	80	03	1
164	Rajamahendravaram	Satisfactory	64	PM ₁₀	1
165	Rajsamand	Moderate	106	со	1
166	Ratlam	Satisfactory	100	PM ₁₀	1
167	Rishikesh	Satisfactory	61	O ₃	1
168	Rohtak	Moderate	117	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhar

Notes:

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun,
Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram,
Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur,
Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rourkela	Satisfactory	100	PM ₁₀	3
170	Rupnagar	Poor	226	PM ₁₀	1
171	Sagar	Satisfactory	85	03	1
172	Saharsa	Moderate	162	PM ₁₀	1
173	Samastipur	Moderate	160	PM ₁₀	1
174	Sasaram	Moderate	143	O ₃	1
175	Satna	Moderate	113	PM ₁₀	1
176	Shillong	Satisfactory	65	PM ₁₀	1
177	Shivamogga	Satisfactory	62	PM ₁₀	1
178	Sikar	Moderate	171	PM ₁₀	1
179	Silchar	Good	31	со	1
180	Singrauli	Poor	204	PM ₁₀	1

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbh

Notes:

Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun,
Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram,
Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur,
Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sirsa	Moderate	139	PM ₁₀	1
182	Sivasagar	Good	17	PM _{2.5}	1
183	Siwan	Poor	211	PM ₁₀	1
184	Solapur	Moderate	118	PM ₁₀	2
185	Sonipat	Poor	208	PM ₁₀	1
186	Sri Ganganagar	Moderate	187	PM ₁₀	1
187	Srinagar	Moderate	128	PM ₁₀	1
188	Surat	Satisfactory	71	СО	1
189	Talcher	Satisfactory	61	PM _{2.5}	1
190	Tensa	Good	47	PM _{2.5}	1
191	Thiruvananthapuram	Good	34	PM ₁₀	2
192	Thoothukudi	Satisfactory	74	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhar

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tirupati	Moderate	139	PM _{2.5} , PM ₁₀	2
194	Tonk	Moderate	138	PM ₁₀	1
195	Tumakuru	Satisfactory	96	PM ₁₀	1
196	Udaipur	Moderate	125	PM _{2.5}	1
197	Ujjain	Moderate	124	PM _{2.5}	1
198	Vapi	Satisfactory	67	PM ₁₀	1
199	Varanasi	Satisfactory	74	PM ₁₀	4
200	Vatva	Moderate	115	PM ₁₀	1
201	Vijayapura	Good	49	PM ₁₀	1
202	Vijayawada	Satisfactory	84	PM _{2.5}	1
203	Vrindavan	Poor	225	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga

Notes: Ernakulam, Gangtok, Gummidipoondi, Imphal, Jhansi, Jorapokhar, Kalyan, Notes: Kannur, Kashipur, Kolar, Kollam, Kozhikode, Maihar, Nagaur, Naharlagun, Nalbari, Nandesari, Ooty, Raichur, Rajgir, Ramanagara, Ramanathapuram, Salem, Sawai Madhopur, Siliguri, Sirohi, Suakati, Thane, Thrissur, Tirupur, Tumidih, Udupi, Visakhapatnam, Yadgir, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Amritsar, Baran, Bilaspur,