

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	177	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	99	PM <sub>10</sub>	5
3	Ahmedabad	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	39	PM <sub>10</sub>	1
5	Ajmer	Moderate	120	PM <sub>10</sub>	1
6	Alwar	Satisfactory	67	PM <sub>10</sub>	1
7	Amaravati	Good	25	СО	1
8	Ambala	Poor	238	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	192	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	169	PM <sub>2.5</sub>	1
11	Asansol	Poor	237	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	62	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	50	PM <sub>2.5</sub>	1
14	Baghpat	Poor	266	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	239	PM <sub>2.5</sub>	1
16	Ballabgarh	Poor	293	PM <sub>10</sub>	1
17	Bathinda	Moderate	158	PM <sub>10</sub>	1
18	Bengaluru	Satisfactory	65	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	9
19	Bhagalpur	Poor	289	PM <sub>2.5</sub>	2
20	Bhiwadi	Poor	216	PM <sub>2.5</sub>	1
21	Bhiwani	Moderate	130	PM <sub>10</sub>	1
22	Bhopal	Poor	216	PM <sub>2.5</sub>	1
23	Bilaspur	Satisfactory	68	со	1
24	Brajrajnagar	Satisfactory	63	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bulandshahr	Poor	275	PM <sub>2.5</sub>	1
26	Chamarajanagar	Good	37	PM <sub>10</sub>	1
27	Chandigarh	Moderate	110	O <sub>3</sub> , PM <sub>10</sub>	2
28	Chandrapur	Satisfactory	96	PM <sub>2.5</sub> , PM <sub>10</sub>	2
29	Charkhi Dadri	Poor	244	PM <sub>2.5</sub>	1
30	Chennai	Good	48	CO, O <sub>3</sub> , PM <sub>10</sub>	8
31	Chhapra	Very Poor	304	PM <sub>2.5</sub>	1
32	Chikkaballapur	Good	29	СО	1
33	Chikkamagaluru	Good	35	NO <sub>2</sub>	1
34	Coimbatore	Good	41	PM <sub>2.5</sub>	1
35	Damoh	Moderate	175	PM <sub>2.5</sub>	1
36	Darbhanga	Very Poor	369	PM <sub>2.5</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Delhi	Poor	290	PM <sub>2.5</sub>	37
38	Dewas	Satisfactory	80	PM <sub>10</sub>	1
39	Dharuhera	Poor	214	PM <sub>2.5</sub>	1
40	Durgapur	Very Poor	336	PM <sub>2.5</sub>	1
41	Eloor	Good	48	со	1
42	Faridabad	Poor	279	PM <sub>10</sub> , PM <sub>2.5</sub>	4
43	Fatehabad	Poor	271	PM <sub>2.5</sub>	1
44	Firozabad	Moderate	143	PM <sub>2.5</sub>	1
45	Gadag	Good	36	PM <sub>2.5</sub>	1
46	Gandhinagar	Satisfactory	80	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Gaya	Moderate	154	PM <sub>2.5</sub>	2
48	Ghaziabad	Poor	268	PM <sub>2.5</sub>	4

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gorakhpur	Moderate	130	PM <sub>2.5</sub>	1
50	Greater Noida	Poor	255	PM <sub>2.5</sub>	2
51	Gurugram	Poor	276	PM <sub>2.5</sub>	4
52	Guwahati	Satisfactory	74	PM <sub>10</sub>	2
53	Gwalior	Moderate	162	PM <sub>2.5</sub>	1
54	Hajipur	Poor	248	PM <sub>2.5</sub>	1
55	Haldia	Moderate	144	PM <sub>2.5</sub>	1
56	Hapur	Poor	282	PM <sub>2.5</sub>	1
57	Hassan	Good	19	SO <sub>2</sub>	1
58	Hisar	Poor	299	PM <sub>2.5</sub>	1
59	Howrah	Poor	264	PM <sub>2.5</sub>	3
60	Hubballi	Satisfactory	64	PM <sub>10</sub>	1

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hyderabad	Satisfactory	68	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	5
62	Indore	Moderate	156	PM <sub>2.5</sub>	1
63	Jabalpur	Poor	224	PM <sub>2.5</sub>	1
64	Jaipur	Moderate	138	PM <sub>2.5</sub>	2
65	Jalandhar	Poor	211	PM <sub>2.5</sub>	1
66	Jind	Poor	294	PM <sub>2.5</sub>	1
67	Jodhpur	Moderate	150	PM <sub>2.5</sub>	1
68	Jorapokhar	Satisfactory	62	PM <sub>10</sub>	1
69	Kaithal	Moderate	175	PM <sub>2.5</sub>	1
70	Kalaburgi	Good	39	PM <sub>10</sub>	1
71	Kalyan	Satisfactory	81	PM <sub>10</sub>	1
72	Kannur	Satisfactory	54	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Moderate	143	NO <sub>2</sub> , PM <sub>10</sub>	3
74	Karnal	Moderate	138	PM <sub>2.5</sub>	1
75	Katihar	Very Poor	386	PM <sub>10</sub>	1
76	Katni	Poor	218	PM <sub>10</sub>	1
77	Khanna	Moderate	199	PM <sub>2.5</sub>	1
78	Kishanganj	Very Poor	358	PM <sub>2.5</sub>	1
79	Kochi	Good	49	со	1
80	Kohima	Satisfactory	90	PM <sub>10</sub>	1
81	Kolkata	Poor	229	PM <sub>2.5</sub>	6
82	Kollam	Satisfactory	97	PM <sub>10</sub>	1
83	Koppal	Satisfactory	64	03	1
84	Kota	Poor	249	PM <sub>2.5</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kozhikode	Good	48	со	1
86	Kurukshetra	Moderate	176	03	1
87	Lucknow	Moderate	168	PM <sub>2.5</sub> , PM <sub>10</sub>	6
88	Ludhiana	Poor	226	PM <sub>2.5</sub>	1
89	Mandi Gobindgarh	Moderate	195	PM <sub>2.5</sub>	1
90	Mandideep	Moderate	127	PM <sub>10</sub>	1
91	Mandikhera	Good	39	PM <sub>2.5</sub>	1
92	Manesar	Poor	205	PM <sub>2.5</sub>	1
93	Manglore	Satisfactory	64	со	1
94	Medikeri	Good	29	03	1
95	Meerut	Poor	270	PM <sub>2.5</sub>	3
96	Moradabad	Poor	222	PM <sub>2.5</sub> , PM <sub>10</sub>	2

## Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Very Poor	352	PM <sub>2.5</sub>	1
98	Mumbai	Satisfactory	76	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	19
99	Munger	Very Poor	338	PM <sub>2.5</sub>	1
100	Muzaffarnagar	Poor	226	PM <sub>2.5</sub>	1
101	Muzaffarpur	Very Poor	330	PM <sub>2.5</sub>	2
102	Mysuru	Good	45	PM <sub>10</sub>	1
103	Nagpur	Moderate	138	PM <sub>10</sub>	1
104	Nandesari	Satisfactory	86	со	1
105	Narnaul	Moderate	101	PM <sub>10</sub>	1
106	Nashik	Good	44	03	1
107	Navi Mumbai	Satisfactory	92	PM <sub>10</sub> , PM <sub>2.5</sub>	2
108	Noida	Poor	252	PM <sub>10</sub> , PM <sub>2.5</sub>	4

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	102	PM <sub>2.5</sub>	1
110	Palwal	Moderate	155	PM <sub>2.5</sub>	1
111	Panchkula	Moderate	152	PM <sub>2.5</sub>	1
112	Panipat	Moderate	113	PM <sub>2.5</sub>	1
113	Patiala	Moderate	132	PM <sub>10</sub>	1
114	Patna	Poor	268	PM <sub>2.5</sub> , PM <sub>10</sub>	6
115	Pithampur	Moderate	182	PM <sub>2.5</sub>	1
116	Prayagraj	Moderate	115	PM <sub>2.5</sub> , PM <sub>10</sub>	2
117	Puducherry	Good	32	со	1
118	Pune	Satisfactory	73	PM <sub>2.5</sub> , PM <sub>10</sub>	3
119	Purnia	Very Poor	384	PM <sub>2.5</sub>	1
120	Raichur	Satisfactory	70	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajamahendravaram	Good	48	O <sub>3</sub>	1
122	Ramanagara	Good	45	PM <sub>10</sub>	1
123	Rohtak	Poor	265	PM <sub>2.5</sub>	1
124	Rupnagar	Poor	209	PM <sub>10</sub>	1
125	Sagar	Satisfactory	72	PM <sub>2.5</sub>	1
126	Saharsa	Very Poor	333	PM <sub>10</sub>	1
127	Satna	Satisfactory	63	PM <sub>10</sub>	1
128	Shillong	Good	35	PM <sub>2.5</sub>	1
129	Siliguri	Moderate	134	PM <sub>2.5</sub>	1
130	Singrauli	Poor	234	PM <sub>10</sub>	1
131	Sirsa	Poor	245	PM <sub>2.5</sub>	1
132	Siwan	Very Poor	381	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Good	46	NO <sub>2</sub>	1
134	Sonipat	Moderate	194	PM <sub>2.5</sub>	1
135	Srinagar	Moderate	121	PM <sub>10</sub>	1
136	Thane	Moderate	115	PM <sub>10</sub>	1
137	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub> , CO	2
138	Thoothukudi	Satisfactory	68	со	1
139	Thrissur	Good	43	PM <sub>10</sub>	1
140	Tirupati	Good	40	со	1
141	Udaipur	Moderate	155	PM <sub>2.5</sub>	1
142	Udupi	Good	35	O <sub>3</sub>	1
143	Ujjain	Moderate	141	03	1
144	Vapi	Satisfactory	76	PM <sub>10</sub>	1

## Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	125	PM <sub>2.5</sub> , PM <sub>10</sub>	4
146	Vijayapura	Satisfactory	51	PM <sub>10</sub>	1
147	Visakhapatnam	Satisfactory	85	PM <sub>10</sub>	1
148	Vrindavan	Satisfactory	100	PM <sub>10</sub>	1
149	Yadgir	Good	31	SO <sub>2</sub>	1
150	Yamunanagar	Moderate	187	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bhilai, Bidar, Bihar Sharif, Buxar, Davanagere, Ernakulam, Gummidipoondi, Kolar, Maihar, Naharlagun, Ratlam, Sasaram, Shivamogga, Talcher, Vatva as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.