



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	140	PM _{2.5}	1
2	Agra	Satisfactory	74	PM ₁₀	6
3	Ahmedabad	Moderate	140	PM ₁₀	5
4	Aizawl	Satisfactory	55	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Moderate	104	O ₃	1
8	Amritsar	Satisfactory	94	PM ₁₀	1
9	Anantapur	Satisfactory	87	PM ₁₀	1
10	Ankleshwar	Satisfactory	72	PM ₁₀	1
11	Ariyalur	Good	48	PM ₁₀	1
12	Arrah	Moderate	149	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Gwalior, Haridwar, Jaipur, Jammu, Jodhpur, Lucknow, Madurai, Mahabubnagar, Mangalore, Meerut, Mumbai, Nagpur, Noida, Patna, Raipur, Ranchi, Shimla, Solapur, Thiruvananthapuram, Thiruvengudi, Tirunelveli, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	110	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	124	PM ₁₀	1
15	Aurangabad (Maharashtra)	Satisfactory	83	PM ₁₀	1
16	Baddi	Moderate	161	O ₃	1
17	Bagalkot	Good	46	PM ₁₀	1
18	Baghpat	Satisfactory	84	PM ₁₀	1
19	Bahadurgarh	Satisfactory	75	PM _{2.5}	1
20	Ballabgarh	Satisfactory	72	PM ₁₀	1
21	Banswara	Moderate	108	O ₃	1
22	Bareilly	Satisfactory	58	PM ₁₀	2
23	Baripada	Satisfactory	86	PM ₁₀	1
24	Barmer	Moderate	110	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Dymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	86	PM ₁₀	1
26	Begusarai	Moderate	197	PM ₁₀	1
27	Belgaum	Good	47	PM ₁₀	1
28	Bengaluru	Satisfactory	85	PM _{2.5} , PM ₁₀	12
29	Bettiah	Moderate	186	PM ₁₀	1
30	Bhagalpur	Moderate	125	PM ₁₀	2
31	Bharatpur	Satisfactory	91	PM _{2.5}	1
32	Bhilai	Satisfactory	59	PM ₁₀ , O ₃	3
33	Bhiwadi	Moderate	161	PM ₁₀	1
34	Bhiwani	Satisfactory	54	PM _{2.5}	1
35	Bhopal	Satisfactory	91	O ₃ , PM ₁₀	3
36	Bidar	Satisfactory	52	NH ₃	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Dymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	118	PM ₁₀	1
38	Bikaner	Moderate	142	PM ₁₀	1
39	Bilaspur	Satisfactory	93	PM _{2.5}	1
40	Bileipada	Moderate	163	PM ₁₀	1
41	Bulandshahr	Satisfactory	84	O ₃	1
42	Bundi	Moderate	168	CO	1
43	Chamarajanagar	Good	43	PM ₁₀	1
44	Chandigarh	Satisfactory	88	O ₃ , PM ₁₀	3
45	Chandrapur	Satisfactory	63	PM _{2.5}	1
46	Charkhi Dadri	Satisfactory	96	PM _{2.5}	1
47	Chennai	Satisfactory	70	CO, PM _{2.5}	8
48	Chhal	Satisfactory	99	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Dymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Satisfactory	69	PM ₁₀	1
50	Chikkamagaluru	Good	50	O ₃	1
51	Chittoor	Satisfactory	79	PM _{2.5}	1
52	Chittorgarh	Satisfactory	94	O ₃	1
53	Churu	Moderate	112	O ₃	1
54	Cuddalore	Satisfactory	88	NO ₂	2
55	Damoh	Good	30	PM ₁₀	1
56	Dausa	Moderate	115	PM ₁₀	1
57	Davanagere	Good	36	PM _{2.5}	1
58	Dehradun	Satisfactory	86	O ₃	1
59	Delhi	Moderate	115	O ₃	35
60	Dewas	Satisfactory	92	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Gwalior, Haridwar, Jaipur, Jammu, Jodhpur, Kanpur, Lucknow, Mathura, Meerut, Mirzapur, Moradabad, Nagpur, Noida, Patna, Raipur, Ranchi, Rohtak, Saharanpur, Shillong, Siliguri, Solapur, Thiruvananthapuram, Thiruvallur, Tirunelveli, Tirupur, Tumkur, Udaipur, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	140	CO	1
62	Dharuhera	Moderate	137	PM ₁₀	1
63	Dholpur	Satisfactory	98	PM _{2.5}	1
64	Durgapur	Moderate	119	PM ₁₀	1
65	Eloor	Satisfactory	82	PM ₁₀	1
66	Faridabad	Moderate	103	PM _{2.5}	4
67	Fatehabad	Poor	218	O ₃	1
68	Firozabad	Satisfactory	80	O ₃ , PM _{2.5}	2
69	Gadag	Satisfactory	95	PM ₁₀	1
70	Gandhinagar	Satisfactory	82	PM _{2.5} , PM ₁₀	3
71	Gangtok	Good	46	O ₃	1
72	Gaya	Satisfactory	70	O ₃ , PM _{2.5}	2

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Dymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Satisfactory	86	O ₃ , PM ₁₀	4
74	Gorakhpur	Moderate	138	PM _{2.5}	1
75	Greater Noida	Moderate	144	O ₃	2
76	Gummidipoondi	Moderate	124	PM _{2.5}	1
77	Gurugram	Moderate	131	PM _{2.5}	3
78	Guwahati	Satisfactory	91	PM ₁₀	4
79	Gwalior	Satisfactory	100	PM ₁₀ , O ₃	2
80	Hajipur	Moderate	138	PM ₁₀	1
81	Haldia	Satisfactory	62	PM ₁₀	1
82	Hanumangarh	Satisfactory	85	PM ₁₀	1
83	Hapur	Satisfactory	78	O ₃	1
84	Haveri	Good	42	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Dymihai, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Satisfactory	54	PM _{2.5}	1
86	Howrah	Satisfactory	93	PM ₁₀	3
87	Hubballi	Satisfactory	71	PM ₁₀	2
88	Hyderabad	Satisfactory	90	PM ₁₀	11
89	Indore	Satisfactory	78	PM ₁₀	2
90	Jabalpur	Moderate	124	PM ₁₀	1
91	Jaipur	Satisfactory	96	PM ₁₀	6
92	Jalandhar	Satisfactory	55	PM ₁₀	1
93	Jhalawar	Satisfactory	67	O ₃	1
94	Jhansi	Satisfactory	74	PM _{2.5}	1
95	Jhunjhunu	Poor	224	O ₃	1
96	Jind	Satisfactory	76	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Faridkot, Gurgaon, Guwahati, Haldwari, Haridwar, Hisar, Jaipur, Jalandhar, Jhansi, Jhunjhunu, Jodhpur, Kanpur, Kharagpur, Kohima, Kolkata, Lucknow, Ludhiana, Mangalore, Meerut, Mumbai, Nagpur, Noida, Patna, Raipur, Ranchi, Rohtak, Sahibganj, Shillong, Siliguri, Solapur, Thiruvananthapuram, Thiruvengadam, Tirunelveli, Tirupur, Tumkur, Udaipur, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jodhpur	Satisfactory	67	PM ₁₀	1
98	Kadapa	Satisfactory	64	O ₃	1
99	Kaithal	Satisfactory	62	PM ₁₀	1
100	Kalyan	Satisfactory	76	PM ₁₀	1
101	Kanchipuram	Satisfactory	60	PM ₁₀	1
102	Kanpur	Moderate	102	PM ₁₀	4
103	Karauli	Satisfactory	93	O ₃	1
104	Karnal	Good	44	PM ₁₀	1
105	Katihar	Moderate	169	PM ₁₀	1
106	Katni	Moderate	117	PM ₁₀	1
107	Khurja	Satisfactory	89	PM _{2.5}	1
108	Kishanganj	Satisfactory	97	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Bymohat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kochi	Moderate	109	PM ₁₀	1
110	Kohima	Good	47	PM _{2.5}	1
111	Kolhapur	Satisfactory	89	O ₃	1
112	Kolkata	Satisfactory	86	O ₃ , PM ₁₀	7
113	Kollam	Satisfactory	81	PM ₁₀	1
114	Korba	Satisfactory	96	PM ₁₀	2
115	Kota	Satisfactory	83	PM ₁₀	3
116	Kunjemura	Moderate	102	PM ₁₀	1
117	Lucknow	Moderate	108	PM ₁₀	6
118	Ludhiana	Satisfactory	67	PM ₁₀	1
119	Madikeri	Good	31	PM ₁₀	1
120	Mandi Gobindgarh	Satisfactory	66	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Dymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Mandideep	Moderate	133	O ₃	1
122	Manesar	Moderate	120	PM ₁₀	1
123	Manguraha	Satisfactory	90	O ₃	1
124	Milupara	Satisfactory	96	PM ₁₀	1
125	Moradabad	Satisfactory	82	SO ₂ , PM _{2.5}	6
126	Motihari	Moderate	141	PM ₁₀	1
127	Mumbai	Satisfactory	80	PM ₁₀	17
128	Munger	Moderate	178	PM ₁₀	1
129	Muzaffarnagar	Satisfactory	89	PM ₁₀	1
130	Muzaffarpur	Moderate	170	O ₃ , CO	2
131	Mysuru	Satisfactory	64	PM ₁₀	1
132	Nagaon	Moderate	109	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhilwara, Brajrajnagar, Buxar, Bymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nagpur	Satisfactory	72	PM ₁₀	1
134	Naharlagun	Good	39	PM ₁₀	1
135	Nalbari	Moderate	148	PM ₁₀	1
136	Narnaul	Satisfactory	65	PM ₁₀	1
137	Nashik	Satisfactory	74	O ₃ , PM ₁₀	3
138	Navi Mumbai	Satisfactory	96	PM ₁₀	2
139	Nayagarh	Moderate	144	PM ₁₀	1
140	Noida	Moderate	110	NO ₂ , PM ₁₀	4
141	Pali	Satisfactory	100	PM ₁₀	1
142	Palkalaiperur	Satisfactory	62	SO ₂	1
143	Palwal	Satisfactory	63	PM ₁₀	1
144	Panchkula	Satisfactory	55	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Faridkot, Gurgaon, Guwahati, Haldwari, Haridwar, Hisar, Jaipur, Jalandhar, Jammu, Jodhpur, Kanpur, Kavaratti, Lucknow, Ludhiana, Mahabubnagar, Malappuram, Mangalore, Meerut, Mirzapur, Moradabad, Mumbai, Nagpur, Noida, Patna, Raipur, Ranchi, Rohtak, Sahibganj, Shillong, Siliguri, Solapur, Thiruvananthapuram, Thiruvengudi, Tirunelveli, Tirupur, Tumkur, Udaipur, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Patiala	Satisfactory	58	O ₃	1
146	Patna	Moderate	133	PM _{2.5}	6
147	Pimpri Chinchwad	Moderate	104	PM _{2.5}	1
148	Pithampur	Satisfactory	92	PM ₁₀	1
149	Pratapgarh	Satisfactory	76	PM ₁₀	1
150	Prayagraj	Satisfactory	59	PM ₁₀	3
151	Puducherry	Good	45	PM ₁₀	1
152	Pune	Moderate	113	NO ₂ , O ₃	4
153	Purnia	Moderate	138	PM _{2.5}	1
154	Raichur	Satisfactory	86	PM ₁₀	1
155	Raipur	Satisfactory	72	PM ₁₀	4
156	Rairangpur	Satisfactory	66	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Faridkot, Gandhinagar, Gurgaon, Hapur, Haridwar, Jaipur, Jalandhar, Jammu, Jhansi, Kanpur, Kavaratti, Lucknow, Ludhiana, Mahabubnagar, Malappuram, Mangalore, Meerut, Mirzapur, Moradabad, Mumbai, Nagpur, Noida, Patna, Raipur, Raunai, Ranchi, Roorkee, Sahibganj, Shillong, Siliguri, Solapur, Surat, Thane, Thiruvananthapuram, Tirunelveli, Tirupur, Tumkur, Udaipur, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rajamahendravaram	Good	45	PM ₁₀	1
158	Rajgir	Satisfactory	77	PM ₁₀	1
159	Rajsamand	Moderate	115	PM ₁₀	1
160	Ramanagara	Satisfactory	70	O ₃	1
161	Ramanathapuram	Satisfactory	99	CO	1
162	Ratlam	Satisfactory	86	PM ₁₀	1
163	Rishikesh	Good	36	PM ₁₀	1
164	Rohtak	Satisfactory	53	PM _{2.5}	1
165	Rourkela	Moderate	116	PM ₁₀	3
166	Rupnagar	Satisfactory	94	PM ₁₀	1
167	Sagar	Moderate	126	O ₃	1
168	Saharsa	Moderate	160	O ₃	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhilwara, Brajrajnagar, Buxar, Dymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirohi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Samastipur	Moderate	158	PM _{2.5}	1
170	Satna	Satisfactory	96	PM ₁₀	1
171	Sawai Madhopur	Satisfactory	77	PM ₁₀	1
172	Shillong	Good	46	PM _{2.5}	1
173	Sikar	Moderate	123	PM _{2.5}	1
174	Silchar	Good	38	CO	1
175	Siliguri	Satisfactory	66	PM ₁₀	1
176	Singrauli	Moderate	144	PM ₁₀	1
177	Sirsa	Moderate	110	NO ₂	1
178	Sivasagar	Good	41	PM ₁₀	1
179	Siwan	Moderate	174	PM ₁₀	1
180	Solapur	Moderate	112	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Faridkot, Gandhinagar, Gurgaon, Hapur, Jaipur, Jalandhar, Jammu, Jodhpur, Kanpur, Lucknow, Meerut, Mumbai, Nagpur, Noida, Patna, Raipur, Ranchi, Rohtak, Sahibganj, Shillong, Siliguri, Solapur, Thane, Varanasi, Yamuna Nagar, and others. # Some stations have data available at 3PM

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sonipat	Satisfactory	100	PM ₁₀	1
182	Sri Ganganagar	Moderate	172	PM ₁₀	1
183	Srinagar	Satisfactory	54	PM _{2.5}	1
184	Suakati	Satisfactory	93	PM ₁₀	1
185	Surat	Satisfactory	77	CO	1
186	Talcher	Satisfactory	70	CO	1
187	Tensa	Satisfactory	82	PM ₁₀	1
188	Thane	Satisfactory	94	PM ₁₀	1
189	Thiruvananthapuram	Good	45	PM _{2.5} , PM ₁₀	2
190	Thoothukudi	Satisfactory	64	PM ₁₀	1
191	Thrissur	Satisfactory	73	PM ₁₀	1
192	Tirupati	Satisfactory	69	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Bhopal, Buxar, Durgam, Faridkot, Gandhinagar, Gurgaon, Hapur, Haridwar, Jaipur, Jalandhar, Jammu, Jhansi, Jodhpur, Kanpur, Kharagpur, Kohima, Kolkata, Lucknow, Ludhiana, Mangalore, Meerut, Mumbai, Nagpur, Noida, Patna, Raipur, Ranchi, Rohtak, Sahibganj, Shillong, Siliguri, Solapur, Thiruvananthapuram, Thiruvengadam, Tirunelveli, Tirupur, Tumkur, Udaipur, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 30, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Tonk	Good	42	O ₃	1
194	Tumakuru	Moderate	108	PM ₁₀	1
195	Udaipur	Satisfactory	91	PM ₁₀	1
196	Vapi	Satisfactory	80	PM _{2.5}	1
197	Varanasi	Satisfactory	96	PM ₁₀	4
198	Vatva	Moderate	117	PM _{2.5}	1
199	Vijayapura	Good	49	PM ₁₀	1
200	Visakhapatnam	Moderate	101	PM ₁₀	1
201	Vrindavan	Poor	248	PM ₁₀	1
202	Yadgir	Satisfactory	51	PM ₁₀	1
203	Yamunanagar	Satisfactory	79	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ambala, Araria, Baran, Bhiwara, Brajrajnagar, Buxar, Bymihat, Chengalpattu, Chhapra, Coimbatore, Darbhanga, Dharwad, Dindigul, Ernakulam, Hassan, Hosur, Imphal, Jaisalmer, Jorapokhar, Kalaburgi, Kannur, Kashipur, Keonjhar, Khanna, Kolar, Koppal, Kozhikode, Kurukshetra, Latur, Maihar, Mandikhera, Mangalore, Meerut, Nagaur, Nandesari, Ooty, Panipat, Salem, Sasaram, Shivamogga, Sirahi, Tirupur, Tumidih, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpqb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases