

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	PM _{2.5}	1
2	Agra	Satisfactory	60	PM ₁₀	6
3	Ahmedabad	Satisfactory	58	CO, O ₃	7
4	Ajmer	Satisfactory	84	PM ₁₀	1
5	Akola	Good	49	PM ₁₀	1
6	Alwar	Satisfactory	65	PM ₁₀	1
7	Ambala	Satisfactory	97	со	1
8	Amravati	Good	48	PM ₁₀	2
9	Amritsar	Satisfactory	91	PM ₁₀	1
10	Ankleshwar	Poor	235	O ₃	1
11	Arrah	Satisfactory	86	со	1
12	Asansol	Satisfactory	94	PM _{2.5}	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	42	PM ₁₀	3
14	Baddi	Satisfactory	59	PM ₁₀	1
15	Badlapur	Good	33	PM ₁₀	1
16	Bagalkot	Good	42	PM ₁₀	1
17	Baghpat	Satisfactory	70	PM ₁₀	1
18	Bahadurgarh	Satisfactory	67	PM ₁₀	1
19	Ballabgarh	Satisfactory	59	PM ₁₀	1
20	Banswara	Satisfactory	59	PM ₁₀	1
21	Baran	Satisfactory	79	PM ₁₀	1
22	Bareilly	Good	31	со	2
23	Baripada	Good	48	PM ₁₀	1
24	Barmer	Satisfactory	77	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	94	PM ₁₀	1
26	Begusarai	Poor	235	PM ₁₀	1
27	Belapur	Good	42	PM ₁₀	1
28	Bengaluru	Satisfactory	82	PM _{2.5} , PM ₁₀	12
29	Bettiah	Satisfactory	57	PM ₁₀	1
30	Bhagalpur	Good	44	PM ₁₀	1
31	Bharatpur	Satisfactory	89	PM ₁₀	1
32	Bhilai	Good	43	PM ₁₀ , PM _{2.5}	2
33	Bhilwara	Moderate	108	PM ₁₀	1
34	Bhiwadi	Satisfactory	87	PM ₁₀	1
35	Bhiwandi	Satisfactory	56	PM ₁₀	1
36	Bhiwani	Satisfactory	66	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	59	PM ₁₀	3
38	Bidar	Good	27	СО	1
39	Bihar Sharif	Good	30	со	1
40	Bikaner	Moderate	104	PM ₁₀	1
41	Bilaspur	Moderate	150	со	1
42	Bileipada	Satisfactory	82	PM ₁₀	1
43	Bulandshahr	Satisfactory	63	PM ₁₀	1
44	Bundi	Moderate	103	PM ₁₀	1
45	Byrnihat	Moderate	196	PM _{2.5}	1
46	Chamarajanagar	Good	44	PM ₁₀	1
47	Chandigarh	Good	46	PM ₁₀	3
48	Chandrapur	Satisfactory	89	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Moderate	137	PM _{2.5}	1
50	Chennai	Satisfactory	65	PM ₁₀	5
51	Chhal	Good	31	СО	1
52	Chhapra	Satisfactory	66	со	1
53	Chikkaballapur	Satisfactory	54	PM ₁₀	1
54	Chikkamagaluru	Good	41	PM ₁₀	1
55	Chittoor	Good	50	O ₃	1
56	Chittorgarh	Satisfactory	88	PM ₁₀	1
57	Churu	Good	44	PM ₁₀	1
58	Cuddalore	Good	40	PM _{2.5}	1
59	Damoh	Good	40	PM ₁₀	1
60	Dausa	Moderate	120	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	31	PM ₁₀	1
62	Dehradun	Satisfactory	90	со	1
63	Delhi	Satisfactory	85	PM ₁₀	36
64	Dewas	Good	42	PM ₁₀	1
65	Dhanbad	Satisfactory	81	PM _{2.5}	1
66	Dharuhera	Satisfactory	69	03	1
67	Dholpur	Moderate	173	со	1
68	Dhule	Good	44	PM ₁₀	1
69	Durgapur	Satisfactory	58	PM ₁₀	1
70	Faridabad	Satisfactory	73	PM ₁₀ , PM _{2.5}	4
71	Fatehabad	Moderate	118	O ₃	1
72	Firozabad	Satisfactory	53	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gandhinagar	Satisfactory	52	PM _{2.5} , PM ₁₀	2
74	Gangtok	Satisfactory	56	SO ₂	1
75	Gaya	Satisfactory	55	PM ₁₀ , O ₃	3
76	Ghaziabad	Satisfactory	76	PM ₁₀	3
77	Gorakhpur	Satisfactory	55	SO ₂	1
78	Greater Noida	Satisfactory	80	PM ₁₀	2
79	Gummidipoondi	Satisfactory	90	PM ₁₀	1
80	Gurugram	Moderate	117	PM _{2.5} , CO	3
81	Guwahati	Satisfactory	62	CO, SO ₂	4
82	Gwalior	Satisfactory	52	PM ₁₀ , PM _{2.5}	3
83	Hajipur	Satisfactory	54	PM ₁₀	1
84	Haldia	Good	38	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hanumangarh	Moderate	125	PM ₁₀	1
86	Hapur	Good	41	PM ₁₀	1
87	Haveri	Good	39	со	1
88	Hisar	Moderate	133	PM ₁₀	1
89	Hosur	Satisfactory	73	PM ₁₀	1
90	Howrah	Good	40	PM ₁₀ , PM _{2.5}	3
91	Hubballi	Satisfactory	58	со	2
92	Hyderabad	Satisfactory	74	PM ₁₀	13
93	Indore	Satisfactory	71	PM ₁₀	1
94	Jabalpur	Satisfactory	64	PM ₁₀	3
95	Jaipur	Satisfactory	97	PM ₁₀	5
96	Jaisalmer	Moderate	107	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalandhar	Satisfactory	55	PM ₁₀	1
98	Jalgaon	Good	49	PM _{2.5}	1
99	Jalna	Satisfactory	68	PM ₁₀	1
100	Jhalawar	Satisfactory	63	PM ₁₀	1
101	Jhansi	Good	36	PM ₁₀	1
102	Jhunjhunu	Satisfactory	82	PM ₁₀	1
103	Jind	Moderate	111	со	1
104	Jodhpur	Satisfactory	75	PM ₁₀	5
105	Kaithal	Satisfactory	84	PM _{2.5}	1
106	Kalaburgi	Satisfactory	73	PM ₁₀	1
107	Kanchipuram	Good	45	PM ₁₀	1
108	Kanpur	Satisfactory	62	СО	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Good	50	O ₃	1
110	Karnal	Satisfactory	65	SO ₂	1
111	Kashipur	Good	30	со	1
112	Katihar	Satisfactory	88	со	1
113	Katni	Satisfactory	74	PM ₁₀	1
114	Keonjhar	Satisfactory	100	СО	1
115	Khanna	Satisfactory	66	PM ₁₀	1
116	Khurja	Satisfactory	78	PM _{2.5}	1
117	Kishanganj	Satisfactory	54	СО	1
118	Kohima	Satisfactory	54	SO ₂	1
119	Kolar	Satisfactory	57	PM ₁₀	1
120	Kolhapur	Good	45	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolkata	Good	38	O ₃ , PM ₁₀	7
122	Kollam	Satisfactory	88	PM ₁₀	1
123	Koppal	Good	44	NH ₃	1
124	Korba	Good	28	со	2
125	Kota	Satisfactory	61	PM ₁₀	3
126	Kunjemura	Good	50	PM ₁₀	1
127	Kurukshetra	Good	34	03	1
128	Latur	Satisfactory	56	PM ₁₀	1
129	Lucknow	Good	45	со	6
130	Ludhiana	Satisfactory	83	PM ₁₀	1
131	Madikeri	Good	36	PM ₁₀	1
132	Mahad	Good	36	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Maihar	Good	31	PM ₁₀	1
134	Mandi Gobindgarh	Good	47	PM ₁₀	1
135	Mandideep	Good	48	PM ₁₀	1
136	Mandikhera	Good	30	PM ₁₀	1
137	Manesar	Good	48	PM _{2.5}	1
138	Mangalore	Satisfactory	51	со	1
139	Manguraha	Good	13	03	1
140	Meerut	Good	46	со	2
141	Moradabad	Good	39	PM _{2.5}	5
142	Motihari	Satisfactory	66	со	1
143	Mumbai	Satisfactory	53	CO, PM ₁₀	20
144	Munger	Satisfactory	64	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Moderate	134	O ₃ , NO ₂	3
146	Mysuru	Satisfactory	67	PM ₁₀	1
147	Nagaon	Good	33	03	1
148	Nagaur	Satisfactory	90	PM ₁₀	1
149	Nagpur	Good	40	CO, PM ₁₀	4
150	Nalbari	Satisfactory	78	со	1
151	Nanded	Satisfactory	60	PM ₁₀	1
152	Narnaul	Satisfactory	68	PM ₁₀	1
153	Nashik	Good	40	PM ₁₀ , PM _{2.5}	3
154	Navi Mumbai	Good	42	PM ₁₀	6
155	Nayagarh	Good	43	PM _{2.5}	1
156	Noida	Satisfactory	76	СО	4

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pali	Satisfactory	93	PM ₁₀	1
158	Palkalaiperur	Satisfactory	73	SO ₂	1
159	Palwal	Good	50	PM _{2.5}	1
160	Panchkula	Good	44	O ₃	1
161	Panipat	Moderate	137	PM _{2.5}	1
162	Parbhani	Satisfactory	51	03	1
163	Patiala	Satisfactory	54	O ₃	1
164	Patna	Satisfactory	62	PM ₁₀ , NO ₂	5
165	Pimpri Chinchwad	Good	46	PM ₁₀ , PM _{2.5}	3
166	Pithampur	Satisfactory	65	PM ₁₀	1
167	Pratapgarh	Satisfactory	84	PM ₁₀	1
168	Prayagraj	Satisfactory	62	PM _{2.5} , PM ₁₀	3

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Satisfactory	62	PM ₁₀	1
170	Pune	Satisfactory	84	NO ₂ , PM ₁₀	6
171	Raipur	Good	40	PM ₁₀ , CO	4
172	Rajamahendravaram	Satisfactory	57	03	1
173	Rajsamand	Satisfactory	84	PM ₁₀	1
174	Ramanagara	Satisfactory	57	PM ₁₀	1
175	Ramanathapuram	Good	33	PM ₁₀	1
176	Ratlam	Good	44	PM ₁₀	1
177	Rishikesh	Good	38	O ₃	1
178	Rohtak	Good	40	O ₃	1
179	Rourkela	Good	46	PM ₁₀	2
180	Rupnagar	Satisfactory	56	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Good	45	PM ₁₀	1
182	Saharsa	Satisfactory	74	03	1
183	Samastipur	Satisfactory	76	PM ₁₀	1
184	Sangli	Good	28	PM ₁₀	1
185	Sasaram	Satisfactory	75	со	1
186	Satna	Satisfactory	74	PM ₁₀	1
187	Sawai Madhopur	Satisfactory	96	PM ₁₀	1
188	Shillong	Good	26	PM ₁₀ , SO ₂	2
189	Shivamogga	Good	49	03	1
190	Sikar	Satisfactory	85	PM ₁₀	1
191	Silchar	Good	28	со	1
192	Siliguri	Good	35	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Singrauli	Satisfactory	93	NO ₂	1
194	Sirohi	Satisfactory	64	PM ₁₀	1
195	Sirsa	Satisfactory	71	PM ₁₀	1
196	Sivasagar	Good	22	PM ₁₀	1
197	Siwan	Good	43	со	1
198	Solapur	Satisfactory	66	PM ₁₀	3
199	Sonipat	Satisfactory	99	PM ₁₀	1
200	Sri Ganganagar	Satisfactory	76	PM ₁₀	1
201	Srinagar	Good	43	PM ₁₀	1
202	Suakati	Satisfactory	52	PM ₁₀	1
203	Surat	Moderate	102	со	1
204	Talcher	Good	40	SO ₂	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tensa	Good	31	NO ₂	1
206	Thane	Good	45	СО	3
207	Thiruvananthapuram	Good	28	CO, PM ₁₀	2
208	Thoothukudi	Satisfactory	80	PM ₁₀	1
209	Thrissur	Satisfactory	58	PM ₁₀	1
210	Tirupati	Good	48	PM ₁₀	2
211	Tirupur	Satisfactory	73	PM ₁₀	1
212	Tonk	Moderate	108	PM ₁₀	1
213	Tumidih	Good	24	PM ₁₀	1
214	Udaipur	Satisfactory	70	PM ₁₀	1
215	Ujjain	Satisfactory	64	PM ₁₀	1
216	Ulhasnagar	Good	41	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vapi	Satisfactory	54	СО	1
218	Varanasi	Good	27	O ₃ , SO ₂	4
219	Vatva	Satisfactory	77	PM ₁₀	1
220	Vijayapura	Good	49	PM ₁₀	1
221	Vijayawada	Good	43	со	1
222	Visakhapatnam	Moderate	109	PM ₁₀	1
223	Vrindavan	Good	29	SO ₂	1
224	Yadgir	Good	37	PM ₁₀	1
225	Yamunanagar	Good	48	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.