

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	133	PM _{2.5}	1
2	Agra	Poor	208	PM _{2.5}	5
3	Ahmedabad	Moderate	130	NO ₂ , PM _{2.5} , PM ₁₀	9
4	Aizawl	Good	23	PM ₁₀	1
5	Ajmer	Satisfactory	89	PM _{2.5}	1
6	Alwar	Satisfactory	98	PM ₁₀	1
7	Amaravati	Moderate	159	PM _{2.5}	1
8	Ambala	Poor	245	PM _{2.5}	1
9	Amritsar	Moderate	146	PM _{2.5}	1
10	Ankleshwar	Poor	229	PM _{2.5}	1
11	Araria	Poor	255	PM _{2.5}	1
12	Arrah	Very Poor	334	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	176	PM _{2.5}	1
14	Bagalkot	Satisfactory	64	PM ₁₀	1
15	Baghpat	Poor	246	PM _{2.5}	1
16	Bahadurgarh	Very Poor	309	PM _{2.5}	1
17	Ballabgarh	Poor	242	PM _{2.5}	1
18	Bathinda	Moderate	168	PM ₁₀	1
19	Bengaluru	Moderate	106	PM _{2.5} , PM ₁₀	8
20	Bettiah	Poor	280	PM ₁₀	1
21	Bhagalpur	Poor	240	PM _{2.5}	2
22	Bhilai	Satisfactory	61	PM ₁₀	1
23	Bhiwadi	Very Poor	336	PM _{2.5}	1
24	Bhiwani	Very Poor	311	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Poor	232	PM _{2.5}	1
26	Bihar Sharif	Very Poor	325	PM _{2.5}	1
27	Bilaspur	Moderate	103	PM ₁₀	1
28	Brajrajnagar	Satisfactory	81	03	1
29	Bulandshahr	Poor	229	PM _{2.5}	1
30	Chamarajanagar	Moderate	155	03	1
31	Chandigarh	Poor	201	PM _{2.5} , PM ₁₀	2
32	Chandrapur	Moderate	160	PM _{2.5}	2
33	Charkhi Dadri	Poor	297	PM _{2.5}	1
34	Chennai	Moderate	123	PM _{2.5} , PM ₁₀	7
35	Chhapra	Very Poor	319	PM _{2.5}	1
36	Chikkaballapur	Moderate	127	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Satisfactory	54	PM _{2.5}	1
38	Coimbatore	Moderate	115	PM _{2.5}	1
39	Damoh	Moderate	141	PM _{2.5}	1
40	Darbhanga	Very Poor	350	PM _{2.5}	1
41	Davanagere	Satisfactory	100	PM ₁₀	1
42	Delhi	Very Poor	329	PM _{2.5} , PM ₁₀	36
43	Dewas	Poor	273	PM _{2.5}	1
44	Dharuhera	Poor	233	PM _{2.5}	1
45	Durgapur	Poor	278	PM ₁₀	1
46	Eloor	Satisfactory	70	PM ₁₀	1
47	Ernakulam	Moderate	112	PM _{2.5}	1
48	Faridabad	Poor	268	PM _{2.5}	4

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Fatehabad	Moderate	169	PM _{2.5}	1
50	Firozabad	Poor	215	PM _{2.5}	1
51	Gandhinagar	Moderate	103	PM _{2.5} , PM ₁₀	2
52	Gaya	Poor	201	PM _{2.5} , PM ₁₀	3
53	Ghaziabad	Poor	272	PM _{2.5}	4
54	Gorakhpur	Moderate	119	PM _{2.5}	1
55	Greater Noida	Poor	222	PM _{2.5}	2
56	Gurugram	Very Poor	316	PM _{2.5}	4
57	Guwahati	Moderate	174	PM _{2.5} , PM ₁₀	2
58	Gwalior	Very Poor	326	PM _{2.5}	1
59	Hajipur	Poor	235	PM _{2.5}	1
60	Haldia	Moderate	184	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Poor	252	PM _{2.5}	1
62	Hassan	Satisfactory	97	PM _{2.5}	1
63	Hisar	Very Poor	319	PM _{2.5}	1
64	Howrah	Poor	278	PM _{2.5}	2
65	Hubballi	Moderate	197	PM _{2.5}	1
66	Hyderabad	Moderate	156	PM _{2.5}	6
67	Indore	Poor	278	PM _{2.5}	1
68	Jabalpur	Moderate	152	PM _{2.5}	1
69	Jaipur	Moderate	182	PM _{2.5} , PM ₁₀	3
70	Jalandhar	Moderate	145	PM _{2.5}	1
71	Jind	Very Poor	314	PM _{2.5}	1
72	Jodhpur	Poor	211	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Moderate	191	PM _{2.5}	1
74	Kalaburgi	Moderate	165	PM _{2.5}	1
75	Kalyan	Very Poor	313	PM _{2.5}	1
76	Kanpur	Moderate	145	NO ₂ , PM ₁₀	3
77	Karnal	Moderate	185	PM ₁₀	1
78	Katihar	Very Poor	311	PM _{2.5}	1
79	Katni	Moderate	163	PM _{2.5}	1
80	Khanna	Moderate	164	PM _{2.5}	1
81	Kishanganj	Very Poor	314	PM _{2.5}	1
82	Kochi	Moderate	162	PM _{2.5}	1
83	Kohima	Satisfactory	71	PM ₁₀	1
84	Kolar	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	219	PM _{2.5} , PM ₁₀	7
86	Kollam	Moderate	134	PM ₁₀	1
87	Koppal	Satisfactory	62	PM _{2.5}	1
88	Kota	Poor	287	PM _{2.5}	1
89	Kozhikode	Good	49	PM ₁₀	1
90	Kurukshetra	Poor	213	PM _{2.5}	1
91	Lucknow	Moderate	194	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	102	PM ₁₀	1
93	Madikeri	Satisfactory	78	PM ₁₀	1
94	Maihar	Satisfactory	86	PM _{2.5}	1
95	Mandideep	Moderate	113	PM _{2.5}	1
96	Mandikhera	Moderate	119	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Very Poor	376	PM _{2.5}	1
98	Manglore	Moderate	106	PM _{2.5}	1
99	Meerut	Poor	228	PM _{2.5}	3
100	Moradabad	Poor	214	PM _{2.5}	2
101	Motihari	Very Poor	303	PM _{2.5}	1
102	Mumbai	Poor	241	PM _{2.5}	19
103	Munger	Moderate	191	PM ₁₀	1
104	Muzaffarnagar	Poor	274	PM _{2.5}	1
105	Muzaffarpur	Very Poor	349	PM _{2.5}	3
106	Mysuru	Satisfactory	69	O ₃	1
107	Nagpur	Moderate	119	PM _{2.5}	1
108	Naharlagun	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nandesari	Satisfactory	99	со	1
110	Narnaul	Very Poor	317	PM _{2.5}	1
111	Nashik	Moderate	110	PM _{2.5}	1
112	Navi Mumbai	Poor	300	PM _{2.5}	3
113	Noida	Poor	255	PM _{2.5}	4
114	Pali	Moderate	145	PM _{2.5}	1
115	Palwal	Moderate	115	PM ₁₀	1
116	Panchkula	Poor	258	PM _{2.5}	1
117	Panipat	Poor	293	PM _{2.5}	1
118	Patiala	Moderate	185	PM _{2.5}	1
119	Patna	Poor	270	PM _{2.5} , PM ₁₀	6
120	Pithampur	Poor	220	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Prayagraj	Moderate	192	PM _{2.5}	3
122	Puducherry	Moderate	124	PM _{2.5}	1
123	Pune	Moderate	162	PM _{2.5}	4
124	Purnia	Very Poor	312	PM _{2.5}	1
125	Raichur	Moderate	160	PM _{2.5}	1
126	Rajamahendravaram	Moderate	165	PM _{2.5}	1
127	Ramanagara	Moderate	141	PM _{2.5}	1
128	Rohtak	Very Poor	328	PM _{2.5}	1
129	Sagar	Moderate	103	PM _{2.5}	1
130	Saharsa	Poor	229	PM _{2.5}	1
131	Sasaram	Poor	239	PM _{2.5}	1
132	Satna	Satisfactory	63	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	52	PM ₁₀	1
134	Siliguri	Moderate	122	PM ₁₀	1
135	Singrauli	Very Poor	327	PM ₁₀	1
136	Sirsa	Moderate	126	PM ₁₀	1
137	Siwan	Very Poor	309	PM _{2.5}	1
138	Sonipat	Moderate	177	PM ₁₀	1
139	Srinagar	Satisfactory	79	PM ₁₀	1
140	Talcher	Moderate	104	PM _{2.5}	1
141	Thane	Poor	211	PM ₁₀	1
142	Thiruvananthapuram	Satisfactory	90	PM ₁₀ , PM _{2.5}	2
143	Thoothukudi	Satisfactory	89	PM ₁₀	1
144	Tirupati	Poor	205	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Udaipur	Poor	201	PM _{2.5}	1
146	Udupi	Moderate	158	O ₃	1
147	Ujjain	Moderate	152	PM ₁₀	1
148	Vapi	Moderate	183	PM _{2.5}	1
149	Varanasi	Moderate	153	PM _{2.5} , PM ₁₀	4
150	Vatva	Moderate	133	PM _{2.5}	1
151	Vijayapura	Satisfactory	60	PM _{2.5}	1
152	Visakhapatnam	Moderate	108	PM ₁₀	1
153	Vrindavan	Poor	267	PM _{2.5}	1
154	Yadgir	Moderate	113	PM _{2.5}	1
155	Yamunanagar	Moderate	186	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bidar, Buxar, Gadag, Gummidipoondi, Jorapokhar, Kannur, Mandi Gobindgarh, Manguraha, Rajgir, Ratlam, Rupnagar, Shillong, Solapur, Thrissur as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.