



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	42	PM <sub>10</sub>	2
2	Agra	Satisfactory	86	PM <sub>10</sub> , PM <sub>2.5</sub> , SO <sub>2</sub>	6
3	Aizawl	Good	20	SO <sub>2</sub>	1
4	Ajmer	Satisfactory	64	PM <sub>10</sub>	1
5	Alwar	Satisfactory	65	PM <sub>10</sub>	1
6	Amaravati	Good	23	O <sub>3</sub>	1
7	Ambala	Moderate	122	O <sub>3</sub>	1
8	Amritsar	Satisfactory	98	PM <sub>10</sub>	1
9	Arrah	Satisfactory	97	O <sub>3</sub>	1
10	Asansol	Satisfactory	68	NO <sub>2</sub>	1
11	Aurangabad (Bihar)	Satisfactory	56	PM <sub>10</sub>	1
12	Aurangabad (Maharashtra)	Good	50	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Moderate	157	O <sub>3</sub>	1
14	Bagalkot	Good	42	PM <sub>10</sub>	1
15	Baghat	Satisfactory	61	PM <sub>10</sub>	1
16	Bahadurgarh	Moderate	123	PM <sub>10</sub>	1
17	Ballabgarh	Satisfactory	91	CO	1
18	Bareilly	Good	44	PM <sub>10</sub>	1
19	Bathinda	Satisfactory	68	PM <sub>10</sub>	1
20	Belgaum	Good	46	CO	1
21	Bengaluru	Satisfactory	57	CO, PM <sub>2.5</sub> , PM <sub>10</sub>	7
22	Bettiah	Satisfactory	60	PM <sub>10</sub>	1
23	Bhagalpur	Moderate	123	SO <sub>2</sub>	1
24	Bhiwadi	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Satisfactory	76	CO	1
26	Bilaspur	Satisfactory	67	PM <sub>10</sub>	1
27	Bulandshahr	Satisfactory	64	PM <sub>10</sub>	1
28	Buxar	Satisfactory	60	PM <sub>10</sub>	1
29	Chamarajanagar	Good	41	PM <sub>10</sub>	1
30	Chandigarh	Satisfactory	71	O <sub>3</sub> , PM <sub>10</sub>	3
31	Chandrapur	Satisfactory	65	CO	1
32	Charkhi Dadri	Satisfactory	61	PM <sub>10</sub>	1
33	Chennai	Satisfactory	64	PM <sub>10</sub> , CO	9
34	Chhapra	Satisfactory	87	CO	1
35	Chikkaballapur	Good	29	CO	1
36	Coimbatore	Satisfactory	54	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Damoh	Good	29	PM <sub>2.5</sub>	1
38	Darbhanga	Satisfactory	61	PM <sub>10</sub>	1
39	Davanagere	Good	10	PM <sub>10</sub>	1
40	Dehradun	Good	36	PM <sub>10</sub>	1
41	Delhi	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub>	16
42	Dewas	Good	40	O <sub>3</sub>	1
43	Durgapur	Good	38	SO <sub>2</sub>	1
44	Eloor	Satisfactory	53	PM <sub>10</sub>	1
45	Ernakulam	Good	32	NO <sub>2</sub>	1
46	Faridabad	Moderate	117	PM <sub>2.5</sub> , PM <sub>10</sub>	3
47	Fatehabad	Satisfactory	78	PM <sub>10</sub>	1
48	Firozabad	Satisfactory	72	O <sub>3</sub> , PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Good	24	SO <sub>2</sub>	1
50	Gandhinagar	Good	41	PM <sub>10</sub>	1
51	Gangtok	Good	17	O <sub>3</sub>	1
52	Gaya	Satisfactory	52	CO	1
53	Ghaziabad	Moderate	103	PM <sub>2.5</sub> , PM <sub>10</sub>	4
54	Greater Noida	Moderate	116	CO, PM <sub>10</sub>	2
55	Gurugram	Moderate	115	PM <sub>10</sub> , PM <sub>2.5</sub>	3
56	Guwahati	Satisfactory	52	PM <sub>10</sub>	2
57	Gwalior	Good	46	PM <sub>10</sub>	1
58	Hajipur	Good	47	PM <sub>2.5</sub>	1
59	Haldia	Good	38	O <sub>3</sub>	1
60	Hapur	Satisfactory	62	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	51	SO <sub>2</sub>	1
62	Haveri	Good	49	CO	1
63	Howrah	Good	34	CO, PM <sub>10</sub> , O <sub>3</sub>	3
64	Hyderabad	Good	38	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	12
65	Imphal	Satisfactory	88	O <sub>3</sub>	1
66	Indore	Satisfactory	52	NO <sub>2</sub>	1
67	Jabalpur	Satisfactory	51	CO	1
68	Jaipur	Satisfactory	63	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	3
69	Jalandhar	Satisfactory	100	PM <sub>10</sub>	1
70	Jhansi	Good	36	PM <sub>10</sub>	1
71	Jind	Satisfactory	93	PM <sub>2.5</sub>	1
72	Jodhpur	Satisfactory	88	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Good	43	CO	1
74	Kannur	Satisfactory	62	PM <sub>10</sub>	1
75	Kanpur	Good	37	PM <sub>10</sub> , PM <sub>2.5</sub>	4
76	Karnal	Satisfactory	52	PM <sub>10</sub>	1
77	Katihar	Satisfactory	84	PM <sub>10</sub>	1
78	Katni	Satisfactory	59	PM <sub>10</sub>	1
79	Khanna	Satisfactory	62	PM <sub>10</sub>	1
80	Khurja	Satisfactory	98	PM <sub>2.5</sub>	1
81	Kishanganj	Good	31	NO <sub>2</sub>	1
82	Kochi	Moderate	130	CO	1
83	Kohima	Satisfactory	54	SO <sub>2</sub>	1
84	Kolkata	Good	32	O <sub>3</sub> , CO, NO <sub>2</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhillai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	53	PM <sub>10</sub>	1
86	Koppal	Satisfactory	67	O <sub>3</sub>	1
87	Kurukshetra	Satisfactory	52	PM <sub>2.5</sub>	1
88	Lucknow	Good	50	CO, NO <sub>2</sub> , O <sub>3</sub>	6
89	Ludhiana	Moderate	112	PM <sub>10</sub>	1
90	Madikeri	Good	27	SO <sub>2</sub>	1
91	Maihar	Good	40	CO	1
92	Mandi Gobindgarh	Moderate	152	PM <sub>2.5</sub>	1
93	Mandikhera	Good	31	CO	1
94	Manglore	Good	46	CO	1
95	Meerut	Satisfactory	77	PM <sub>10</sub> , NO <sub>2</sub>	3
96	Moradabad	Satisfactory	83	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Motihari	Satisfactory	64	O <sub>3</sub>	1
98	Mumbai	Good	45	PM <sub>2.5</sub> , CO, O <sub>3</sub>	14
99	Muzaffarnagar	Satisfactory	74	PM <sub>2.5</sub>	1
100	Muzaffarpur	Satisfactory	65	CO, PM <sub>10</sub>	3
101	Mysuru	Good	38	PM <sub>10</sub>	1
102	Nagpur	Good	31	PM <sub>2.5</sub>	1
103	Naharlagun	Good	23	SO <sub>2</sub>	1
104	Narnaul	Satisfactory	71	PM <sub>2.5</sub>	1
105	Navi Mumbai	Satisfactory	72	CO, SO <sub>2</sub> , O <sub>3</sub>	3
106	Noida	Satisfactory	92	CO, PM <sub>10</sub>	4
107	Pali	Good	47	PM <sub>10</sub>	1
108	Panchkula	Good	49	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Panipat	Good	45	PM <sub>2.5</sub>	1
110	Patiala	Satisfactory	57	PM <sub>10</sub>	1
111	Patna	Satisfactory	82	PM <sub>10</sub> , NO <sub>2</sub> , CO	6
112	Pithampur	Satisfactory	77	PM <sub>10</sub>	1
113	Prayagraj	Moderate	179	O <sub>3</sub> , PM <sub>10</sub>	2
114	Puducherry	Good	48	PM <sub>10</sub>	1
115	Rajamahendravaram	Good	23	CO	1
116	Rajgir	Moderate	105	CO	1
117	Ramanagara	Satisfactory	73	PM <sub>10</sub>	1
118	Ramanathapuram	Moderate	123	CO	1
119	Ratlam	Good	30	NO <sub>2</sub>	1
120	Rohtak	Satisfactory	75	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rupnagar	Satisfactory	77	PM <sub>10</sub>	1
122	Sagar	Good	47	CO	1
123	Satna	Good	26	PM <sub>10</sub>	1
124	Shillong	Good	19	PM <sub>10</sub>	2
125	Shivamogga	Good	44	PM <sub>10</sub>	1
126	Singrauli	Satisfactory	87	NO <sub>2</sub>	1
127	Sirsa	Moderate	151	O <sub>3</sub>	1
128	Solapur	Satisfactory	74	PM <sub>10</sub>	1
129	Sonipat	Satisfactory	92	PM <sub>10</sub>	1
130	Srinagar	Good	36	SO <sub>2</sub>	1
131	Thane	Satisfactory	67	O <sub>3</sub>	1
132	Thiruvananthapuram	Good	42	CO	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Aug 09, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Thoothukudi	Good	30	PM <sub>10</sub>	1
134	Thrissur	Good	42	PM <sub>10</sub>	1
135	Tirupati	Good	36	PM <sub>10</sub>	1
136	Udaipur	Satisfactory	65	PM <sub>10</sub>	1
137	Ujjain	Satisfactory	57	PM <sub>10</sub>	1
138	Varanasi	Good	44	PM <sub>10</sub> , SO <sub>2</sub>	4
139	Vatva	Satisfactory	82	PM <sub>10</sub>	1
140	Vijayapura	Good	40	PM <sub>10</sub>	1
141	Visakhapatnam	Satisfactory	68	PM <sub>10</sub>	1
142	Yadgir	Good	28	CO	1
143	Yamunanagar	Satisfactory	91	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmedabad, Ankleshwar,

Araria, Begusarai, Bhilai, Bhiwani, Bidar, Bihar Sharif, Brajrajnagar, Chengalpattu, Chikkamagaluru, Dharuhera, Gorakhpur, Gummidipoondi, Hisar, Hosur, Hubballi, Jorapokhar, Kaithal, Kalaburgi, Kolar, Kota, Kozhikode, Mandideep, Manesar, Manguraha, Munger, Nandesari, Nashik, Palwal, Pune, Purnia, Raichur, Saharsa, Samastipur, Sasaram, Siliguri, Siwan, Talcher, Udupi, Vapi, Vrindavan as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases