



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	158	PM _{2.5}	1
2	Agra	Very Poor	364	PM _{2.5}	1
3	Ahmedabad	Moderate	142	PM ₁₀	1
4	Aizawl	Good	19	PM ₁₀	1
5	Ajmer	Moderate	102	PM ₁₀	1
6	Alwar	Moderate	117	PM ₁₀	1
7	Amaravati	Poor	205	PM _{2.5}	1
8	Ambala	Very Poor	343	PM _{2.5}	1
9	Amritsar	Moderate	182	PM _{2.5}	1
10	Ankleshwar	Moderate	151	PM ₁₀	1
11	Asansol	Very Poor	302	PM _{2.5}	1
12	Aurangabad	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	66	PM ₁₀	1
14	Baghpat	Severe	407	PM _{2.5}	1
15	Bahadurgarh	Very Poor	340	PM _{2.5}	1
16	Ballabgarh	Very Poor	383	PM ₁₀	1
17	Bathinda	Poor	219	PM ₁₀	1
18	Bengaluru	Moderate	117	PM _{2.5} , O ₃	8
19	Bhiwadi	Very Poor	331	PM _{2.5}	1
20	Bhiwani	Poor	244	PM ₁₀	1
21	Bhopal	Moderate	132	PM ₁₀	1
22	Brajrajnagar	Moderate	172	PM _{2.5}	1
23	Bulandshahr	Severe	458	PM _{2.5}	1
24	Chamarajanagar	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Poor	241	PM _{2.5}	1
26	Chandrapur	Moderate	130	PM ₁₀	2
27	Charkhi Dadri	Very Poor	308	PM _{2.5}	1
28	Chennai	Satisfactory	99	PM _{2.5} , PM ₁₀	7
29	Chikkaballapur	Moderate	103	PM _{2.5}	1
30	Chikkamagaluru	Satisfactory	76	O ₃	1
31	Damoh	Moderate	166	PM _{2.5}	1
32	Delhi	Severe	418	PM _{2.5}	32
33	Dewas	Moderate	107	O ₃	1
34	Dharuhera	Very Poor	395	PM _{2.5}	1
35	Durgapur	Poor	255	PM ₁₀	1
36	Eloor	Good	47	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Moderate	103	PM _{2.5}	1
38	Faridabad	Severe	407	PM _{2.5} , PM ₁₀	4
39	Fatehabad	Very Poor	343	PM _{2.5}	1
40	Gandhinagar	Satisfactory	87	PM ₁₀	1
41	Gaya	Poor	222	PM _{2.5}	2
42	Ghaziabad	Severe	458	PM _{2.5}	4
43	Greater Noida	Severe	450	PM _{2.5}	2
44	Gurugram	Very Poor	377	PM _{2.5}	1
45	Guwahati	Poor	264	PM ₁₀	1
46	Gwalior	Very Poor	317	PM _{2.5}	1
47	Hajipur	Moderate	198	PM ₁₀	1
48	Haldia	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Poor	209	PM _{2.5}	1
50	Hisar	Severe	417	PM _{2.5}	1
51	Howrah	Very Poor	353	PM ₁₀ , PM _{2.5}	3
52	Hubballi	Moderate	132	PM _{2.5}	1
53	Hyderabad	Moderate	141	PM _{2.5} , PM ₁₀	4
54	Indore	Moderate	109	PM ₁₀	1
55	Jabalpur	Moderate	187	PM ₁₀	1
56	Jaipur	Moderate	156	PM _{2.5} , PM ₁₀	3
57	Jalandhar	Poor	250	PM _{2.5}	1
58	Jind	Very Poor	355	PM _{2.5}	1
59	Jodhpur	Moderate	186	PM _{2.5}	1
60	Jorapokhar	Moderate	182	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kaithal	Poor	287	PM ₁₀	1
62	Kalaburgi	Moderate	103	PM ₁₀	1
63	Kalyan	Moderate	170	PM ₁₀	1
64	Kannur	Moderate	200	PM _{2.5}	1
65	Kanpur	Severe	452	PM _{2.5}	2
66	Karnal	Very Poor	352	PM _{2.5}	1
67	Katni	Poor	267	PM _{2.5}	1
68	Khanna	Poor	221	PM _{2.5}	1
69	Kochi	Moderate	135	PM _{2.5}	1
70	Kohima	Satisfactory	76	PM ₁₀	1
71	Kolkata	Very Poor	355	PM _{2.5}	6
72	Kollam	Moderate	118	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Koppal	Satisfactory	98	PM ₁₀	1
74	Kota	Moderate	158	PM _{2.5}	1
75	Kozhikode	Satisfactory	100	PM ₁₀	1
76	Kurukshetra	Very Poor	383	PM _{2.5}	1
77	Lucknow	Severe	412	PM _{2.5}	4
78	Ludhiana	Poor	252	PM _{2.5}	1
79	Maihar	Satisfactory	74	PM _{2.5}	1
80	Mandi Gobindgarh	Moderate	182	PM ₁₀	1
81	Mandideep	Moderate	152	PM _{2.5}	1
82	Mandikhera	Poor	224	PM _{2.5}	1
83	Manesar	Very Poor	341	PM _{2.5}	1
84	Medikeri	Satisfactory	92	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Meerut	Severe	446	PM _{2.5}	3
86	Moradabad	Severe	408	PM _{2.5}	1
87	Mumbai	Moderate	141	PM _{2.5} , O ₃ , PM ₁₀	13
88	Muzaffarpur	Very Poor	322	PM _{2.5} , PM ₁₀	2
89	Mysuru	Satisfactory	72	O ₃	1
90	Nandesari	Moderate	112	CO	1
91	Narnaul	Poor	284	PM _{2.5}	1
92	Nashik	Moderate	125	PM _{2.5}	1
93	Navi Mumbai	Poor	218	PM _{2.5}	3
94	Noida	Severe	437	PM _{2.5}	2
95	Pali	Moderate	155	PM _{2.5}	1
96	Palwal	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Panchkula	Poor	287	PM _{2.5}	1
98	Panipat	Very Poor	356	PM ₁₀	1
99	Patiala	Poor	270	PM _{2.5}	1
100	Patna	Very Poor	319	PM _{2.5} , PM ₁₀	6
101	Pithampur	Satisfactory	95	PM ₁₀	1
102	Pune	Satisfactory	82	PM _{2.5}	1
103	Rajamahendravaram	Moderate	146	PM _{2.5}	1
104	Ramanagara	Satisfactory	86	PM _{2.5}	1
105	Rohtak	Very Poor	352	PM _{2.5}	1
106	Rupnagar	Poor	254	PM _{2.5}	1
107	Sagar	Moderate	116	PM _{2.5}	1
108	Satna	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Satisfactory	97	PM ₁₀	1
110	Sirsa	Moderate	186	PM _{2.5}	1
111	Solapur	Moderate	121	PM ₁₀	1
112	Sonipat	Poor	293	PM _{2.5}	1
113	Talcher	Moderate	119	PM ₁₀	1
114	Thiruvananthapuram	Moderate	110	PM _{2.5} , PM ₁₀	2
115	Thoothukudi	Satisfactory	86	O ₃	1
116	Thrissur	Moderate	104	O ₃	1
117	Tirupati	Moderate	107	PM _{2.5}	1
118	Udaipur	Moderate	152	PM _{2.5}	1
119	Ujjain	Moderate	169	PM _{2.5}	1
120	Vapi	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



Air Quality Index on Dec 22, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Varanasi	Very Poor	315	PM _{2.5}	1
122	Vatva	Moderate	120	NO ₂	1
123	Vijayapura	Satisfactory	71	CO	1
124	Visakhapatnam	Poor	248	PM ₁₀	1
125	Yadgir	Satisfactory	96	O ₃	1
126	Yamunanagar	Very Poor	343	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Nagpur, Raichur, Ratlam, Shillong, Siliguri, Singrauli, Thane as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.