Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	255	$PM_{2.5}$	1
2	Agra	Moderate	123	PM_{10}, $PM_{2.5}$	6
3	Ahmedabad	Moderate	120	$PM_{2.5}$, PM_{10}	9
4	Aizawl	Satisfactory	82	PM_{10}	1
5	Ajmer	Moderate	137	$PM_{2.5}$	1
6	Alwar	Satisfactory	86	PM_{10}	1
7	Amaravati	Satisfactory	93	PM_{10}	1
8	Ambala	Poor	241	$PM_{2.5}$	1
9	Amritsar	Moderate	158	$PM_{2.5}$	1
10	Ankleshwar	Moderate	147	$PM_{2.5}$	1
11	Araria	Poor	266	$PM_{2.5}$	1
12	Arrah	Poor	236	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Moderate	155	O_3	1
14	Aurangabad	Satisfactory	100	PM_{10}	1
15	Bagalkot	Good	50	$PM_{2.5}$	1
16	Baghpat	Poor	216	$PM_{2.5}$	1
17	Bahadurgarh	Moderate	180	$PM_{2.5}$	1
18	Ballabgarh	Poor	299	$PM_{2.5}$	1
19	Bathinda	Moderate	126	PM_{10}	1
20	Bengaluru	Moderate	108	PM_{10}, $PM_{2.5}$	10
21	Bhagalpur	Very Poor	344	$PM_{2.5}$	2
22	Bhilai	Satisfactory	57	PM_{10}	1
23	Bhiwadi	Moderate	186	$PM_{2.5}$	1
24	Bhiwani	Poor	238	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	160	O_3	1
26	Bidar	Satisfactory	82	PM_{10}	1
27	Bihar Sharif	Moderate	198	$PM_{2.5}$	1
28	Bilaspur	Good	45	PM_{10}	1
29	Brajrajnagar	Satisfactory	83	O_3	1
30	Bulandshahr	Poor	256	$PM_{2.5}$	1
31	Buxar	Poor	261	$PM_{2.5}$	1
32	Chamarajanagar	Good	34	PM_{10}	1
33	Chandigarh	Moderate	156	$PM_{2.5}$, PM_{10}	2
34	Chandrapur	Satisfactory	93	PM_{10}	2
35	Chennai	Moderate	105	PM_{10}, O_3	6
36	Chhapra	Very Poor	337	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Moderate	105	PM_{10}	1
38	Chikkamagaluru	Good	36	PM_{10}	1
39	Coimbatore	Satisfactory	84	$PM_{2.5}$	1
40	Damoh	Satisfactory	84	$PM_{2.5}$	1
41	Darbhanga	Very Poor	307	$PM_{2.5}$	1
42	Davanagere	Moderate	127	PM_{10}	1
43	Delhi	Poor	251	PM_{10}, $PM_{2.5}$	35
44	Dewas	Satisfactory	69	PM_{10}	1
45	Dharuhera	Poor	240	$PM_{2.5}$	1
46	Durgapur	Poor	245	PM_{10}	1
47	Eloor	Satisfactory	80	CO	1
48	Ernakulam	Poor	247	NO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Faridabad	Poor	275	PM_{10}, $PM_{2.5}$	3
50	Fatehabad	Moderate	122	PM_{10}	1
51	Firozabad	Moderate	200	$PM_{2.5}$	1
52	Gadag	Satisfactory	71	$PM_{2.5}$	1
53	Gandhinagar	Satisfactory	94	$PM_{2.5}$, PM_{10}	3
54	Gaya	Moderate	171	$PM_{2.5}$	3
55	Ghaziabad	Poor	215	$PM_{2.5}$, PM_{10}	3
56	Gorakhpur	Moderate	102	$PM_{2.5}$	1
57	Greater Noida	Poor	202	$PM_{2.5}$	2
58	Gurugram	Poor	232	$PM_{2.5}$	4
59	Guwahati	Poor	221	$PM_{2.5}$	2
60	Gwalior	Moderate	160	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Haldia	Moderate	127	PM_{10}	1
62	Hapur	Poor	217	$PM_{2.5}$	1
63	Hassan	Satisfactory	87	PM_{10}	1
64	Hisar	Poor	238	$PM_{2.5}$	1
65	Howrah	Poor	262	$PM_{2.5}$	2
66	Hyderabad	Moderate	108	PM_{10}, $PM_{2.5}$	6
67	Indore	Moderate	140	$PM_{2.5}$	1
68	Jabalpur	Moderate	192	PM_{10}	1
69	Jaipur	Moderate	194	PM_{10}, $PM_{2.5}$	2
70	Jalandhar	Moderate	190	$PM_{2.5}$	1
71	Jind	Poor	207	$PM_{2.5}$	1
72	Jodhpur	Poor	275	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jorapokhar	Good	50	O_3	1
74	Kaithal	Moderate	129	$PM_{2.5}$	1
75	Kalyan	Moderate	137	PM_{10}	1
76	Kannur	Satisfactory	60	PM_{10}	1
77	Kanpur	Moderate	156	$PM_{2.5}$, PM_{10}	3
78	Karnal	Moderate	108	PM_{10}	1
79	Katihar	Very Poor	329	$PM_{2.5}$	1
80	Katni	Poor	214	$PM_{2.5}$	1
81	Khanna	Moderate	154	$PM_{2.5}$	1
82	Kishanganj	Very Poor	377	$PM_{2.5}$	1
83	Kochi	Moderate	125	$PM_{2.5}$	1
84	Kolar	Moderate	118	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolkata	Poor	210	$PM_{2.5}$	3
86	Kollam	Satisfactory	74	PM_{10}	1
87	Koppal	Satisfactory	91	O_3	1
88	Kota	Moderate	127	$PM_{2.5}$	1
89	Kurukshetra	Moderate	199	$PM_{2.5}$	1
90	Lucknow	Moderate	190	PM_{10}, $PM_{2.5}$	6
91	Ludhiana	Moderate	128	$PM_{2.5}$	1
92	Madikeri	Satisfactory	80	PM_{10}	1
93	Maihar	Good	31	CO	1
94	Mandi Gobindgarh	Poor	240	$PM_{2.5}$	1
95	Mandideep	Moderate	166	$PM_{2.5}$	1
96	Mandikhera	Satisfactory	90	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Poor	269	$PM_{2.5}$	1
98	Manglore	Satisfactory	55	$PM_{2.5}$	1
99	Meerut	Poor	254	$PM_{2.5}$	3
100	Moradabad	Moderate	161	$PM_{2.5}$	4
101	Mumbai	Moderate	162	$PM_{2.5}$, O_3, PM_{10}	16
102	Munger	Very Poor	357	$PM_{2.5}$	1
103	Muzaffarnagar	Very Poor	328	$PM_{2.5}$	1
104	Muzaffarpur	Very Poor	395	$PM_{2.5}$	1
105	Mysuru	Satisfactory	65	O_3	1
106	Narnaul	Moderate	173	$PM_{2.5}$	1
107	Nashik	Moderate	127	$PM_{2.5}$	1
108	Navi Mumbai	Moderate	147	PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Poor	215	PM_{10}, $PM_{2.5}$	4
110	Pali	Satisfactory	100	PM_{10}	1
111	Palwal	Moderate	108	PM_{10}	1
112	Panchkula	Moderate	172	$PM_{2.5}$	1
113	Patiala	Moderate	106	PM_{10}	1
114	Patna	Poor	270	$PM_{2.5}$, PM_{10}	5
115	Pithampur	Moderate	118	$PM_{2.5}$	1
116	Prayagraj	Satisfactory	88	$PM_{2.5}$, PM_{10}	3
117	Puducherry	Moderate	110	PM_{10}	1
118	Pune	Moderate	171	$PM_{2.5}$	3
119	Raichur	Moderate	124	PM_{10}	1
120	Rajamahendravaram	Moderate	131	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Poor	263	$PM_{2.5}$	1
122	Ramanagara	Satisfactory	98	PM_{10}	1
123	Ratlam	Satisfactory	97	PM_{10}	1
124	Rohtak	Moderate	152	$PM_{2.5}$	1
125	Rupnagar	Poor	210	$PM_{2.5}$	1
126	Sasaram	Moderate	171	$PM_{2.5}$	1
127	Shivamogga	Satisfactory	55	O_3	1
128	Singrauli	Moderate	178	PM_{10}	1
129	Sirsa	Moderate	135	PM_{10}	1
130	Siwan	Severe	414	$PM_{2.5}$	1
131	Solapur	Satisfactory	68	CO	1
132	Sonipat	Moderate	137	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Srinagar	Moderate	124	PM_{10}	1
134	Talcher	Moderate	136	$PM_{2.5}$	1
135	Thiruvananthapuram	Satisfactory	62	PM_{10}, $PM_{2.5}$	2
136	Thoothukudi	Satisfactory	64	PM_{10}	1
137	Thrissur	Satisfactory	93	PM_{10}	1
138	Tirupati	Moderate	160	$PM_{2.5}$	1
139	Udaipur	Moderate	147	$PM_{2.5}$	1
140	Udupi	Good	39	O_3	1
141	Ujjain	Moderate	162	PM_{10}	1
142	Varanasi	Satisfactory	91	$PM_{2.5}$, PM_{10}	3
143	Vatva	Moderate	138	PM_{10}	1
144	Vijayapura	Satisfactory	51	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Jan 29, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Visakhapatnam	Moderate	124	PM_{10}	1
146	Vrindavan	Satisfactory	75	PM_{10}	1
147	Yadgir	Satisfactory	98	PM_{10}	1
148	Yamunanagar	Moderate	163	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Bettiah, Charkhi Dadri, Gummidipoondi, Hajipur, Hubballi, Kalaburgi, Kohima, Kozhikode, Manguraha, Motihari, Nagpur, Naharlagun, Nandesari, Panipat, Purnia, Sagar, Saharsa, Satna, Shillong, Siliguri, Thane, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.