

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	66	со	1
2	Ahmedabad	Good	50	PM _{2.5}	1
3	Aizawl	Satisfactory	77	NH ₃	1
4	Ajmer	Good	31	PM ₁₀	1
5	Alwar	Satisfactory	58	PM ₁₀	1
6	Amaravati	Good	46	O ₃	1
7	Ambala	Satisfactory	52	PM ₁₀	1
8	Amritsar	Satisfactory	64	PM ₁₀	1
9	Ankleshwar	Good	39	со	1
10	Asansol	Good	36	PM ₁₀	1
11	Aurangabad	Good	38	PM ₁₀	1
12	Bagalkot	Good	39	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode, Rupnagar, Singrauli, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Satisfactory	76	со	1
14	Ballabgarh	Moderate	126	PM ₁₀	1
15	Bengaluru	Good	42	PM ₁₀ , CO, NO ₂	9
16	Bhiwadi	Satisfactory	88	PM ₁₀	1
17	Bhopal	Good	28	со	1
18	Brajrajnagar	Satisfactory	51	PM ₁₀	1
19	Bulandshahr	Satisfactory	63	PM ₁₀	1
20	Chandigarh	Good	33	PM ₁₀	1
21	Chandrapur	Good	27	PM ₁₀	1
22	Chennai	Satisfactory	70	CO, O ₃ , PM _{2.5}	3
23	Chikkaballapur	Satisfactory	52	PM ₁₀	1
24	Chikkamagaluru	Good	32	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Good	32	NO ₂	1
26	Damoh	Good	19	NO ₂	1
27	Delhi	Satisfactory	87	O ₃ , CO, PM ₁₀	33
28	Dewas	Good	44	PM ₁₀	1
29	Dharuhera	Satisfactory	62	PM ₁₀	1
30	Eloor	Good	31	PM ₁₀	1
31	Ernakulam	Moderate	104	со	1
32	Faridabad	Moderate	103	PM _{2.5} , PM ₁₀	4
33	Fatehabad	Satisfactory	52	PM _{2.5}	1
34	Gandhinagar	Good	50	PM ₁₀	1
35	Gaya	Good	28	со	1
36	Ghaziabad	Satisfactory	95	O ₃ , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Satisfactory	60	PM ₁₀	1
38	Gurugram	Satisfactory	93	PM _{2.5} , PM ₁₀	4
39	Guwahati	Good	29	PM ₁₀	1
40	Gwalior	Good	43	PM ₁₀	1
41	Hajipur	Good	40	PM ₁₀	1
42	Hapur	Good	50	PM ₁₀	1
43	Hisar	Satisfactory	74	PM _{2.5}	1
44	Howrah	Satisfactory	54	PM ₁₀	3
45	Hubballi	Good	23	PM ₁₀	1
46	Hyderabad	Good	31	NO ₂ , PM ₁₀ , O ₃	6
47	Indore	Good	46	PM ₁₀	1
48	Jabalpur	Good	36	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode, Rupnagar, Singrauli, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jaipur	Good	48	PM ₁₀ , CO, O ₃	3
50	Jalandhar	Satisfactory	95	PM _{2.5}	1
51	Jind	Satisfactory	59	СО	1
52	Jodhpur	Satisfactory	69	PM ₁₀	1
53	Jorapokhar	Satisfactory	67	со	1
54	Kaithal	Satisfactory	53	PM ₁₀	1
55	Kalyan	Good	29	PM ₁₀	1
56	Kannur	Good	26	PM ₁₀	1
57	Kanpur	Satisfactory	59	PM _{2.5}	1
58	Karnal	Good	40	PM ₁₀	1
59	Katni	Satisfactory	69	PM ₁₀	1
60	Khanna	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kochi	Satisfactory	75	со	1
62	Kolkata	Satisfactory	54	PM ₁₀ , O ₃	6
63	Kota	Good	34	PM _{2.5}	1
64	Kurukshetra	Good	44	PM ₁₀	1
65	Lucknow	Satisfactory	92	PM _{2.5} , PM ₁₀ , O ₃	4
66	Ludhiana	Good	45	PM _{2.5}	1
67	Maihar	Good	21	PM ₁₀	1
68	Mandi Gobindgarh	Satisfactory	57	PM _{2.5}	1
69	Mandideep	Satisfactory	51	O ₃	1
70	Mandikhera	Satisfactory	80	O ₃	1
71	Manesar	Satisfactory	91	PM ₁₀	1
72	Meerut	Satisfactory	52	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	factory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Moradabad	Satisfactory	70	со	1
74	Mumbai	Good	49	PM ₁₀ , SO ₂ , CO	9
75	Muzaffarnagar	Satisfactory	77	PM ₁₀	1
76	Muzaffarpur	Satisfactory	62	03	1
77	Mysuru	Good	19	со	1
78	Nagpur	Satisfactory	70	03	1
79	Nandesari	Poor	277	PM _{2.5}	1
80	Narnaul	Good	40	PM ₁₀	1
81	Nashik	Good	24	со	1
82	Navi Mumbai	Good	38	со	1
83	Noida	Moderate	113	CO, PM ₁₀	3
84	Pali	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh, Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode, Rupnagar, Singrauli, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Palwal	Satisfactory	66	PM _{2.5}	1
86	Panchkula	Good	37	со	1
87	Panipat	Satisfactory	89	PM ₁₀	1
88	Patiala	Good	34	PM ₁₀	1
89	Patna	Good	41	PM ₁₀ , PM _{2.5} , O ₃	5
90	Pithampur	Good	34	PM ₁₀	1
91	Pune	Good	47	СО	1
92	Rajamahendravaram	Good	48	O ₃	1
93	Ramanagara	Good	42	NO ₂	1
94	Ratlam	Good	37	PM ₁₀	1
95	Rohtak	Good	49	PM _{2.5}	1
96	Sagar	Good	25	СО	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Satisfactory	62	PM ₁₀	1
98	Shillong	Good	12	PM _{2.5}	1
99	Siliguri	Good	50	PM _{2.5}	1
100	Sirsa	Satisfactory	61	03	1
101	Solapur	Good	38	PM ₁₀	1
102	Sonipat	Satisfactory	89	PM ₁₀	1
103	Talcher	Satisfactory	94	со	1
104	Thane	Good	44	PM ₁₀	1
105	Thiruvananthapuram	Good	34	со	1
106	Tirupati	Good	36	со	1
107	Udaipur	Good	50	PM ₁₀	1
108	Ujjain	Good	47	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Good	30	PM ₁₀	1
110	Varanasi	Satisfactory	78	PM ₁₀	1
111	Vatva	Moderate	124	PM _{2.5}	1
112	Vijayapura	Satisfactory	85	O ₃	1
113	Visakhapatnam	Satisfactory	79	PM ₁₀	1
114	Yamunanagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bahadurgarh,
 Bathinda, Bhiwani, Charkhi Dadri, Kalaburgi, Kollam, Kozhikode,
 Rupnagar, Singrauli, Yadgir as data was not available.

 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.