

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	298	PM _{2.5}	1
2	Agra	Satisfactory	76	PM ₁₀	6
3	Ahmedabad	Moderate	124	PM _{2.5} , PM ₁₀	7
4	Aizawl	Moderate	135	PM ₁₀	1
5	Ajmer	Satisfactory	96	PM ₁₀	1
6	Alwar	Satisfactory	71	PM ₁₀	1
7	Amaravati	Satisfactory	74	PM ₁₀	1
8	Ambala	Satisfactory	60	PM ₁₀	1
9	Amritsar	Moderate	129	PM _{2.5}	1
10	Anantapur	Satisfactory	51	PM ₁₀	1
11	Ankleshwar	Moderate	130	PM _{2.5}	1
12	Araria	Poor	251	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	48	NO ₂	1
14	Arrah	Moderate	184	PM ₁₀	1
15	Asansol	Moderate	164	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	118	PM ₁₀	1
17	Baddi	Moderate	125	PM ₁₀	1
18	Bagalkot	Satisfactory	51	O ₃	1
19	Baghpat	Poor	214	O ₃	1
20	Bahadurgarh	Moderate	132	PM _{2.5}	1
21	Ballabgarh	Moderate	105	PM _{2.5}	1
22	Banswara	Moderate	166	03	1
23	Bareilly	Satisfactory	89	PM ₁₀	1
24	Baripada	Moderate	167	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Barmer	Satisfactory	85	PM ₁₀	1
26	Bathinda	Satisfactory	74	PM _{2.5}	1
27	Begusarai	Very Poor	319	PM ₁₀	1
28	Belgaum	Satisfactory	55	PM ₁₀	1
29	Bengaluru	Satisfactory	66	PM ₁₀	10
30	Bettiah	Poor	218	PM ₁₀	1
31	Bhagalpur	Moderate	190	PM ₁₀	2
32	Bharatpur	Moderate	185	PM ₁₀	1
33	Bhilai	Satisfactory	58	PM ₁₀	3
34	Bhiwadi	Poor	247	PM ₁₀	1
35	Bhiwani	Moderate	157	PM _{2.5}	1
36	Bhopal	Moderate	112	PM ₁₀ , O ₃	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Moderate	145	PM ₁₀	1
38	Bikaner	Poor	248	PM ₁₀	1
39	Bilaspur	Satisfactory	58	PM ₁₀	1
40	Bileipada	Moderate	187	PM ₁₀	1
41	Brajrajnagar	Satisfactory	87	со	1
42	Bulandshahr	Moderate	153	PM ₁₀	1
43	Byrnihat	Very Poor	374	PM _{2.5}	1
44	Chamarajanagar	Good	43	PM ₁₀	1
45	Chandigarh	Moderate	103	PM ₁₀	3
46	Chandrapur	Moderate	130	PM _{2.5}	1
47	Charkhi Dadri	Poor	240	PM _{2.5}	1
48	Chennai	Satisfactory	69	NO ₂ , CO	6

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chhal	Satisfactory	100	PM ₁₀	1
50	Chhapra	Poor	212	PM ₁₀	1
51	Chikkaballapur	Satisfactory	55	PM ₁₀	1
52	Chikkamagaluru	Good	47	PM ₁₀	1
53	Chittorgarh	Poor	249	PM _{2.5}	1
54	Churu	Moderate	104	PM ₁₀	1
55	Coimbatore	Moderate	181	PM ₁₀	1
56	Cuddalore	Satisfactory	96	NO ₂	1
57	Damoh	Good	28	PM ₁₀	1
58	Dausa	Moderate	186	PM ₁₀	1
59	Davanagere	Satisfactory	67	PM ₁₀	1
60	Dehradun	Satisfactory	69	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Poor	260	PM ₁₀ , PM _{2.5}	36
62	Dewas	Moderate	117	PM ₁₀	1
63	Dhanbad	Moderate	197	PM _{2.5}	1
64	Dharuhera	Poor	300	PM ₁₀	1
65	Dharwad	Moderate	134	PM _{2.5}	1
66	Dindigul	Good	41	SO ₂	1
67	Durgapur	Moderate	185	PM _{2.5}	1
68	Eloor	Satisfactory	86	PM ₁₀	1
69	Faridabad	Moderate	148	PM ₁₀ , PM _{2.5}	4
70	Firozabad	Satisfactory	89	PM ₁₀	2
71	Gadag	Good	33	SO ₂	1
72	Gandhinagar	Moderate	156	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Satisfactory	74	O ₃	1
74	Gaya	Moderate	127	O ₃ , PM ₁₀	3
75	Ghaziabad	Poor	236	PM ₁₀	4
76	Greater Noida	Poor	272	PM ₁₀	2
77	Gummidipoondi	Moderate	119	PM ₁₀	1
78	Gurugram	Poor	206	PM _{2.5}	3
79	Guwahati	Poor	213	PM ₁₀	3
80	Gwalior	Moderate	182	O ₃ , PM _{2.5}	3
81	Hajipur	Moderate	192	PM ₁₀	1
82	Haldia	Moderate	104	PM ₁₀	1
83	Hanumangarh	Moderate	134	PM ₁₀	1
84	Hapur	Satisfactory	90	O ₃	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hassan	Satisfactory	78	PM ₁₀	1
86	Haveri	Satisfactory	68	PM ₁₀	1
87	Hisar	Moderate	119	PM _{2.5}	1
88	Hosur	Moderate	127	СО	1
89	Howrah	Moderate	133	PM _{2.5} , PM ₁₀	3
90	Hubballi	Moderate	101	PM ₁₀	1
91	Hyderabad	Satisfactory	95	PM ₁₀	14
92	Imphal	Satisfactory	92	SO ₂	1
93	Indore	Moderate	107	NO ₂	2
94	Jaipur	Moderate	125	O ₃ , PM ₁₀	5
95	Jalandhar	Moderate	123	PM ₁₀	1
96	Jhalawar	Moderate	116	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Satisfactory	80	PM ₁₀	1
98	Jhunjhunu	Very Poor	301	03	1
99	Jind	Satisfactory	82	PM _{2.5}	1
100	Jodhpur	Moderate	170	PM ₁₀	3
101	Jorapokhar	Moderate	154	PM ₁₀	1
102	Kadapa	Satisfactory	62	03	1
103	Kaithal	Satisfactory	94	PM ₁₀	1
104	Kalaburgi	Satisfactory	78	PM ₁₀	2
105	Kanchipuram	Satisfactory	54	PM ₁₀	1
106	Kannur	Satisfactory	67	PM ₁₀	1
107	Kanpur	Moderate	133	PM _{2.5}	3
108	Karauli	Good	45	03	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Satisfactory	80	PM ₁₀	1
110	Katihar	Poor	213	PM ₁₀	1
111	Katni	Moderate	186	PM ₁₀	1
112	Keonjhar	Moderate	103	PM ₁₀	1
113	Khanna	Moderate	102	PM ₁₀	1
114	Khurja	Moderate	111	PM _{2.5}	1
115	Kishanganj	Moderate	156	PM ₁₀	1
116	Kochi	Satisfactory	59	со	1
117	Kohima	Moderate	122	PM ₁₀	1
118	Kolar	Satisfactory	89	PM ₁₀	1
119	Kolkata	Moderate	159	PM _{2.5} , PM ₁₀	7
120	Kollam	Satisfactory	90	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Koppal	Satisfactory	92	O ₃	1
122	Korba	Satisfactory	98	PM _{2.5} , PM ₁₀	2
123	Kota	Moderate	176	O ₃	3
124	Lucknow	Moderate	123	PM _{2.5}	6
125	Ludhiana	Moderate	109	PM ₁₀	1
126	Madikeri	Good	41	PM ₁₀	1
127	Maihar	Good	50	PM ₁₀	1
128	Mandi Gobindgarh	Moderate	160	PM ₁₀	1
129	Mandideep	Moderate	126	PM ₁₀	1
130	Mandikhera	Moderate	117	PM ₁₀	1
131	Manesar	Poor	227	PM _{2.5}	1
132	Mangalore	Satisfactory	87	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manguraha	Poor	282	PM _{2.5}	1
134	Meerut	Moderate	177	PM _{2.5}	3
135	Milupara	Good	49	PM ₁₀	1
136	Moradabad	Moderate	119	PM _{2.5} , PM ₁₀	6
137	Motihari	Moderate	127	03	1
138	Mumbai	Moderate	112	PM ₁₀	18
139	Munger	Poor	236	PM ₁₀	1
140	Muzaffarnagar	Moderate	155	O ₃	1
141	Muzaffarpur	Poor	252	PM _{2.5} , O ₃	3
142	Mysuru	Satisfactory	55	PM ₁₀	1
143	Nagaon	Poor	211	PM ₁₀	1
144	Nagpur	Satisfactory	81	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Naharlagun	Good	50	PM ₁₀	1
146	Nandesari	Good	50	со	1
147	Narnaul	Moderate	190	PM _{2.5}	1
148	Navi Mumbai	Moderate	167	PM ₁₀	2
149	Nayagarh	Poor	254	PM _{2.5}	1
150	Noida	Poor	237	PM ₁₀	4
151	Ooty	Good	49	SO ₂	1
152	Pali	Satisfactory	100	PM ₁₀	1
153	Palkalaiperur	Satisfactory	77	со	1
154	Palwal	Satisfactory	92	PM ₁₀	1
155	Panchkula	Moderate	102	PM _{2.5}	1
156	Panipat	Satisfactory	96	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Patiala	Satisfactory	87	PM ₁₀	1
158	Patna	Poor	214	PM ₁₀ , PM _{2.5}	5
159	Pithampur	Moderate	174	PM ₁₀	1
160	Pratapgarh	Satisfactory	100	PM ₁₀	1
161	Prayagraj	Moderate	106	O ₃ , PM ₁₀	3
162	Puducherry	Satisfactory	57	PM _{2.5}	1
163	Pune	Moderate	102	NO ₂ , PM _{2.5}	4
164	Purnia	Moderate	199	PM ₁₀	1
165	Raichur	Satisfactory	97	PM ₁₀	1
166	Raipur	Satisfactory	81	PM ₁₀ , NO ₂	4
167	Rairangpur	Poor	229	PM _{2.5}	1
168	Rajamahendravaram	Satisfactory	84	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajgir	Moderate	117	PM ₁₀	1
170	Rajsamand	Satisfactory	100	PM ₁₀	1
171	Ramanagara	Good	44	PM ₁₀	1
172	Ramanathapuram	Good	46	PM ₁₀	1
173	Ratlam	Moderate	128	PM ₁₀	1
174	Rishikesh	Satisfactory	52	PM ₁₀	1
175	Rohtak	Moderate	129	PM _{2.5}	1
176	Rourkela	Moderate	174	PM ₁₀	3
177	Rupnagar	Moderate	124	PM ₁₀	1
178	Sagar	Moderate	105	O ₃	1
179	Saharsa	Poor	271	PM _{2.5}	1
180	Salem	Satisfactory	99	SO ₂	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Samastipur	Poor	231	PM ₁₀	1
182	Sasaram	Moderate	101	PM ₁₀	1
183	Satna	Poor	214	PM ₁₀	1
184	Shillong	Moderate	110	PM ₁₀	1
185	Shivamogga	Good	48	PM ₁₀	1
186	Sikar	Moderate	168	PM ₁₀	1
187	Silchar	Satisfactory	62	PM ₁₀	1
188	Siliguri	Moderate	131	PM ₁₀	1
189	Singrauli	Moderate	180	PM _{2.5}	1
190	Sirsa	Satisfactory	78	O ₃	1
191	Sivasagar	Satisfactory	67	PM ₁₀	1
192	Siwan	Moderate	178	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Solapur	Moderate	114	PM ₁₀	1
194	Sri Ganganagar	Poor	250	PM ₁₀	1
195	Srinagar	Satisfactory	90	PM _{2.5}	1
196	Suakati	Moderate	148	PM _{2.5}	1
197	Surat	Satisfactory	87	со	1
198	Talcher	Moderate	173	PM ₁₀	1
199	Tensa	Moderate	108	PM ₁₀	1
200	Thiruvananthapuram	Good	42	со	2
201	Thoothukudi	Satisfactory	91	03	1
202	Thrissur	Moderate	101	PM ₁₀	1
203	Tirupati	Satisfactory	85	PM ₁₀	1
204	Tirupur	Good	50	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Moderate	200	PM ₁₀	1
206	Tumakuru	Moderate	150	со	1
207	Tumidih	Moderate	104	03	1
208	Udaipur	Satisfactory	100	PM ₁₀	1
209	Ujjain	Moderate	146	PM ₁₀	1
210	Varanasi	Satisfactory	87	PM ₁₀ , PM _{2.5}	3
211	Vatva	Moderate	144	PM ₁₀	1
212	Vijayapura	Good	42	PM ₁₀	1
213	Vijayawada	Good	41	со	1
214	Visakhapatnam	Moderate	164	PM ₁₀	1
215	Vrindavan	Moderate	139	PM ₁₀	1
216	Yadgir	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Moderate	171	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

- * AQI is not calculated for today's bulletin for Aurangabad (Bihar), Bidar, Buxar, Chengalpattu, Chittoor, Darbhanga, Dholpur, Ernakulam, Fatehabad, Gorakhpur, Jabalpur, Kalyan, Kashipur, Kozhikode, Kunjemura, Kurukshetra, Nalbari, Nashik, Sawai Madhopur, Sirohi, Sonipat, Thane, Udupi, Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.