

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	86	PM _{2.5}	1
2	Agra	Good	47	O ₃	6
3	Ahmedabad	Satisfactory	93	PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	25	PM ₁₀	1
5	Ajmer	Satisfactory	89	PM ₁₀	1
6	Akola	Moderate	101	PM ₁₀	1
7	Alwar	Satisfactory	99	PM ₁₀	1
8	Ambala	Satisfactory	52	PM ₁₀	1
9	Amravati	Satisfactory	96	PM ₁₀	2
10	Amritsar	Satisfactory	92	PM ₁₀	1
11	Anantapur	Satisfactory	99	PM ₁₀	1
12	Ankleshwar	Satisfactory	82	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dharbad Dharbaan Dhalana Flan Frankishan Caratal Carabbana

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	46	PM ₁₀	1
14	Ariyalur	Moderate	153	со	1
15	Asansol	Satisfactory	88	PM ₁₀	1
16	Aurangabad (Bihar)	Satisfactory	99	PM ₁₀	1
17	Aurangabad (Maharashtra)	Satisfactory	98	PM ₁₀	3
18	Baddi	Satisfactory	97	PM ₁₀	1
19	Badlapur	Moderate	141	PM ₁₀	1
20	Bagalkot	Good	46	PM ₁₀	1
21	Baghpat	Moderate	159	O ₃	1
22	Bahadurgarh	Satisfactory	96	PM ₁₀	1
23	Ballabgarh	Satisfactory	52	PM ₁₀	1
24	Banswara	Moderate	138	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baran	Satisfactory	85	PM _{2.5}	1
26	Bareilly	Good	36	O ₃	2
27	Baripada	Satisfactory	94	PM ₁₀	1
28	Barmer	Satisfactory	63	PM ₁₀	1
29	Bathinda	Satisfactory	55	PM ₁₀	1
30	Begusarai	Moderate	173	PM _{2.5}	1
31	Belapur	Satisfactory	83	PM ₁₀	1
32	Belgaum	Satisfactory	57	PM ₁₀	1
33	Bengaluru	Satisfactory	65	PM ₁₀	11
34	Bharatpur	Satisfactory	59	PM _{2.5}	1
35	Bhilai	Good	44	PM ₁₀	3
36	Bhiwadi	Satisfactory	91	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dharbad Dharbaan Dhalana Flan Frankishan Caratal Carabbana

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwandi	Satisfactory	70	PM ₁₀	1
38	Bhiwani	Moderate	102	PM _{2.5}	1
39	Bhopal	Satisfactory	64	PM ₁₀	3
40	Bidar	Satisfactory	62	NH ₃	1
41	Bikaner	Moderate	111	PM ₁₀	1
42	Bileipada	Moderate	115	PM ₁₀	1
43	Bulandshahr	Satisfactory	62	O ₃	1
44	Bundi	Moderate	146	PM _{2.5}	1
45	Byrnihat	Poor	205	PM ₁₀	1
46	Chamarajanagar	Good	37	PM ₁₀	1
47	Chandigarh	Moderate	128	O ₃ , PM ₁₀	3
48	Chandrapur	Moderate	107	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes: Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Satisfactory	84	PM ₁₀	1
50	Chennai	Satisfactory	62	СО	6
51	Chhal	Satisfactory	76	03	1
52	Chhapra	Poor	225	PM ₁₀	1
53	Chikkaballapur	Satisfactory	57	PM ₁₀	1
54	Chikkamagaluru	Good	21	O ₃	1
55	Chittoor	Good	33	PM _{2.5}	1
56	Churu	Moderate	104	СО	1
57	Cuddalore	Moderate	136	NO ₂	1
58	Damoh	Good	20	PM ₁₀	1
59	Dausa	Moderate	138	PM ₁₀	1
60	Dehradun	Satisfactory	61	СО	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Notes: Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Satisfactory	91	O ₃ , CO	37
62	Dewas	Moderate	103	PM ₁₀	1
63	Dharwad	Moderate	114	PM ₁₀	1
64	Dhule	Moderate	130	PM ₁₀	1
65	Dindigul	Good	41	SO ₂	1
66	Durgapur	Satisfactory	67	PM ₁₀	1
67	Faridabad	Moderate	105	PM _{2.5} , PM ₁₀	3
68	Fatehabad	Moderate	146	O ₃	1
69	Firozabad	Good	48	PM ₁₀	1
70	Gadag	Good	49	PM ₁₀	1
71	Gandhinagar	Satisfactory	96	PM _{2.5} , PM ₁₀	3
72	Gaya	Satisfactory	89	O ₃ , PM _{2.5}	3

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhankan Dhalan Flan Franking Cantal Carling

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Moderate	119	O ₃ , CO	4
74	Greater Noida	Moderate	197	03	2
75	Gummidipoondi	Satisfactory	72	PM _{2.5}	1
76	Gurugram	Satisfactory	98	PM ₁₀ , PM _{2.5}	4
77	Guwahati	Good	33	SO ₂ , PM _{2.5}	3
78	Gwalior	Satisfactory	86	PM ₁₀	4
79	Hajipur	Satisfactory	100	PM ₁₀	1
80	Haldia	Good	37	O ₃	1
81	Hanumangarh	Moderate	152	PM ₁₀	1
82	Hapur	Good	30	СО	1
83	Hosur	Satisfactory	69	PM ₁₀	1
84	Howrah	Satisfactory	51	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hubballi	Moderate	128	CO, PM ₁₀	2
86	Hyderabad	Satisfactory	91	PM ₁₀	12
87	Indore	Satisfactory	100	PM ₁₀	1
88	Jabalpur	Satisfactory	93	PM ₁₀	1
89	Jaipur	Satisfactory	88	PM ₁₀	6
90	Jaisalmer	Moderate	101	PM ₁₀	1
91	Jalandhar	Satisfactory	89	PM ₁₀	1
92	Jalgaon	Moderate	124	PM ₁₀	1
93	Jalna	Satisfactory	87	PM ₁₀	1
94	Jhalawar	Satisfactory	63	PM ₁₀	1
95	Jhansi	Satisfactory	87	PM ₁₀	1
96	Jhunjhunu	Satisfactory	85	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhambara Dhalana Flara Frankilara Caratali Caratal

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jind	Satisfactory	75	co	1
98	Jodhpur	Moderate	112	PM ₁₀	5
99	Kadapa	Good	46	PM _{2.5}	1
100	Kaithal	Moderate	116	PM ₁₀	1
101	Kanchipuram	Good	22	PM ₁₀	1
102	Kannur	Satisfactory	78	PM ₁₀	1
103	Kanpur	Satisfactory	67	СО	3
104	Karauli	Satisfactory	67	O ₃	1
105	Karnal	Satisfactory	67	PM ₁₀	1
106	Katihar	Moderate	123	PM ₁₀	1
107	Katni	Satisfactory	91	PM ₁₀	1
108	Keonjhar	Satisfactory	78	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhamkara Dhalana Flara Fire dudan Canatala Carabba

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Khanna	Satisfactory	78	PM ₁₀	1
110	Khurja	Satisfactory	89	PM _{2.5}	1
111	Kochi	Satisfactory	77	со	1
112	Kohima	Satisfactory	64	PM ₁₀	1
113	Kolhapur	Satisfactory	71	PM ₁₀	2
114	Kolkata	Good	43	O ₃ , PM ₁₀	7
115	Kollam	Satisfactory	55	PM _{2.5}	1
116	Koppal	Satisfactory	52	O ₃	1
117	Korba	Satisfactory	74	PM ₁₀	1
118	Kota	Satisfactory	98	PM ₁₀ , PM _{2.5}	3
119	Kurukshetra	Satisfactory	74	PM ₁₀	1
120	Latur	Satisfactory	85	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhankara Dhalana Flara Frankulara Caratak Cara

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Lucknow	Satisfactory	64	O ₃ , PM ₁₀	6
122	Ludhiana	Moderate	134	PM ₁₀	1
123	Madikeri	Good	32	PM ₁₀	1
124	Mandi Gobindgarh	Satisfactory	53	PM ₁₀	1
125	Mandideep	Moderate	102	03	1
126	Mandikhera	Good	25	SO ₂	1
127	Manesar	Satisfactory	75	PM ₁₀	1
128	Mangalore	Satisfactory	72	PM ₁₀	1
129	Manguraha	Very Poor	316	O ₃	1
130	Meerut	Satisfactory	76	CO, PM ₁₀	3
131	Moradabad	Satisfactory	72	PM _{2.5}	6
132	Motihari	Satisfactory	59	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhamkara Dhalana Flara Frankidara Caratali Carakkan

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mumbai	Satisfactory	100	PM ₁₀	20
134	Muzaffarnagar	Satisfactory	95	PM _{2.5}	1
135	Muzaffarpur	Moderate	114	со	3
136	Mysuru	Satisfactory	59	PM ₁₀	1
137	Nagaon	Satisfactory	57	PM ₁₀	1
138	Nagaur	Moderate	109	PM ₁₀	1
139	Nagpur	Satisfactory	87	PM ₁₀	4
140	Naharlagun	Good	24	PM ₁₀	1
141	Nalbari	Good	22	PM _{2.5}	1
142	Nanded	Satisfactory	79	PM ₁₀	1
143	Narnaul	Satisfactory	92	PM _{2.5}	1
144	Nashik	Satisfactory	64	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhambara Dhalana Flara Frankilara Caratali Caratal

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Navi Mumbai	Satisfactory	75	PM ₁₀	3
146	Nayagarh	Satisfactory	90	PM ₁₀	1
147	Noida	Moderate	110	со	4
148	Ooty	Good	50	SO ₂	1
149	Palkalaiperur	Satisfactory	66	SO ₂	1
150	Palwal	Satisfactory	52	PM ₁₀	1
151	Panipat	Satisfactory	77	PM ₁₀	1
152	Parbhani	Satisfactory	96	PM ₁₀	1
153	Patiala	Satisfactory	69	03	1
154	Patna	Moderate	132	PM _{2.5}	6
155	Pimpri Chinchwad	Satisfactory	67	PM ₁₀	2
156	Pithampur	Moderate	102	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Notes: Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Pratapgarh	Moderate	110	PM ₁₀	1
158	Prayagraj	Satisfactory	62	PM ₁₀	3
159	Pune	Moderate	103	NO ₂ , PM ₁₀	6
160	Purnia	Satisfactory	79	PM ₁₀	1
161	Raichur	Satisfactory	90	PM ₁₀	1
162	Raipur	Satisfactory	52	PM ₁₀ , NO ₂	4
163	Rairangpur	Satisfactory	69	PM ₁₀	1
164	Rajamahendravaram	Good	43	PM ₁₀	1
165	Rajgir	Satisfactory	66	PM ₁₀	1
166	Rajsamand	Moderate	112	PM ₁₀	1
167	Ramanagara	Satisfactory	69	O ₃	1
168	Ramanathapuram	Good	37	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Notes: Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Ratlam	Satisfactory	90	PM ₁₀	1
170	Rishikesh	Good	39	PM ₁₀	1
171	Rourkela	Moderate	120	PM _{2.5} , PM ₁₀	2
172	Rupnagar	Satisfactory	98	PM ₁₀	1
173	Sagar	Satisfactory	70	PM ₁₀	1
174	Salem	Satisfactory	96	SO ₂	1
175	Samastipur	Moderate	122	PM ₁₀	1
176	Sangli	Satisfactory	71	PM ₁₀	1
177	Sawai Madhopur	Moderate	121	PM _{2.5}	1
178	Shivamogga	Good	39	PM ₁₀	1
179	Sikar	Satisfactory	84	PM ₁₀	1
180	Silchar	Good	16	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhankad Dhankara Dhalana Flara Frankulara Caratala Carat

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan,

Notes:
Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj,
Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali,
Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi,
Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not
available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Good	33	PM ₁₀	1
182	Singrauli	Satisfactory	74	PM ₁₀	1
183	Sivasagar	Good	17	PM ₁₀	1
184	Siwan	Moderate	130	PM ₁₀	1
185	Solapur	Moderate	113	PM ₁₀	3
186	Sonipat	Satisfactory	98	PM ₁₀	1
187	Sri Ganganagar	Moderate	157	PM ₁₀	1
188	Srinagar	Satisfactory	76	PM ₁₀	1
189	Suakati	Satisfactory	83	PM ₁₀	1
190	Surat	Good	39	PM _{2.5}	1
191	Talcher	Good	39	NO ₂	1
192	Thane	Moderate	121	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	44	PM ₁₀ , CO	2
194	Thoothukudi	Satisfactory	56	PM ₁₀	1
195	Thrissur	Satisfactory	70	PM ₁₀	1
196	Tirupati	Moderate	105	PM _{2.5} , PM ₁₀	2
197	Tirupur	Good	43	PM ₁₀	1
198	Tonk	Moderate	148	PM ₁₀	1
199	Tumakuru	Moderate	124	PM ₁₀	1
200	Udaipur	Moderate	110	PM ₁₀	1
201	Ujjain	Moderate	103	СО	1
202	Vapi	Satisfactory	59	PM _{2.5}	1
203	Varanasi	Satisfactory	56	PM ₁₀	4
204	Vatva	Moderate	101	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Notes: Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayapura	Good	49	PM ₁₀	1
206	Visakhapatnam	Satisfactory	82	PM ₁₀	1
207	Vrindavan	Moderate	185	PM ₁₀	1
208	Yadgir	Satisfactory	81	PM ₁₀	1
209	Yamunanagar	Satisfactory	72	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Amaravati, Arrah, Bettiah, Bhagalpur, Bhilwara, Bihar Sharif, Bilaspur, Brajrajnagar,

Dhanbad, Dharuhera, Dholpur, Eloor, Ernakulam, Gangtok, Gorakhpur, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kalaburgi, Kalyan, Kashipur, Kishanganj, Notes: Kolar, Kozhikode, Kunjemura, Maihar, Milupara, Munger, Nandesari, Pali, Panchkula, Puducherry, Rohtak, Saharsa, Sasaram, Satna, Shillong, Sirohi, Sirsa, Tensa, Tumidih, Udupi, Vijayawada, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases