

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	50	PM _{2.5}	1
2	Agra	Good	33	PM _{2.5}	1
3	Ahmedabad	Moderate	177	03	1
4	Aizawl	Good	39	PM ₁₀	1
5	Ajmer	Satisfactory	70	PM ₁₀	1
6	Alwar	Satisfactory	51	PM ₁₀	1
7	Amaravati	Satisfactory	53	PM ₁₀	1
8	Ambala	Satisfactory	81	PM ₁₀	1
9	Amritsar	Moderate	154	PM ₁₀	1
10	Ankleshwar	Moderate	128	03	1
11	Asansol	Satisfactory	62	PM ₁₀	1
12	Baghpat	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	85	PM ₁₀	1
14	Bengaluru	Good	49	PM ₁₀ , CO	8
15	Bhiwadi	Moderate	102	PM ₁₀	1
16	Bhiwani	Moderate	120	PM ₁₀	1
17	Bhopal	Satisfactory	87	03	1
18	Brajrajnagar	Satisfactory	61	PM ₁₀	1
19	Bulandshahr	Satisfactory	88	03	1
20	Chamarajanagar	Good	48	03	1
21	Chandigarh	Satisfactory	82	PM ₁₀	1
22	Chandrapur	Satisfactory	67	PM ₁₀	2
23	Charkhi Dadri	Moderate	120	PM _{2.5}	1
24	Chennai	Satisfactory	67	SO ₂ , PM ₁₀	4

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	39	PM ₁₀	1
26	Chikkamagaluru	Good	36	O ₃	1
27	Damoh	Good	19	PM _{2.5}	1
28	Davanagere	Good	42	PM ₁₀	1
29	Delhi	Satisfactory	87	PM ₁₀ , PM _{2.5} , O ₃	27
30	Dewas	Satisfactory	52	PM ₁₀	1
31	Dharuhera	Moderate	123	PM ₁₀	1
32	Durgapur	Moderate	102	PM ₁₀	1
33	Eloor	Satisfactory	60	СО	1
34	Ernakulam	Good	45	со	1
35	Faridabad	Moderate	107	PM ₁₀	3
36	Fatehabad	Poor	263	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gadag	Good	15	PM ₁₀	1
38	Gaya	Satisfactory	53	O ₃	1
39	Ghaziabad	Moderate	103	PM ₁₀	4
40	Greater Noida	Satisfactory	78	PM ₁₀	2
41	Gummidipoondi	Satisfactory	89	PM ₁₀	1
42	Gurugram	Satisfactory	77	PM ₁₀ , O ₃	3
43	Guwahati	Satisfactory	65	PM ₁₀ , SO ₂	2
44	Gwalior	Satisfactory	78	O ₃	1
45	Haldia	Good	42	PM _{2.5}	1
46	Hapur	Satisfactory	55	O ₃	1
47	Hassan	Satisfactory	58	PM ₁₀	1
48	Hisar	Moderate	177	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Satisfactory	58	NO ₂ , PM ₁₀	3
50	Hubballi	Satisfactory	53	PM ₁₀	1
51	Hyderabad	Satisfactory	61	PM ₁₀ , PM _{2.5}	5
52	Indore	Satisfactory	78	PM ₁₀	1
53	Jabalpur	Satisfactory	76	03	1
54	Jaipur	Satisfactory	89	PM ₁₀	3
55	Jalandhar	Moderate	110	PM ₁₀	1
56	Jind	Moderate	116	PM ₁₀	1
57	Jodhpur	Moderate	102	PM ₁₀	1
58	Jorapokhar	Satisfactory	98	PM ₁₀	1
59	Kaithal	Moderate	119	PM ₁₀	1
60	Kalaburgi	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	te Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kalyan	Good	36	СО	1
62	Kannur	Moderate	123	PM ₁₀	1
63	Kanpur	Good	47	O ₃	1
64	Karnal	Satisfactory	78	PM ₁₀	1
65	Katni	Satisfactory	64	03	1
66	Khanna	Moderate	127	PM ₁₀	1
67	Kochi	Good	43	со	1
68	Kohima	Good	46	PM ₁₀	1
69	Kolkata	Satisfactory	66	PM ₁₀	6
70	Kollam	Good	48	PM ₁₀	1
71	Koppal	Satisfactory	73	O ₃	1
72	Kota	Satisfactory	77	PM ₁₀	1

Possible Health Impacts

...

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kozhikode	Good	32	PM ₁₀	1
74	Kurukshetra	Satisfactory	96	PM ₁₀	1
75	Lucknow	Satisfactory	54	CO, O ₃	4
76	Ludhiana	Satisfactory	85	PM ₁₀	1
77	Mandi Gobindgarh	Moderate	125	PM _{2.5}	1
78	Mandideep	Satisfactory	52	PM ₁₀	1
79	Manesar	Satisfactory	89	PM ₁₀	1
80	Medikeri	Good	29	SO ₂	1
81	Meerut	Satisfactory	86	PM ₁₀	3
82	Moradabad	Satisfactory	57	PM ₁₀	1
83	Mumbai	Satisfactory	69	NO ₂ , PM ₁₀ , PM _{2.5}	14
84	Muzaffarnagar	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	69	со	1
86	Mysuru	Good	36	PM ₁₀	1
87	Narnaul	Moderate	163	PM ₁₀	1
88	Navi Mumbai	Satisfactory	71	CO, PM ₁₀	2
89	Noida	Satisfactory	92	CO, PM ₁₀	3
90	Pali	Moderate	102	PM ₁₀	1
91	Palwal	Satisfactory	68	PM ₁₀	1
92	Panchkula	Satisfactory	70	PM _{2.5}	1
93	Panipat	Moderate	114	PM ₁₀	1
94	Patiala	Satisfactory	100	PM ₁₀	1
95	Patna	Good	40	PM ₁₀ , PM _{2.5} , O ₃	5
96	Pithampur	Satisfactory	64	03	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Puducherry	Good	50	O ₃	1
98	Pune	Satisfactory	60	CO, PM ₁₀ , PM _{2.5}	7
99	Raichur	Satisfactory	52	PM ₁₀	1
100	Rajamahendravaram	Satisfactory	84	PM ₁₀	1
101	Ratlam	Satisfactory	75	PM ₁₀	1
102	Rohtak	Satisfactory	64	NO ₂	1
103	Rupnagar	Satisfactory	65	PM ₁₀	1
104	Sagar	Satisfactory	80	PM ₁₀	1
105	Satna	Satisfactory	61	PM ₁₀	1
106	Shivamogga	Good	46	PM ₁₀	1
107	Siliguri	Good	42	PM ₁₀	1
108	Singrauli	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Poor	283	PM ₁₀	1
110	Solapur	Good	36	O ₃	1
111	Sonipat	Moderate	132	PM ₁₀	1
112	Srinagar	Moderate	132	PM ₁₀	1
113	Talcher	Satisfactory	88	со	1
114	Thane	Moderate	140	NO ₂	1
115	Thiruvananthapuram	Satisfactory	52	СО	2
116	Thoothukudi	Satisfactory	65	PM ₁₀	1
117	Thrissur	Good	41	PM ₁₀	1
118	Tirupati	Satisfactory	54	PM ₁₀	1
119	Udaipur	Satisfactory	92	PM ₁₀	1
120	Ujjain	Satisfactory	85	O ₃	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Satisfactory	57	PM ₁₀	1
122	Varanasi	Good	27	SO ₂	1
123	Vatva	Moderate	118	PM ₁₀	1
124	Visakhapatnam	Moderate	107	PM ₁₀	1
125	Yamunanagar	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Bagalkot, Ballabgarh, Bathinda, Bidar, Coimbatore, Gandhinagar, Hajipur, Kolar, Maihar, Mandikhera, Manglore, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Udupi, Vijayapura, Yadgir as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.