

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	180	PM _{2.5}	1
2	Agra	Satisfactory	89	PM ₁₀	5
3	Ahmedabad	Poor	235	PM _{2.5}	9
4	Aizawl	Good	15	со	1
5	Ajmer	Moderate	122	PM ₁₀	1
6	Alwar	Satisfactory	89	PM ₁₀	1
7	Amaravati	Good	49	PM ₁₀	1
8	Ambala	Satisfactory	87	PM ₁₀	1
9	Amritsar	Satisfactory	74	со	1
10	Ankleshwar	Moderate	172	PM _{2.5}	1
11	Araria	Moderate	101	PM _{2.5}	1
12	Arrah	Poor	206	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Satisfactory	100	PM ₁₀	1
14	Aurangabad	Moderate	104	PM ₁₀	1
15	Bagalkot	Good	50	PM _{2.5}	1
16	Bahadurgarh	Satisfactory	79	PM ₁₀	1
17	Ballabgarh	Satisfactory	60	PM ₁₀	1
18	Bathinda	Satisfactory	100	PM ₁₀	1
19	Bengaluru	Satisfactory	96	PM _{2.5} , CO, PM ₁₀	7
20	Bettiah	Moderate	143	PM _{2.5}	1
21	Bhagalpur	Moderate	173	PM _{2.5}	1
22	Bhilai	Satisfactory	66	PM ₁₀	1
23	Bhiwadi	Moderate	105	PM ₁₀	1
24	Bhiwani	Moderate	115	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	133	PM ₁₀	1
26	Bihar Sharif	Poor	223	PM _{2.5}	1
27	Bilaspur	Satisfactory	55	PM ₁₀	1
28	Brajrajnagar	Satisfactory	89	03	1
29	Bulandshahr	Satisfactory	76	со	1
30	Buxar	Very Poor	317	PM _{2.5}	1
31	Chamarajanagar	Good	46	PM ₁₀	1
32	Chandigarh	Satisfactory	79	PM ₁₀	3
33	Chandrapur	Moderate	166	O ₃ , CO	2
34	Charkhi Dadri	Satisfactory	64	PM ₁₀	1
35	Chennai	Satisfactory	68	PM _{2.5} , PM ₁₀	8
36	Chhapra	Very Poor	303	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	82	PM ₁₀	1
38	Coimbatore	Satisfactory	63	PM _{2.5}	1
39	Damoh	Satisfactory	59	PM _{2.5}	1
40	Darbhanga	Moderate	151	PM _{2.5}	1
41	Davanagere	Satisfactory	84	PM ₁₀	1
42	Delhi	Moderate	102	PM ₁₀ , PM _{2.5}	30
43	Dewas	Satisfactory	72	PM _{2.5}	1
44	Durgapur	Moderate	139	PM ₁₀	1
45	Ernakulam	Satisfactory	57	PM _{2.5}	1
46	Faridabad	Satisfactory	97	PM ₁₀ , O ₃	3
47	Firozabad	Satisfactory	87	PM ₁₀	2
48	Gadag	Good	39	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Poor	247	PM _{2.5} , PM ₁₀	3
50	Gaya	Poor	205	PM _{2.5}	3
51	Ghaziabad	Moderate	101	PM ₁₀	4
52	Gorakhpur	Good	46	PM ₁₀	1
53	Greater Noida	Satisfactory	88	PM ₁₀	2
54	Gummidipoondi	Good	39	PM ₁₀	1
55	Gurugram	Moderate	128	PM _{2.5} , PM ₁₀	3
56	Guwahati	Satisfactory	68	PM _{2.5}	2
57	Gwalior	Moderate	135	PM ₁₀	1
58	Hajipur	Poor	235	PM _{2.5}	1
59	Haldia	Moderate	110	PM ₁₀	1
60	Hapur	Satisfactory	88	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Satisfactory	73	PM ₁₀	1
62	Hisar	Moderate	104	PM _{2.5}	1
63	Howrah	Poor	271	PM _{2.5}	3
64	Hubballi	Satisfactory	92	PM ₁₀	1
65	Hyderabad	Satisfactory	84	PM ₁₀ , PM _{2.5}	5
66	Indore	Moderate	133	PM ₁₀	1
67	Jabalpur	Moderate	141	PM ₁₀	1
68	Jaipur	Moderate	147	PM _{2.5} , PM ₁₀	2
69	Jalandhar	Satisfactory	85	PM ₁₀	1
70	Jhansi	Moderate	185	PM ₁₀	1
71	Jind	Satisfactory	83	PM _{2.5}	1
72	Jodhpur	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Satisfactory	70	PM _{2.5}	1
74	Kalaburgi	Satisfactory	73	PM ₁₀	1
75	Kalyan	Poor	261	PM _{2.5}	1
76	Kannur	Satisfactory	67	PM _{2.5}	1
77	Kanpur	Moderate	124	PM _{2.5} , PM ₁₀	3
78	Karnal	Satisfactory	57	PM ₁₀	1
79	Katihar	Poor	236	PM ₁₀	1
80	Katni	Moderate	130	PM ₁₀	1
81	Khanna	Satisfactory	80	PM ₁₀	1
82	Kishanganj	Moderate	103	PM _{2.5}	1
83	Kochi	Moderate	107	PM _{2.5}	1
84	Kolkata	Poor	243	PM _{2.5}	7

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	84	PM ₁₀	1
86	Koppal	Satisfactory	91	O ₃	1
87	Kota	Moderate	139	PM ₁₀	1
88	Kozhikode	Satisfactory	61	PM ₁₀	1
89	Kurukshetra	Satisfactory	77	PM _{2.5}	1
90	Lucknow	Moderate	136	PM _{2.5} , PM ₁₀	6
91	Ludhiana	Moderate	111	PM ₁₀	1
92	Madikeri	Satisfactory	63	PM ₁₀	1
93	Mandi Gobindgarh	Satisfactory	77	PM ₁₀	1
94	Mandideep	Poor	255	PM ₁₀	1
95	Mandikhera	Satisfactory	100	PM ₁₀	1
96	Manesar	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manglore	Good	47	co	1
98	Manguraha	Satisfactory	93	O ₃	1
99	Meerut	Moderate	106	PM ₁₀	3
100	Moradabad	Satisfactory	80	PM ₁₀ , CO	4
101	Motihari	Poor	204	PM _{2.5}	1
102	Mumbai	Poor	223	PM _{2.5} , PM ₁₀	18
103	Munger	Very Poor	312	PM _{2.5}	1
104	Muzaffarnagar	Satisfactory	98	PM ₁₀	1
105	Muzaffarpur	Poor	201	PM _{2.5} , PM ₁₀	3
106	Mysuru	Satisfactory	51	PM ₁₀	1
107	Nagpur	Satisfactory	77	со	1
108	Narnaul	Satisfactory	84	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Nashik	Satisfactory	71	PM ₁₀	1
110	Navi Mumbai	Poor	240	PM ₁₀	3
111	Noida	Satisfactory	70	PM ₁₀	3
112	Pali	Moderate	143	PM _{2.5}	1
113	Palwal	Satisfactory	62	PM ₁₀	1
114	Panchkula	Satisfactory	90	PM _{2.5}	1
115	Patiala	Satisfactory	75	PM ₁₀	1
116	Patna	Poor	233	PM _{2.5} , PM ₁₀	6
117	Pithampur	Satisfactory	88	PM ₁₀	1
118	Prayagraj	Moderate	125	PM ₁₀	1
119	Puducherry	Satisfactory	60	PM ₁₀	1
120	Pune	Moderate	138	PM _{2.5}	7

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar,
 Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar,
 Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not
 available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Moderate	118	PM ₁₀	1
122	Rajamahendravaram	Satisfactory	76	PM ₁₀	1
123	Rajgir	Poor	293	PM _{2.5}	1
124	Ramanagara	Satisfactory	77	PM ₁₀	1
125	Ratlam	Satisfactory	99	PM ₁₀	1
126	Rohtak	Satisfactory	82	PM _{2.5}	1
127	Rupnagar	Satisfactory	71	PM _{2.5}	1
128	Sagar	Moderate	143	PM ₁₀	1
129	Saharsa	Poor	242	PM _{2.5}	1
130	Sasaram	Poor	281	PM _{2.5}	1
131	Satna	Satisfactory	59	PM ₁₀	1
132	Shillong	Good	36	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Satisfactory	62	NO ₂	1
134	Siliguri	Satisfactory	100	PM ₁₀	1
135	Singrauli	Poor	274	PM ₁₀	1
136	Sirsa	Satisfactory	66	03	1
137	Siwan	Poor	286	PM _{2.5}	1
138	Solapur	Satisfactory	70	PM ₁₀	1
139	Srinagar	Satisfactory	52	PM ₁₀	1
140	Talcher	Good	40	PM ₁₀	1
141	Thane	Moderate	192	03	1
142	Thiruvananthapuram	Satisfactory	64	PM ₁₀ , PM _{2.5}	2
143	Thoothukudi	Good	44	PM ₁₀	1
144	Thrissur	Moderate	105	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Satisfactory	64	PM ₁₀	1
146	Udaipur	Moderate	120	PM ₁₀	1
147	Udupi	Satisfactory	52	O ₃	1
148	Ujjain	Poor	232	PM ₁₀	1
149	Vapi	Moderate	179	PM ₁₀	1
150	Varanasi	Moderate	153	PM ₁₀ , PM _{2.5}	4
151	Vatva	Poor	219	PM ₁₀	1
152	Vijayapura	Good	50	PM ₁₀	1
153	Visakhapatnam	Moderate	117	PM ₁₀	1
154	Vrindavan	Satisfactory	63	PM ₁₀	1
155	Yadgir	Satisfactory	58	PM ₁₀	1
156	Yamunanagar	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bidar, Chikkamagaluru, Dharuhera, Eloor, Fatehabad, Jorapokhar, Kohima, Kolar, Maihar, Naharlagun, Nandesari, Panipat, Raichur, Sonipat as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.