

### (Average of past 24 hours)

| S.No | City        | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|-------------|--------------|-------------|---------------------|--|
| 1    | Agra        | Poor         | 231         | PM <sub>2.5</sub>   | 1  |
| 2    | Ahmedabad   | Moderate     | 155         | NO <sub>2</sub>     | 1  |
| 3    | Ajmer       | Moderate     | 191         | PM <sub>2.5</sub>   | 1  |
| 4    | Alwar       | Satisfactory | 90          | PM <sub>10</sub>    | 1  |
| 5    | Amaravati   | Moderate     | 113         | PM <sub>2.5</sub>   | 1  |
| 6    | Ambala      | Moderate     | 137         | PM <sub>10</sub>    | 1  |
| 7    | Amritsar    | Poor         | 245         | PM <sub>2.5</sub>   | 1  |
| 8    | Ankleshwar  | Moderate     | 182         | PM <sub>2.5</sub>   | 1  |
| 9    | Asanol      | Poor         | 203         | PM <sub>2.5</sub>   | 1  |
| 10   | Aurangabad  | Satisfactory | 80          | PM <sub>2.5</sub>   | 1  |
| 11   | Baghpat     | Very Poor    | 313         | PM <sub>2.5</sub>   | 1  |
| 12   | Bahadurgarh | Very Poor    | 302         | PM <sub>2.5</sub>   | 1  |

## Possible Health Impacts

| Good         | Minimal Impact  |
|--------------|---|
| Satisfactory | Minor breathing discomfort to sensitive people                            |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor    | Respiratory illness on prolonged exposure                                 |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City           | Air Quality  | Index Value | Prominent Pollutant  | Based on Number<br>of Monitoring<br>Stations |
|------|----------------|--------------|-------------|----------------------|--|
| 13   | Ballabgarh     | Very Poor    | 319         | PM <sub>2.5</sub>    | 1  |
| 14   | Bathinda       | Moderate     | 103         | СО                   | 1  |
| 15   | Bengaluru      | Satisfactory | 60          | CO, PM <sub>10</sub> | 9  |
| 16   | Bhiwadi        | Very Poor    | 340         | PM <sub>10</sub>     | 1  |
| 17   | Bhiwani        | Poor         | 288         | PM <sub>2.5</sub>    | 1  |
| 18   | Bhopal         | Poor         | 233         | PM <sub>2.5</sub>    | 1  |
| 19   | Brajrajnagar   | Moderate     | 110         | PM <sub>10</sub>     | 1  |
| 20   | Bulandshahr    | Poor         | 253         | PM <sub>2.5</sub>    | 1  |
| 21   | Chandigarh     | Moderate     | 142         | PM <sub>2.5</sub>    | 1  |
| 22   | Chandrapur     | Moderate     | 118         | PM <sub>10</sub>     | 2  |
| 23   | Chennai        | Satisfactory | 66          | PM <sub>2.5</sub>    | 2  |
| 24   | Chikkaballapur | Good         | 38          | OZONE                | 1  |

### Possible Health Impacts

| Good  | Minimal Impact  |  |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people |   |  |
| Moderate  | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor  | Breathing discomfort to most people on prolonged exposure                 |  |
| Very Poor   | Very Poor Respiratory illness on prolonged exposure                       |  |
| Severe  | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City          | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|---------------|--------------|-------------|---------------------|--|
| 25   | Damoh         | Moderate     | 174         | PM <sub>2.5</sub>   | 1  |
| 26   | Delhi         | Very Poor    | 357         | PM <sub>2.5</sub>   | 35   |
| 27   | Dewas         | Moderate     | 182         | OZONE               | 1  |
| 28   | Dharuhera     | Very Poor    | 332         | PM <sub>2.5</sub>   | 1  |
| 29   | Eloor         | Good         | 37          | СО                  | 1  |
| 30   | Faridabad     | Very Poor    | 358         | PM <sub>2.5</sub>   | 1  |
| 31   | Fatehabad     | Moderate     | 160         | PM <sub>10</sub>    | 1  |
| 32   | GandhiNagar   | Satisfactory | 95          | PM <sub>2.5</sub>   | 1  |
| 33   | Gaya          | Moderate     | 188         | PM <sub>2.5</sub>   | 1  |
| 34   | Ghaziabad     | Very Poor    | 347         | PM <sub>2.5</sub>   | 3  |
| 35   | Greater_Noida | Very Poor    | 309         | PM <sub>2.5</sub>   | 1  |
| 36   | Gurugram      | Very Poor    | 360         | PM <sub>2.5</sub>   | 2  |

### Possible Health Impacts

| Good         | Minimal Impact  |  |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people                            |  |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |  |
| Very Poor    | Respiratory illness on prolonged exposure                                 |  |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City      | Air Quality  | Index Value | Prominent Pollutant                  | Based on Number<br>of Monitoring<br>Stations |
|------|-----------|--------------|-------------|--------------------------------------|--|
| 37   | Guwahati  | Moderate     | 118         | PM <sub>2.5</sub>                    | 1  |
| 38   | Haldia    | Satisfactory | 93          | PM <sub>10</sub>                     | 1  |
| 39   | Hapur     | Poor         | 265         | OZONE                                | 1  |
| 40   | Hisar     | Poor         | 286         | PM <sub>2.5</sub>                    | 1  |
| 41   | Howrah    | Poor         | 217         | PM <sub>2.5</sub>                    | 3  |
| 42   | Hubballi  | Moderate     | 133         | PM <sub>10</sub>                     | 1  |
| 43   | Hyderabad | Moderate     | 141         | PM <sub>2.5</sub> , PM <sub>10</sub> | 6  |
| 44   | Indore    | Moderate     | 186         | PM <sub>2.5</sub>                    | 1  |
| 45   | Jabalpur  | Moderate     | 179         | PM <sub>2.5</sub>                    | 1  |
| 46   | Jaipur    | Moderate     | 185         | PM <sub>2.5</sub> , PM <sub>10</sub> | 3  |
| 47   | Jalandhar | Moderate     | 156         | PM <sub>2.5</sub>                    | 1  |
| 48   | Jind      | Very Poor    | 329         | PM <sub>2.5</sub>                    | 1  |

## Possible Health Impacts

| Good         | Minimal Impact  |  |
|--------------|---|--|
| Satisfactory | Minor breathing discomfort to sensitive people                            |  |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |  |
| Very Poor    | Respiratory illness on prolonged exposure                                 |  |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City        | Air Quality | Index Value | Prominent Pollutant       | Based on Number<br>of Monitoring<br>Stations |
|------|-------------|-------------|-------------|---------------------------|--|
| 49   | Jodhpur     | Moderate    | 137         | PM <sub>10</sub>          | 1  |
| 50   | Jorapokhar  | Moderate    | 175         | PM <sub>2.5</sub>         | 1  |
| 51   | Kaithal     | Moderate    | 133         | PM <sub>2.5</sub>         | 1  |
| 52   | Kalaburagi  | Moderate    | 111         | PM <sub>2.5</sub>         | 1  |
| 53   | Kalyan      | Moderate    | 152         | PM <sub>2.5</sub>         | 1  |
| 54   | Kanpur      | Severe      | 418         | PM <sub>2.5</sub>         | 1  |
| 55   | Karnal      | Poor        | 212         | PM <sub>2.5</sub>         | 1  |
| 56   | Katni       | Poor        | 273         | PM <sub>2.5</sub>         | 1  |
| 57   | Khanna      | Moderate    | 116         | PM <sub>10</sub>          | 1  |
| 58   | Kolkata     | Moderate    | 178         | PM <sub>2.5</sub> , OZONE | 5  |
| 59   | Kota        | Poor        | 281         | PM <sub>2.5</sub>         | 1  |
| 60   | Kurukshetra | Moderate    | 195         | PM <sub>2.5</sub>         | 1  |

## Possible Health Impacts

| Good  | Minimal Impact  |  |
|---|---|--|
| Satisfactory Minor breathing discomfort to sensitive people |   |  |
| Moderate  | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor  | Breathing discomfort to most people on prolonged exposure                 |  |
| Very Poor   | Very Poor Respiratory illness on prolonged exposure                       |  |
| Severe  | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

| S.No | City             | Air Quality  | Index Value | Prominent Pollutant       | Based on Number<br>of Monitoring<br>Stations |
|------|------------------|--------------|-------------|---------------------------|--|
| 61   | Lucknow          | Very Poor    | 305         | PM <sub>2.5</sub>         | 4  |
| 62   | Ludhiana         | Moderate     | 159         | PM <sub>10</sub>          | 1  |
| 63   | Maihar           | Satisfactory | 71          | PM <sub>10</sub>          | 1  |
| 64   | Mandi Gobindgarh | Moderate     | 141         | PM <sub>10</sub>          | 1  |
| 65   | Mandideep        | Poor         | 258         | PM <sub>10</sub>          | 1  |
| 66   | Mandikhera       | Poor         | 286         | PM <sub>2.5</sub>         | 1  |
| 67   | Manesar          | Very Poor    | 325         | PM <sub>2.5</sub>         | 1  |
| 68   | Meerut           | Moderate     | 192         | PM <sub>2.5</sub>         | 3  |
| 69   | Moradabad        | Poor         | 264         | PM <sub>2.5</sub>         | 1  |
| 70   | Mumbai           | Moderate     | 151         | PM <sub>2.5</sub> , OZONE | 9  |
| 71   | Muzaffarpur      | Poor         | 288         | PM <sub>2.5</sub>         | 1  |
| 72   | Mysuru           | Satisfactory | 56          | PM <sub>10</sub>          | 1  |

## Possible Health Impacts

| Good         | Minimal Impact  |  |
|--------------|---|--|
| Satisfactory | tisfactory Minor breathing discomfort to sensitive people                 |  |
| Moderate     | Breathing discomfort to the people with lungs, asthma and heart diseases  |  |
| Poor         | Breathing discomfort to most people on prolonged exposure                 |  |
| Very Poor    | Respiratory illness on prolonged exposure                                 |  |
| Severe       | Affects healthy people and seriously impacts those with existing diseases |  |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

| S.No | City        | Air Quality  | Index Value | Prominent Pollutant      | Based on Number<br>of Monitoring<br>Stations |
|------|-------------|--------------|-------------|--------------------------|--|
| 73   | Nagpur      | Moderate     | 162         | PM <sub>2.5</sub>        | 1  |
| 74   | Narnaul     | Poor         | 210         | PM <sub>2.5</sub>        | 1  |
| 75   | Nashik      | Satisfactory | 85          | PM <sub>10</sub>         | 1  |
| 76   | Navi Mumbai | Moderate     | 187         | OZONE, PM <sub>2.5</sub> | 2  |
| 77   | Noida       | Very Poor    | 338         | PM <sub>2.5</sub>        | 4  |
| 78   | Pali        | Moderate     | 114         | PM <sub>2.5</sub>        | 1  |
| 79   | Panchkula   | Moderate     | 125         | PM <sub>2.5</sub>        | 1  |
| 80   | Panipat     | Poor         | 292         | PM <sub>2.5</sub>        | 1  |
| 81   | Patiala     | Moderate     | 116         | PM <sub>10</sub>         | 1  |
| 82   | Patna       | Very Poor    | 306         | PM <sub>2.5</sub>        | 1  |
| 83   | Pithampur   | Moderate     | 142         | PM <sub>2.5</sub>        | 1  |
| 84   | Pune        | Moderate     | 140         | PM <sub>2.5</sub>        | 1  |

### Possible Health Impacts

| Good  | Minimal Impact  |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people |   |
| Moderate  | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor  | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor   | Respiratory illness on prolonged exposure                                 |
| Severe  | Affects healthy people and seriously impacts those with existing diseases |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

| S.No | City              | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|-------------------|--------------|-------------|---------------------|--|
| 85   | Rajamahendravaram | Moderate     | 108         | PM <sub>2.5</sub>   | 1  |
| 86   | Ramanagara        | Good         | 49          | PM <sub>10</sub>    | 1  |
| 87   | Ratlam            | Moderate     | 148         | PM <sub>2.5</sub>   | 1  |
| 88   | Rohtak            | Very Poor    | 326         | PM <sub>2.5</sub>   | 1  |
| 89   | Rupnagar          | Moderate     | 153         | PM <sub>2.5</sub>   | 1  |
| 90   | Satna             | Moderate     | 189         | PM <sub>10</sub>    | 1  |
| 91   | Siliguri          | Moderate     | 114         | PM <sub>10</sub>    | 1  |
| 92   | Singrauli         | Very Poor    | 318         | PM <sub>2.5</sub>   | 1  |
| 93   | Sirsa             | Satisfactory | 85          | PM <sub>10</sub>    | 1  |
| 94   | Solapur           | Moderate     | 116         | PM <sub>10</sub>    | 1  |
| 95   | Sonipat           | Poor         | 212         | PM <sub>10</sub>    | 1  |
| 96   | Talcher           | Poor         | 224         | PM <sub>10</sub>    | 1  |

## Possible Health Impacts

| Good  | Minimal Impact  |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people |   |
| Moderate  | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor  | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor   | Respiratory illness on prolonged exposure                                 |
| Severe  | Affects healthy people and seriously impacts those with existing diseases |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



## (Average of past 24 hours)

| S.No | City               | Air Quality  | Index Value | Prominent Pollutant | Based on Number<br>of Monitoring<br>Stations |
|------|--------------------|--------------|-------------|---------------------|--|
| 97   | Thane              | Satisfactory | 96          | PM <sub>10</sub>    | 1  |
| 98   | Thiruvananthapuram | Moderate     | 133         | со                  | 1  |
| 99   | Tirupati           | Good         | 40          | PM <sub>10</sub>    | 1  |
| 100  | Udaipur            | Poor         | 243         | PM <sub>2.5</sub>   | 1  |
| 101  | Ujjain             | Moderate     | 199         | OZONE               | 1  |
| 102  | Vapi               | Poor         | 258         | PM <sub>2.5</sub>   | 1  |
| 103  | Varanasi           | Poor         | 212         | PM <sub>2.5</sub>   | 1  |
| 104  | Vatva              | Moderate     | 194         | PM <sub>2.5</sub>   | 1  |
| 105  | Visakhapatnam      | Moderate     | 111         | PM <sub>2.5</sub>   | 1  |
| 106  | Yadgir             | Moderate     | 105         | PM <sub>2.5</sub>   | 1  |
| 107  | Yamunanagar        | Poor         | 241         | PM <sub>2.5</sub>   | 1  |

## Possible Health Impacts

| Good  | Minimal Impact  |
|---|---|
| Satisfactory Minor breathing discomfort to sensitive people |   |
| Moderate  | Breathing discomfort to the people with lungs, asthma and heart diseases  |
| Poor  | Breathing discomfort to most people on prolonged exposure                 |
| Very Poor   | Respiratory illness on prolonged exposure                                 |
| Severe  | Affects healthy people and seriously impacts those with existing diseases |

- \* AQI is not calculated for today's bulletin for Coimbatore, Muzaffarnagar, Palwal, Shillong, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.