

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	122	PM _{2.5}	1
2	Agra	Very Poor	327	PM _{2.5} , PM ₁₀	4
3	Ahmedabad	Poor	214	PM _{2.5} , PM ₁₀	6
4	Aizawl	Good	41	PM ₁₀	1
5	Ajmer	Moderate	101	PM _{2.5}	1
6	Alwar	Satisfactory	87	PM ₁₀	1
7	Amaravati	Good	32	O ₃	1
8	Ambala	Moderate	182	PM ₁₀	1
9	Amritsar	Poor	239	PM _{2.5}	1
10	Ankleshwar	Poor	285	PM _{2.5}	1
11	Asansol	Poor	226	PM _{2.5}	1
12	Bagalkot	Good	44	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	321	PM _{2.5}	1
14	Bahadurgarh	Poor	300	PM _{2.5}	1
15	Bathinda	Moderate	106	PM ₁₀	1
16	Bengaluru	Satisfactory	56	CO, PM ₁₀ , NO ₂	8
17	Bhiwadi	Poor	260	PM _{2.5}	1
18	Bhiwani	Moderate	186	PM _{2.5}	1
19	Bhopal	Poor	209	PM _{2.5}	1
20	Bilaspur	Satisfactory	93	PM ₁₀	1
21	Bulandshahr	Very Poor	331	PM _{2.5}	1
22	Chamarajanagar	Good	46	PM ₁₀	1
23	Chandigarh	Moderate	154	O ₃ , PM ₁₀	2
24	Chandrapur	Moderate	127	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Poor	213	PM _{2.5}	1
26	Chennai	Good	48	CO, PM ₁₀	8
27	Chikkamagaluru	Good	28	NO ₂	1
28	Delhi	Poor	281	PM ₁₀ , PM _{2.5}	37
29	Dewas	Moderate	108	PM ₁₀	1
30	Dharuhera	Poor	209	PM _{2.5}	1
31	Durgapur	Poor	272	PM ₁₀	1
32	Ernakulam	Satisfactory	62	со	1
33	Faridabad	Very Poor	327	PM _{2.5} , PM ₁₀	3
34	Fatehabad	Moderate	171	PM _{2.5}	1
35	Firozabad	Poor	244	PM _{2.5}	1
36	Gandhinagar	Moderate	138	PM _{2.5} , PM ₁₀	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Moderate	118	PM _{2.5}	2
38	Ghaziabad	Very Poor	363	PM _{2.5} , PM ₁₀	3
39	Gorakhpur	Poor	255	PM _{2.5}	1
40	Greater Noida	Very Poor	306	PM ₁₀ , PM _{2.5}	2
41	Gurugram	Poor	241	PM _{2.5}	3
42	Guwahati	Moderate	114	PM _{2.5}	1
43	Gwalior	Moderate	106	PM _{2.5} , PM ₁₀	2
44	Hajipur	Poor	239	PM _{2.5}	1
45	Haldia	Moderate	111	PM ₁₀	1
46	Hapur	Very Poor	320	PM _{2.5}	1
47	Hassan	Good	20	O ₃	1
48	Hisar	Poor	254	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar, Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Moderate	146	PM _{2.5}	3
50	Hubballi	Satisfactory	54	PM ₁₀	1
51	Hyderabad	Moderate	127	PM _{2.5} , PM ₁₀	5
52	Indore	Poor	212	PM _{2.5}	1
53	Jabalpur	Moderate	155	PM ₁₀	1
54	Jaipur	Moderate	149	PM ₁₀ , PM _{2.5}	3
55	Jalandhar	Poor	205	PM _{2.5}	1
56	Jind	Poor	278	PM _{2.5}	1
57	Jodhpur	Poor	208	PM _{2.5}	1
58	Kaithal	Very Poor	319	PM _{2.5}	1
59	Kalaburgi	Moderate	110	03	1
60	Kalyan	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar, Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	51	со	1
62	Kanpur	Poor	300	PM _{2.5}	4
63	Katni	Poor	234	PM ₁₀	1
64	Khanna	Moderate	148	PM _{2.5}	1
65	Kochi	Good	40	со	1
66	Kohima	Satisfactory	55	PM ₁₀	1
67	Kolar	Good	44	SO ₂	1
68	Kolkata	Moderate	168	PM _{2.5}	7
69	Kollam	Satisfactory	60	со	1
70	Koppal	Good	45	со	1
71	Kota	Moderate	148	PM _{2.5}	1
72	Kozhikode	Good	50	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh, Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore, Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar, Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kurukshetra	Poor	260	PM _{2.5}	1
74	Lucknow	Very Poor	308	PM ₁₀ , PM _{2.5}	5
75	Ludhiana	Poor	249	PM _{2.5}	1
76	Mandi Gobindgarh	Moderate	130	PM ₁₀	1
77	Mandideep	Poor	217	PM ₁₀	1
78	Mandikhera	Poor	215	PM _{2.5}	1
79	Manesar	Poor	243	PM _{2.5}	1
80	Manglore	Satisfactory	51	СО	1
81	Medikeri	Good	28	O ₃	1
82	Meerut	Very Poor	313	PM _{2.5}	3
83	Moradabad	Poor	294	PM _{2.5}	1
84	Mumbai	Moderate	188	PM _{2.5}	20

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarnagar	Poor	219	PM _{2.5}	1
86	Muzaffarpur	Moderate	160	PM ₁₀	1
87	Mysuru	Good	31	PM ₁₀	1
88	Nandesari	Satisfactory	64	PM _{2.5}	1
89	Narnaul	Moderate	168	PM _{2.5}	1
90	Nashik	Moderate	143	PM _{2.5}	1
91	Navi Mumbai	Poor	201	PM _{2.5} , PM ₁₀	3
92	Noida	Very Poor	301	PM _{2.5}	3
93	Pali	Moderate	130	PM _{2.5}	1
94	Palwal	Poor	245	PM ₁₀	1
95	Panchkula	Satisfactory	98	PM _{2.5}	1
96	Panipat	Poor	291	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Poor	220	PM _{2.5}	1
98	Patna	Moderate	171	PM _{2.5} , PM ₁₀	5
99	Pithampur	Moderate	146	PM _{2.5}	1
100	Prayagraj	Moderate	172	PM _{2.5}	3
101	Puducherry	Good	43	со	1
102	Pune	Moderate	136	PM _{2.5}	4
103	Raichur	Satisfactory	89	PM ₁₀	1
104	Rajamahendravaram	Satisfactory	59	PM ₁₀	1
105	Ramanagara	Good	43	O ₃	1
106	Ratlam	Moderate	163	PM ₁₀	1
107	Rohtak	Poor	259	PM _{2.5}	1
108	Rupnagar	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sagar	Moderate	130	PM _{2.5}	1
110	Satna	Satisfactory	79	PM ₁₀	1
111	Shillong	Good	13	SO ₂	1
112	Shivamogga	Good	50	PM ₁₀	1
113	Siliguri	Moderate	105	PM _{2.5}	1
114	Singrauli	Poor	255	PM ₁₀	1
115	Sirsa	Moderate	143	PM ₁₀	1
116	Sonipat	Very Poor	325	PM ₁₀	1
117	Srinagar	Moderate	103	со	1
118	Talcher	Satisfactory	78	PM _{2.5}	1
119	Thane	Poor	212	PM ₁₀	1
120	Thiruvananthapuram	Good	33	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	ctory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thoothukudi	Satisfactory	64	СО	1
122	Tirupati	Good	38	со	1
123	Udaipur	Moderate	121	PM _{2.5}	1
124	Ujjain	Moderate	190	PM _{2.5}	1
125	Vapi	Moderate	168	PM _{2.5}	1
126	Varanasi	Moderate	104	PM _{2.5} , PM ₁₀	4
127	Vatva	Moderate	198	NO ₂	1
128	Vijayapura	Good	44	PM ₁₀	1
129	Visakhapatnam	Satisfactory	77	PM ₁₀	1
130	Vrindavan	Poor	286	PM _{2.5}	1
131	Yamunanagar	Poor	216	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Aurangabad, Ballabgarh,
 Bettiah, Bidar, Bihar Sharif, Brajrajnagar, Chikkaballapur, Coimbatore,
 Damoh, Darbhanga, Davanagere, Eloor, Gadag, Gummidipoondi, Jorapokhar,
 Karnal, Maihar, Motihari, Nagpur, Naharlagun, Solapur, Thrissur, Udupi,
 Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.