

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	85	PM ₁₀	1
2	Agra	Very Poor	332	PM _{2.5}	5
3	Ahmedabad	Satisfactory	75	NO ₂ , PM _{2.5} , CO	9
4	Aizawl	Good	21	PM ₁₀	1
5	Ajmer	Moderate	110	PM ₁₀	1
6	Alwar	Moderate	139	PM _{2.5}	1
7	Amaravati	Moderate	130	PM _{2.5}	1
8	Ambala	Poor	233	PM _{2.5}	1
9	Amritsar	Moderate	158	PM _{2.5}	1
10	Asansol	Moderate	114	O ₃	1
11	Aurangabad	Satisfactory	72	PM ₁₀	1
12	Bagalkot	Good	47	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	385	PM _{2.5}	1
14	Bahadurgarh	Very Poor	380	PM _{2.5}	1
15	Ballabgarh	Very Poor	346	PM _{2.5}	1
16	Bathinda	Very Poor	320	PM ₁₀	1
17	Bengaluru	Satisfactory	86	PM _{2.5} , PM ₁₀ , CO	8
18	Bettiah	Very Poor	328	PM ₁₀	1
19	Bhagalpur	Poor	229	PM _{2.5}	1
20	Bhilai	Satisfactory	65	PM ₁₀	1
21	Bhiwadi	Very Poor	347	PM _{2.5}	1
22	Bhiwani	Poor	220	PM _{2.5}	1
23	Bhopal	Poor	272	PM _{2.5}	1
24	Bidar	Moderate	105	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bihar Sharif	Very Poor	345	PM ₁₀	1
26	Bilaspur	Satisfactory	99	PM ₁₀	1
27	Bulandshahr	Very Poor	361	PM _{2.5}	1
28	Buxar	Severe	403	PM _{2.5}	1
29	Chamarajanagar	Good	34	PM _{2.5}	1
30	Chandigarh	Poor	229	PM _{2.5}	2
31	Chandrapur	Moderate	199	PM _{2.5}	2
32	Charkhi Dadri	Very Poor	343	PM _{2.5}	1
33	Chennai	Satisfactory	68	PM _{2.5} , PM ₁₀	6
34	Chhapra	Very Poor	363	PM _{2.5}	1
35	Chikkaballapur	Satisfactory	70	PM _{2.5}	1
36	Chikkamagaluru	Good	37	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Satisfactory	97	NO ₂	1
38	Damoh	Moderate	185	PM _{2.5}	1
39	Darbhanga	Very Poor	308	PM _{2.5}	1
40	Davanagere	Satisfactory	55	PM ₁₀	1
41	Delhi	Severe	429	PM _{2.5} , PM ₁₀	36
42	Dewas	Satisfactory	80	PM ₁₀	1
43	Durgapur	Poor	254	PM _{2.5}	1
44	Eloor	Satisfactory	78	PM ₁₀	1
45	Ernakulam	Good	42	СО	1
46	Faridabad	Severe	428	PM ₁₀ , PM _{2.5}	4
47	Fatehabad	Very Poor	301	PM _{2.5}	1
48	Firozabad	Very Poor	350	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gandhinagar	Satisfactory	58	PM _{2.5} , PM ₁₀	3
50	Gaya	Poor	208	PM _{2.5} , PM ₁₀	3
51	Ghaziabad	Very Poor	347	PM _{2.5}	4
52	Gorakhpur	Moderate	152	PM _{2.5}	1
53	Greater Noida	Very Poor	356	PM _{2.5}	2
54	Gurugram	Very Poor	377	PM _{2.5}	4
55	Guwahati	Moderate	142	PM _{2.5}	2
56	Gwalior	Very Poor	383	PM _{2.5}	1
57	Hajipur	Poor	224	PM _{2.5}	1
58	Haldia	Poor	241	PM _{2.5}	1
59	Hapur	Very Poor	345	PM _{2.5}	1
60	Hisar	Very Poor	379	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Howrah	Poor	247	PM _{2.5}	3
62	Hubballi	Good	48	PM ₁₀	1
63	Hyderabad	Moderate	156	PM _{2.5}	5
64	Indore	Moderate	198	PM _{2.5}	1
65	Jabalpur	Poor	263	PM _{2.5}	1
66	Jaipur	Poor	237	PM _{2.5}	3
67	Jalandhar	Moderate	188	PM _{2.5}	1
68	Jind	Very Poor	362	PM _{2.5}	1
69	Jodhpur	Moderate	178	PM _{2.5}	1
70	Kaithal	Very Poor	316	PM _{2.5}	1
71	Kalaburgi	Satisfactory	97	PM _{2.5}	1
72	Kannur	Good	50	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kanpur	Poor	230	NO ₂ , PM _{2.5}	3
74	Karnal	Poor	215	PM _{2.5}	1
75	Katihar	Very Poor	392	PM ₁₀	1
76	Katni	Poor	264	PM _{2.5}	1
77	Khanna	Moderate	171	PM _{2.5}	1
78	Kishanganj	Moderate	200	PM ₁₀	1
79	Kochi	Satisfactory	52	СО	1
80	Kohima	Moderate	124	PM ₁₀	1
81	Kolar	Satisfactory	82	PM _{2.5}	1
82	Kolkata	Poor	210	PM _{2.5}	6
83	Kollam	Satisfactory	98	PM ₁₀	1
84	Koppal	Satisfactory	55	O ₃	1

Possible Health Impacts

Minimal Impact

Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Poor	255	PM _{2.5}	1
86	Kozhikode	Satisfactory	51	PM ₁₀	1
87	Kurukshetra	Very Poor	320	PM _{2.5}	1
88	Lucknow	Poor	233	PM _{2.5}	5
89	Ludhiana	Poor	217	PM _{2.5}	1
90	Maihar	Moderate	104	PM _{2.5}	1
91	Mandideep	Moderate	113	PM ₁₀	1
92	Mandikhera	Moderate	132	PM _{2.5}	1
93	Manesar	Severe	413	PM _{2.5}	1
94	Manglore	Satisfactory	54	NO ₂	1
95	Medikeri	Good	28	O ₃	1
96	Meerut	Very Poor	328	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar,
 Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi
 Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar,
 Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Moradabad	Poor	220	PM _{2.5} , PM ₁₀	2
98	Motihari	Very Poor	337	PM _{2.5}	1
99	Mumbai	Satisfactory	78	PM _{2.5} , CO, PM ₁₀	19
100	Muzaffarnagar	Very Poor	335	PM _{2.5}	1
101	Muzaffarpur	Very Poor	317	PM _{2.5} , PM ₁₀	3
102	Mysuru	Good	45	O ₃	1
103	Nagpur	Moderate	107	PM ₁₀	1
104	Naharlagun	Moderate	109	O ₃	1
105	Narnaul	Very Poor	328	PM _{2.5}	1
106	Navi Mumbai	Satisfactory	60	PM _{2.5}	2
107	Noida	Severe	408	PM ₁₀ , PM _{2.5}	3
108	Pali	Satisfactory	92	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people

Cationactory	William broading diodomicit to conditive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar,
 Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi
 Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar,
 Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Palwal	Poor	215	PM ₁₀	1
110	Panchkula	Moderate	152	PM _{2.5}	1
111	Panipat	Moderate	189	PM _{2.5}	1
112	Patiala	Very Poor	305	PM _{2.5}	1
113	Patna	Very Poor	306	PM _{2.5} , PM ₁₀	6
114	Pithampur	Moderate	163	PM _{2.5}	1
115	Prayagraj	Poor	274	PM _{2.5}	3
116	Puducherry	Satisfactory	65	PM _{2.5}	1
117	Pune	Satisfactory	80	PM _{2.5}	2
118	Purnia	Poor	294	PM _{2.5}	1
119	Raichur	Moderate	120	PM ₁₀	1
120	Rajamahendravaram	Moderate	140	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar,
 Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi
 Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar,
 Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Poor	261	PM _{2.5}	1
122	Ramanagara	Satisfactory	79	PM _{2.5}	1
123	Ratlam	Satisfactory	60	PM _{2.5}	1
124	Rohtak	Very Poor	348	PM _{2.5}	1
125	Rupnagar	Very Poor	313	PM _{2.5}	1
126	Sagar	Moderate	128	PM _{2.5}	1
127	Saharsa	Poor	275	PM ₁₀	1
128	Sasaram	Very Poor	325	PM _{2.5}	1
129	Shillong	Good	21	SO ₂	1
130	Shivamogga	Good	44	PM ₁₀	1
131	Siliguri	Satisfactory	82	PM ₁₀	1
132	Singrauli	Very Poor	351	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar,
 Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi
 Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar,
 Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Sirsa	Poor	276	PM _{2.5}	1
134	Siwan	Very Poor	314	PM _{2.5}	1
135	Sonipat	Poor	285	PM ₁₀	1
136	Talcher	Moderate	152	PM _{2.5}	1
137	Thiruvananthapuram	Good	48	PM ₁₀ , PM _{2.5}	2
138	Thoothukudi	Good	26	PM ₁₀	1
139	Thrissur	Satisfactory	54	PM ₁₀	1
140	Tirupati	Satisfactory	91	PM _{2.5}	1
141	Udaipur	Moderate	178	PM _{2.5}	1
142	Udupi	Satisfactory	70	03	1
143	Ujjain	Moderate	105	PM ₁₀	1
144	Varanasi	Poor	241	PM _{2.5}	4

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Vatva	Satisfactory	100	PM _{2.5}	1
146	Vijayapura	Good	46	PM ₁₀	1
147	Visakhapatnam	Moderate	152	PM _{2.5}	1
148	Vrindavan	Very Poor	343	PM _{2.5}	1
149	Yamunanagar	Very Poor	305	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Dharuhera, Gadag, Gummidipoondi, Hassan, Jorapokhar, Kalyan, Mandi Gobindgarh, Manguraha, Munger, Nandesari, Nashik, Satna, Solapur, Srinagar, Thane, Vapi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.