

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	82	PM <sub>10</sub>	1
2	Agra	Severe	472	PM <sub>2.5</sub>	5
3	Ahmedabad	Moderate	126	PM <sub>2.5</sub> , PM <sub>10</sub>	9
4	Aizawl	Good	16	со	1
5	Ajmer	Moderate	110	PM <sub>2.5</sub>	1
6	Alwar	Moderate	195	PM <sub>2.5</sub>	1
7	Amaravati	Moderate	109	PM <sub>2.5</sub>	1
8	Ambala	Very Poor	340	PM <sub>10</sub>	1
9	Amritsar	Poor	270	PM <sub>2.5</sub>	1
10	Ankleshwar	Poor	285	PM <sub>2.5</sub>	1
11	Asansol	Moderate	131	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	88	O <sub>3</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	38	со	1
14	Baghpat	Severe	442	PM <sub>2.5</sub>	1
15	Bahadurgarh	Very Poor	342	PM <sub>2.5</sub>	1
16	Ballabgarh	Severe	412	PM <sub>10</sub>	1
17	Bathinda	Poor	231	PM <sub>10</sub>	1
18	Bengaluru	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	6
19	Bhiwadi	Very Poor	359	PM <sub>2.5</sub>	1
20	Bhiwani	Very Poor	337	PM <sub>2.5</sub>	1
21	Bhopal	Poor	245	PM <sub>2.5</sub>	1
22	Bilaspur	Satisfactory	65	PM <sub>10</sub>	1
23	Brajrajnagar	Moderate	193	03	1
24	Bulandshahr	Very Poor	388	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Satisfactory	60	PM <sub>10</sub>	1
26	Chandigarh	Moderate	106	PM <sub>2.5</sub> , PM <sub>10</sub>	2
27	Chandrapur	Poor	202	O <sub>3</sub> , PM <sub>2.5</sub>	2
28	Charkhi Dadri	Very Poor	347	PM <sub>2.5</sub>	1
29	Chennai	Satisfactory	92	PM <sub>2.5</sub> , PM <sub>10</sub>	7
30	Chikkaballapur	Moderate	128	PM <sub>2.5</sub>	1
31	Chikkamagaluru	Satisfactory	71	PM <sub>2.5</sub>	1
32	Coimbatore	Moderate	167	со	1
33	Davanagere	Moderate	115	PM <sub>2.5</sub>	1
34	Delhi	Severe	404	PM <sub>2.5</sub> , PM <sub>10</sub>	37
35	Dharuhera	Very Poor	305	PM <sub>2.5</sub>	1
36	Durgapur	Poor	283	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	57	со	1
38	Faridabad	Severe	430	PM <sub>10</sub> , PM <sub>2.5</sub>	4
39	Fatehabad	Very Poor	319	PM <sub>2.5</sub>	1
40	Firozabad	Severe	489	PM <sub>2.5</sub>	1
41	Gandhinagar	Moderate	127	PM <sub>2.5</sub> , PM <sub>10</sub>	3
42	Gaya	Poor	212	PM <sub>2.5</sub>	2
43	Ghaziabad	Severe	451	PM <sub>2.5</sub>	3
44	Gorakhpur	Very Poor	393	PM <sub>2.5</sub>	1
45	Greater Noida	Severe	412	PM <sub>2.5</sub>	2
46	Gurugram	Very Poor	368	PM <sub>2.5</sub>	3
47	Guwahati	Satisfactory	98	PM <sub>10</sub>	2
48	Gwalior	Very Poor	320	PM <sub>2.5</sub> , PM <sub>10</sub>	2

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hajipur	Poor	254	PM <sub>2.5</sub>	1
50	Haldia	Moderate	112	PM <sub>10</sub>	1
51	Hapur	Severe	433	PM <sub>2.5</sub>	1
52	Hassan	Satisfactory	100	PM <sub>2.5</sub>	1
53	Hisar	Very Poor	372	PM <sub>2.5</sub>	1
54	Howrah	Moderate	186	PM <sub>2.5</sub> , PM <sub>10</sub>	3
55	Hubballi	Moderate	116	PM <sub>2.5</sub>	1
56	Hyderabad	Moderate	145	PM <sub>2.5</sub> , PM <sub>10</sub>	6
57	Indore	Moderate	200	PM <sub>10</sub>	1
58	Jabalpur	Poor	219	PM <sub>10</sub>	1
59	Jaipur	Poor	218	PM <sub>2.5</sub>	2
60	Jalandhar	Poor	241	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Severe	403	PM <sub>2.5</sub>	1
62	Jodhpur	Poor	232	PM <sub>2.5</sub>	1
63	Jorapokhar	Satisfactory	97	PM <sub>10</sub>	1
64	Kaithal	Severe	418	PM <sub>2.5</sub>	1
65	Kalyan	Moderate	199	PM <sub>2.5</sub>	1
66	Kanpur	Very Poor	388	PM <sub>2.5</sub>	3
67	Karnal	Very Poor	344	PM <sub>2.5</sub>	1
68	Katni	Poor	298	PM <sub>2.5</sub>	1
69	Khanna	Poor	264	PM <sub>2.5</sub>	1
70	Kochi	Good	47	со	1
71	Kohima	Satisfactory	55	PM <sub>10</sub>	1
72	Kolar	Moderate	106	PM <sub>2.5</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub>	7
74	Kollam	Satisfactory	68	PM <sub>10</sub>	1
75	Koppal	Moderate	111	O <sub>3</sub>	1
76	Kota	Poor	202	PM <sub>2.5</sub>	1
77	Kozhikode	Satisfactory	55	PM <sub>10</sub>	1
78	Kurukshetra	Very Poor	352	PM <sub>2.5</sub>	1
79	Lucknow	Poor	266	PM <sub>2.5</sub> , PM <sub>10</sub>	6
80	Ludhiana	Very Poor	306	PM <sub>2.5</sub>	1
81	Mandideep	Moderate	175	PM <sub>10</sub>	1
82	Mandikhera	Poor	246	PM <sub>2.5</sub>	1
83	Manesar	Very Poor	357	PM <sub>2.5</sub>	1
84	Manglore	Satisfactory	73	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Medikeri	Satisfactory	83	PM <sub>2.5</sub>	1
86	Meerut	Severe	433	PM <sub>2.5</sub>	3
87	Moradabad	Very Poor	391	PM <sub>2.5</sub>	1
88	Mumbai	Moderate	172	PM <sub>2.5</sub>	17
89	Muzaffarnagar	Severe	410	PM <sub>2.5</sub>	1
90	Muzaffarpur	Poor	280	PM <sub>2.5</sub>	1
91	Mysuru	Satisfactory	76	PM <sub>10</sub>	1
92	Naharlagun	Moderate	200	O <sub>3</sub>	1
93	Narnaul	Poor	273	PM <sub>2.5</sub>	1
94	Nashik	Moderate	135	PM <sub>2.5</sub>	1
95	Navi Mumbai	Moderate	194	PM <sub>2.5</sub>	2
96	Noida	Severe	426	PM <sub>10</sub> , PM <sub>2.5</sub>	4

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pali	Moderate	160	PM <sub>2.5</sub>	1
98	Palwal	Poor	209	PM <sub>10</sub>	1
99	Panchkula	Moderate	113	PM <sub>2.5</sub>	1
100	Panipat	Very Poor	386	PM <sub>10</sub>	1
101	Patiala	Very Poor	318	PM <sub>2.5</sub>	1
102	Patna	Poor	272	PM <sub>2.5</sub> , PM <sub>10</sub>	5
103	Pithampur	Moderate	186	PM <sub>2.5</sub>	1
104	Prayagraj	Very Poor	368	PM <sub>2.5</sub>	3
105	Puducherry	Satisfactory	86	PM <sub>2.5</sub>	1
106	Pune	Moderate	187	PM <sub>2.5</sub>	3
107	Raichur	Moderate	125	PM <sub>10</sub>	1
108	Rajamahendravaram	Moderate	196	O <sub>3</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Moderate	140	PM <sub>2.5</sub>	1
110	Ratlam	Moderate	135	PM <sub>10</sub>	1
111	Rohtak	Very Poor	348	PM <sub>2.5</sub>	1
112	Rupnagar	Moderate	193	PM <sub>10</sub>	1
113	Satna	Moderate	106	PM <sub>10</sub>	1
114	Shillong	Good	12	SO <sub>2</sub>	1
115	Shivamogga	Good	44	PM <sub>10</sub>	1
116	Singrauli	Very Poor	343	PM <sub>2.5</sub>	1
117	Sirsa	Poor	261	PM <sub>2.5</sub>	1
118	Solapur	Satisfactory	57	PM <sub>10</sub>	1
119	Sonipat	Very Poor	342	PM <sub>2.5</sub>	1
120	Srinagar	Satisfactory	89	PM <sub>10</sub>	1

#### Possible Health Impacts

## Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Talcher	Moderate	181	PM <sub>2.5</sub>	1
122	Thane	Poor	204	PM <sub>10</sub>	1
123	Thiruvananthapuram	Satisfactory	61	со	1
124	Thoothukudi	Good	44	со	1
125	Thrissur	Good	34	NO <sub>2</sub>	1
126	Tirupati	Moderate	142	PM <sub>2.5</sub>	1
127	Udaipur	Moderate	130	PM <sub>2.5</sub>	1
128	Udupi	Satisfactory	60	O <sub>3</sub>	1
129	Ujjain	Moderate	130	PM <sub>10</sub>	1
130	Vapi	Moderate	166	PM <sub>2.5</sub>	1
131	Varanasi	Very Poor	345	PM <sub>2.5</sub>	4
132	Vatva	Moderate	125	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Satisfactory	56	PM <sub>2.5</sub>	1
134	Visakhapatnam	Moderate	188	PM <sub>2.5</sub>	1
135	Vrindavan	Severe	454	PM <sub>2.5</sub>	1
136	Yadgir	Moderate	123	PM <sub>10</sub>	1
137	Yamunanagar	Very Poor	304	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Dewas, Eloor, Gadag, Gummidipoondi, Kalaburgi, Kannur, Maihar, Mandi Gobindgarh, Motihari, Nagpur, Nandesari, Sagar, Siliguri as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.