

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	63	PM _{2.5}	1
2	Agra	Satisfactory	65	NO ₂	6
3	Ahmedabad	Satisfactory	67	PM ₁₀ , PM _{2.5}	7
4	Aizawl	Good	24	PM ₁₀	1
5	Ajmer	Satisfactory	81	PM ₁₀	1
6	Alwar	Satisfactory	93	PM ₁₀	1
7	Amaravati	Good	37	PM ₁₀	1
8	Ambala	Good	40	03	1
9	Amravati	Good	38	CO, PM ₁₀	2
10	Amritsar	Satisfactory	60	PM ₁₀	1
11	Anantapur	Good	49	PM ₁₀	1
12	Ankleshwar	Satisfactory	57	O ₃	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Araria	Good	44	СО	1
14	Ariyalur	Good	49	PM ₁₀	1
15	Asansol	Good	45	PM ₁₀	1
16	Aurangabad (Maharashtra)	Good	48	PM ₁₀	2
17	Baddi	Satisfactory	79	PM ₁₀	1
18	Badlapur	Satisfactory	56	PM ₁₀	1
19	Bagalkot	Good	46	PM ₁₀	1
20	Baghpat	Satisfactory	84	03	1
21	Bahadurgarh	Satisfactory	74	PM ₁₀	1
22	Ballabgarh	Good	50	со	1
23	Baran	Satisfactory	77	PM ₁₀	1
24	Bareilly	Good	32	O ₃	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	59	PM ₁₀	1
26	Barmer	Satisfactory	53	O ₃	1
27	Bathinda	Good	38	PM ₁₀	1
28	Belapur	Satisfactory	73	со	1
29	Bengaluru	Good	42	PM ₁₀ , CO	13
30	Bettiah	Moderate	103	PM ₁₀	1
31	Bhagalpur	Satisfactory	76	СО	2
32	Bharatpur	Satisfactory	62	PM ₁₀	1
33	Bhilai	Good	21	O ₃	3
34	Bhiwadi	Moderate	103	PM ₁₀	1
35	Bhiwani	Moderate	167	PM _{2.5}	1
36	Bhopal	Satisfactory	93	PM ₁₀	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chenga

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bihar Sharif	Satisfactory	52	PM ₁₀	1
38	Bikaner	Satisfactory	81	O ₃	1
39	Bileipada	Good	40	PM ₁₀	1
40	Bulandshahr	Satisfactory	57	PM ₁₀	1
41	Byrnihat	Poor	229	PM ₁₀	1
42	Chamarajanagar	Good	40	PM ₁₀	1
43	Chandigarh	Satisfactory	51	PM ₁₀	3
44	Chandrapur	Good	50	PM ₁₀	1
45	Charkhi Dadri	Moderate	189	PM _{2.5}	1
46	Chennai	Satisfactory	60	NO ₂	7
47	Chhal	Good	32	со	1
48	Chhapra	Moderate	130	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chikkaballapur	Good	37	O ₃	1
50	Chikkamagaluru	Satisfactory	54	СО	1
51	Chittoor	Good	49	03	1
52	Chittorgarh	Satisfactory	62	03	1
53	Churu	Satisfactory	72	03	1
54	Coimbatore	Good	42	PM ₁₀	1
55	Damoh	Good	20	СО	1
56	Dausa	Moderate	111	PM ₁₀	1
57	Davanagere	Good	24	PM ₁₀	1
58	Dehradun	Satisfactory	99	O ₃	1
59	Delhi	Satisfactory	93	PM ₁₀ , CO	35
60	Dewas	Satisfactory	72	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dhanbad	Moderate	172	co	1
62	Dharuhera	Very Poor	386	PM _{2.5}	1
63	Dharwad	Satisfactory	51	03	1
64	Dhule	Good	47	PM ₁₀	1
65	Dindigul	Good	41	SO ₂	1
66	Durgapur	Satisfactory	57	PM ₁₀	1
67	Eloor	Satisfactory	68	PM ₁₀	1
68	Faridabad	Satisfactory	76	PM ₁₀	1
69	Fatehabad	Moderate	139	PM ₁₀	1
70	Firozabad	Good	46	O ₃	1
71	Gandhinagar	Good	50	PM _{2.5}	3
72	Gangtok	Good	48	SO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations,

website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gaya	Satisfactory	56	O ₃	2
74	Ghaziabad	Satisfactory	70	PM ₁₀	4
75	Gorakhpur	Good	46	SO ₂	1
76	Greater Noida	Moderate	110	PM ₁₀	2
77	Gurugram	Moderate	126	PM _{2.5}	4
78	Guwahati	Good	37	PM _{2.5} , O ₃	4
79	Gwalior	Satisfactory	89	PM ₁₀ , O ₃	3
80	Hajipur	Satisfactory	97	PM ₁₀	1
81	Haldia	Good	33	PM ₁₀	1
82	Hanumangarh	Poor	289	PM ₁₀	1
83	Hapur	Good	25	PM _{2.5}	1
84	Haveri	Good	38	СО	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hisar	Satisfactory	74	PM _{2.5}	1
86	Hosur	Good	29	PM ₁₀	1
87	Howrah	Good	48	NO ₂	3
88	Hubballi	Moderate	175	со	2
89	Hyderabad	Satisfactory	55	PM ₁₀ , CO	13
90	Indore	Satisfactory	72	PM ₁₀	1
91	Jabalpur	Satisfactory	71	O ₃ , CO	2
92	Jaipur	Moderate	111	PM _{2.5} , PM ₁₀	6
93	Jaisalmer	Satisfactory	57	O ₃	1
94	Jalandhar	Satisfactory	64	PM ₁₀	1
95	Jalgaon	Satisfactory	53	PM ₁₀	1
96	Jalna	Satisfactory	65	PM _{2.5}	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhalawar	Good	44	O ₃	1
98	Jhansi	Satisfactory	95	PM ₁₀	1
99	Jhunjhunu	Moderate	102	03	1
100	Jind	Satisfactory	57	со	1
101	Jodhpur	Satisfactory	76	PM ₁₀ , O ₃	5
102	Kadapa	Good	36	PM _{2.5}	1
103	Kaithal	Good	39	O ₃	1
104	Kalaburgi	Good	50	PM ₁₀	1
105	Kalyan	Satisfactory	80	СО	1
106	Kanchipuram	Good	25	PM ₁₀	1
107	Kannur	Satisfactory	77	PM ₁₀	1
108	Kanpur	Moderate	162	O ₃ , CO	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Moderate	196	O ₃	1
110	Karnal	Good	41	PM ₁₀	1
111	Katni	Satisfactory	56	PM ₁₀	1
112	Khanna	Satisfactory	57	PM ₁₀	1
113	Kishanganj	Good	33	03	1
114	Kohima	Good	42	SO ₂	1
115	Kolhapur	Good	30	O ₃ , PM ₁₀	2
116	Kolkata	Good	27	O ₃ , PM ₁₀	7
117	Kollam	Satisfactory	56	PM ₁₀	1
118	Koppal	Good	39	O ₃	1
119	Korba	Good	35	NO ₂ , O ₃	2
120	Kota	Satisfactory	70	PM ₁₀	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chenga

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Satisfactory	57	O ₃	1
122	Lucknow	Satisfactory	75	PM ₁₀	5
123	Ludhiana	Moderate	128	PM ₁₀	1
124	Madikeri	Good	22	03	1
125	Mahad	Good	35	03	1
126	Maihar	Satisfactory	52	со	1
127	Mandi Gobindgarh	Good	45	PM _{2.5}	1
128	Mandideep	Moderate	127	O ₃	1
129	Mandikhera	Moderate	133	PM ₁₀	1
130	Manesar	Satisfactory	87	PM ₁₀	1
131	Mangalore	Good	48	со	1
132	Meerut	Satisfactory	54	со	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Moradabad	Satisfactory	55	CO, SO ₂	6
134	Mumbai	Satisfactory	61	CO, PM ₁₀	19
135	Muzaffarnagar	Good	44	PM ₁₀	1
136	Muzaffarpur	Moderate	108	со	3
137	Mysuru	Good	41	03	1
138	Nagaon	Good	48	03	1
139	Nagaur	Satisfactory	54	PM ₁₀	1
140	Nagpur	Good	44	CO, PM _{2.5}	4
141	Nanded	Good	29	03	1
142	Narnaul	Satisfactory	68	PM _{2.5}	1
143	Nashik	Good	37	PM ₁₀	4
144	Navi Mumbai	Moderate	135	PM ₁₀	4

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nayagarh	Good	35	NO ₂	1
146	Noida	Satisfactory	98	PM ₁₀	4
147	Ooty	Good	50	SO ₂	1
148	Pali	Satisfactory	99	PM ₁₀	1
149	Palkalaiperur	Satisfactory	65	SO ₂	1
150	Palwal	Good	50	PM ₁₀	1
151	Panipat	Moderate	131	PM _{2.5}	1
152	Parbhani	Very Poor	304	O ₃	1
153	Patiala	Good	45	O ₃	1
154	Patna	Satisfactory	76	PM _{2.5}	6
155	Pimpri Chinchwad	Good	41	CO, PM ₁₀	3
156	Pithampur	Satisfactory	71	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chenga

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available. # Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Prayagraj	Satisfactory	64	SO ₂ , PM ₁₀	3
158	Puducherry	Satisfactory	51	O ₃	1
159	Pune	Moderate	103	NO ₂ , CO	4
160	Raichur	Good	43	PM ₁₀	1
161	Raipur	Satisfactory	59	PM ₁₀ , NO ₂	3
162	Rairangpur	Good	42	PM ₁₀	1
163	Rajamahendravaram	Good	43	PM ₁₀	1
164	Rajsamand	Moderate	139	PM ₁₀	1
165	Ramanagara	Good	48	O ₃	1
166	Ramanathapuram	Good	40	со	1
167	Ratlam	Good	41	PM _{2.5}	1
168	Rishikesh	Good	25	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rohtak	Satisfactory	92	PM _{2.5}	1
170	Rourkela	Good	48	СО	2
171	Rupnagar	Moderate	147	PM ₁₀	1
172	Sagar	Good	46	03	1
173	Sangli	Good	27	03	1
174	Sasaram	Good	19	03	1
175	Satna	Satisfactory	77	PM ₁₀	1
176	Sawai Madhopur	Satisfactory	97	PM _{2.5}	1
177	Shillong	Good	23	SO ₂	1
178	Shivamogga	Satisfactory	69	O ₃	1
179	Sikar	Satisfactory	62	O ₃	1
180	Silchar	Good	21	со	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

 Good
 Minimal Impact

 Satisfactory
 Minor breathing discomfort to sensitive people

 Moderate
 Breathing discomfort to the people with lungs, asthma and heart diseases

 Poor
 Breathing discomfort to most people on prolonged exposure

 Very Poor
 Respiratory illness on prolonged exposure

 Severe
 Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Siliguri	Good	29	PM ₁₀	1
182	Singrauli	Satisfactory	53	NO ₂	1
183	Sirohi	Satisfactory	69	PM ₁₀	1
184	Sirsa	Moderate	130	PM ₁₀	1
185	Sivasagar	Good	16	NO ₂	1
186	Siwan	Satisfactory	80	PM ₁₀	1
187	Solapur	Satisfactory	86	PM ₁₀	3
188	Sri Ganganagar	Poor	292	PM ₁₀	1
189	Srinagar	Satisfactory	59	PM ₁₀	1
190	Suakati	Good	42	O ₃	1
191	Talcher	Satisfactory	75	со	1
192	Thane	Good	38	PM ₁₀ , PM _{2.5}	2

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Thiruvananthapuram	Good	18	PM ₁₀ , O ₃	2
194	Thoothukudi	Good	30	PM ₁₀	1
195	Thrissur	Good	39	03	1
196	Tirupati	Good	47	NO ₂	1
197	Tirupur	Good	33	PM ₁₀	1
198	Tonk	Satisfactory	55	PM ₁₀	1
199	Tumidih	Satisfactory	55	PM ₁₀	1
200	Udaipur	Satisfactory	62	PM ₁₀	1
201	Ujjain	Satisfactory	77	со	1
202	Vapi	Satisfactory	56	со	1
203	Varanasi	Good	41	SO ₂	4
204	Vatva	Satisfactory	60	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,

, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chenga

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

Cuddalore, Darbhanga, Dholpur, Ernakulam, Gadag, Gummidipoondi, Hassan, Imphal, Jorapokhar, Kashipur, Katihar, Keonjhar, Khurja, Kochi, Kolar, Kozhikode, Kunjemura, Latur, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Motihari, Munger, Naharlagun, Nalbari, Nandesari, Panchkula, Pratapgarh, Purnia, Rajgir, Saharsa, Salem, Samastipur, Sonipat, Surat, Tensa, Tumakuru, Udupi, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Vijayapura	Good	49	PM ₁₀	1
206	Vijayawada	Good	46	PM ₁₀	1
207	Visakhapatnam	Moderate	116	PM ₁₀	1
208	Vrindavan	Moderate	130	PM ₁₀	1
209	Yadgir	Good	31	со	1
210	Yamunanagar	Satisfactory	63	PM ₁₀	1

Notes:

Bidar, Bilaspur, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

^{*} AQI is not calculated for today's bulletin for Ahmednagar, Akola, Arrah, Aurangabad (Bihar), Banswara, Begusarai, Belgaum, Bhilwara, Bhiwandi,