

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	106	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	66	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	72	PM <sub>10</sub> , O <sub>3</sub>	7
4	Ajmer	Satisfactory	97	PM <sub>2.5</sub>	1
5	Akola	Satisfactory	82	PM <sub>10</sub>	1
6	Alwar	Good	50	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	55	PM <sub>10</sub>	1
8	Ambala	Satisfactory	90	со	1
9	Amravati	Satisfactory	55	PM <sub>10</sub>	2
10	Amritsar	Satisfactory	56	03	1
11	Ankleshwar	Satisfactory	95	03	1
12	Araria	Satisfactory	55	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Boisar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Davane

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Good	33	PM <sub>10</sub>	1
14	Aurangabad (Maharashtra)	Satisfactory	56	PM <sub>10</sub>	2
15	Baddi	Moderate	141	PM <sub>10</sub>	1
16	Badlapur	Good	39	со	1
17	Bagalkot	Good	42	PM <sub>10</sub>	1
18	Baghpat	Satisfactory	82	PM <sub>10</sub>	1
19	Bahadurgarh	Satisfactory	89	PM <sub>2.5</sub>	1
20	Ballabgarh	Satisfactory	59	PM <sub>10</sub>	1
21	Banswara	Satisfactory	88	PM <sub>10</sub>	1
22	Baran	Satisfactory	66	PM <sub>10</sub>	1
23	Bareilly	Good	42	PM <sub>10</sub> , CO	2
24	Baripada	Satisfactory	64	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar, —Beisar, Buxar, Chhapra, Chikkamagaluru, Ceimbatore, Darbhanga, Davana

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bathinda	Satisfactory	60	SO <sub>2</sub>	1
26	Belapur	Good	36	PM <sub>10</sub>	1
27	Belgaum	Good	49	PM <sub>10</sub>	1
28	Bengaluru	Satisfactory	99	PM <sub>2.5</sub> , PM <sub>10</sub>	10
29	Bettiah	Satisfactory	72	PM <sub>10</sub>	1
30	Bhagalpur	Moderate	109	PM <sub>2.5</sub>	2
31	Bharatpur	Satisfactory	88	PM <sub>10</sub>	1
32	Bhilai	Good	44	PM <sub>10</sub> , PM <sub>2.5</sub>	3
33	Bhilwara	Satisfactory	98	PM <sub>10</sub>	1
34	Bhiwadi	Moderate	121	PM <sub>10</sub>	1
35	Bhiwandi	Good	46	PM <sub>10</sub>	1
36	Bhiwani	Satisfactory	52	PM <sub>2.5</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar, —Beisar, Buxar, Chhapra, Chikkamagaluru, Ceimbatere, Darbhanga, Davanaş

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Good	46	PM <sub>10</sub>	3
38	Bihar Sharif	Good	29	PM <sub>10</sub>	1
39	Bikaner	Satisfactory	96	PM <sub>10</sub>	1
40	Bilaspur	Satisfactory	81	со	1
41	Bileipada	Moderate	108	PM <sub>10</sub>	1
42	Brajrajnagar	Good	35	со	1
43	Bulandshahr	Satisfactory	72	PM <sub>10</sub>	1
44	Bundi	Satisfactory	87	PM <sub>10</sub>	1
45	Byrnihat	Moderate	184	PM <sub>10</sub>	1
46	Chamarajanagar	Good	41	PM <sub>10</sub>	1
47	Chandigarh	Moderate	101	PM <sub>10</sub>	3
48	Chandrapur	Satisfactory	58	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

### Anantapur, Anyaiur, Arran, Aurangabad (Binar), Barmer, Begusarai, Bidar, Boisar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Davane

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Charkhi Dadri	Moderate	106	PM <sub>10</sub>	1
50	Chengalpattu	Very Poor	399	PM <sub>10</sub>	1
51	Chennai	Satisfactory	68	со	6
52	Chhal	Satisfactory	60	PM <sub>10</sub>	1
53	Chikkaballapur	Satisfactory	66	PM <sub>10</sub>	1
54	Chittoor	Satisfactory	72	O <sub>3</sub>	1
55	Chittorgarh	Satisfactory	66	PM <sub>10</sub>	1
56	Churu	Satisfactory	54	O <sub>3</sub>	1
57	Cuddalore	Good	37	PM <sub>2.5</sub>	1
58	Damoh	Good	24	PM <sub>10</sub>	1
59	Dausa	Moderate	126	PM <sub>10</sub>	1
60	Delhi	Moderate	106	NO <sub>2</sub> , CO	34

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### 

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Dewas	Satisfactory	55	PM <sub>10</sub>	1
62	Dhanbad	Moderate	184	со	1
63	Dharwad	Good	39	PM <sub>2.5</sub>	1
64	Dholpur	Satisfactory	73	PM <sub>10</sub>	1
65	Dhule	Satisfactory	60	PM <sub>10</sub>	1
66	Durgapur	Good	46	PM <sub>10</sub>	1
67	Faridabad	Satisfactory	79	PM <sub>10</sub> , PM <sub>2.5</sub>	4
68	Fatehabad	Moderate	158	03	1
69	Firozabad	Satisfactory	58	PM <sub>10</sub>	2
70	Gandhinagar	Satisfactory	74	PM <sub>2.5</sub> , PM <sub>10</sub>	2
71	Gangtok	Satisfactory	58	SO <sub>2</sub>	1
72	Gaya	Satisfactory	66	со	3

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good
Satisfactory
Moderate
Poor
Very Poor
Severe
Moderate Poor Very Poor

#### Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar, ar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Ghaziabad	Satisfactory	92	PM <sub>10</sub>	4
74	Gorakhpur	Satisfactory	53	SO <sub>2</sub>	1
75	Greater Noida	Moderate	140	PM <sub>10</sub>	2
76	Gurugram	Moderate	135	PM <sub>2.5</sub>	3
77	Guwahati	Satisfactory	76	CO, SO <sub>2</sub>	3
78	Gwalior	Satisfactory	51	PM <sub>2.5</sub>	3
79	Hajipur	Satisfactory	52	PM <sub>10</sub>	1
80	Haldia	Satisfactory	53	PM <sub>10</sub>	1
81	Hanumangarh	Satisfactory	82	PM <sub>10</sub>	1
82	Hapur	Satisfactory	64	PM <sub>10</sub>	1
83	Hassan	Good	43	SO <sub>2</sub>	1
84	Haveri	Good	38	со	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Anantapur, Anyalur, Arran, Aurangabao (Binar), Barmer, Begusarai, Bidar, Boisar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Davana

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hosur	Moderate	131	PM <sub>2.5</sub>	1
86	Howrah	Satisfactory	57	PM <sub>10</sub>	3
87	Hubballi	Satisfactory	70	PM <sub>10</sub> , CO	2
88	Hyderabad	Satisfactory	75	PM <sub>10</sub>	12
89	Indore	Satisfactory	82	PM <sub>10</sub>	1
90	Jabalpur	Satisfactory	52	PM <sub>10</sub>	2
91	Jaipur	Satisfactory	100	PM <sub>10</sub>	5
92	Jaisalmer	Satisfactory	95	PM <sub>10</sub>	1
93	Jalandhar	Satisfactory	94	PM <sub>10</sub>	1
94	Jalgaon	Satisfactory	58	PM <sub>10</sub>	1
95	Jalna	Satisfactory	51	PM <sub>10</sub>	1
96	Jhalawar	Satisfactory	52	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

# Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar, — Boisar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Davana

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jhansi	Good	33	PM <sub>10</sub>	1
98	Jhunjhunu	Satisfactory	77	03	1
99	Jind	Satisfactory	94	со	1
100	Jodhpur	Satisfactory	91	PM <sub>10</sub>	5
101	Kaithal	Moderate	101	PM <sub>2.5</sub>	1
102	Kalaburgi	Satisfactory	59	PM <sub>10</sub>	1
103	Kalyan	Satisfactory	72	со	1
104	Kanchipuram	Good	47	PM <sub>10</sub>	1
105	Kanpur	Satisfactory	58	PM <sub>2.5</sub>	3
106	Karauli	Satisfactory	51	O <sub>3</sub>	1
107	Karnal	Satisfactory	67	PM <sub>10</sub>	1
108	Kashipur	Good	47	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

ar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Katihar	Moderate	101	PM <sub>10</sub>	1
110	Katni	Satisfactory	60	PM <sub>10</sub>	1
111	Keonjhar	Satisfactory	54	PM <sub>10</sub>	1
112	Khanna	Moderate	118	PM <sub>10</sub>	1
113	Khurja	Satisfactory	94	PM <sub>2.5</sub>	1
114	Kochi	Satisfactory	63	СО	1
115	Kohima	Satisfactory	53	SO <sub>2</sub>	1
116	Kolhapur	Good	44	PM <sub>10</sub>	2
117	Kolkata	Good	49	PM <sub>10</sub>	7
118	Korba	Good	46	PM <sub>10</sub>	2
119	Kota	Satisfactory	71	PM <sub>10</sub>	3
120	Kunjemura	Moderate	109	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts Notes:

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

# Dehradun, Dharuhera, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Imphal, Jorapokhar, Kadapa, Kannur, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Rishikesh, Salem, Sasaram, Surat, Udupi, Vapi, Vijayawada, Virar, vellore as data was not

available.
# Some stations have data available at 3PM

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kurukshetra	Satisfactory	78	03	1
122	Latur	Good	47	PM <sub>10</sub>	1
123	Lucknow	Satisfactory	72	PM <sub>2.5</sub>	6
124	Ludhiana	Satisfactory	95	PM <sub>10</sub>	1
125	Madikeri	Good	36	PM <sub>10</sub>	1
126	Mahad	Good	36	SO <sub>2</sub>	1
127	Maihar	Good	26	со	1
128	Mandi Gobindgarh	Satisfactory	70	PM <sub>10</sub>	1
129	Mandideep	Satisfactory	59	03	1
130	Mandikhera	Satisfactory	93	PM <sub>10</sub>	1
131	Manesar	Satisfactory	73	PM <sub>2.5</sub>	1
132	Mangalore	Satisfactory	55	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

#### Dehradun, Dharuhera, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Imphal, Jorapokhar, Kadapa, Kannur, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Rishikesh, Salem,

Nandesari, Nayagarri, Raichur, Rairangpur, Rajgir, Rishikesh, Salem, Sasaram, Surat, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Manguraha	Good	21	PM <sub>10</sub>	1
134	Meerut	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	3
135	Moradabad	Satisfactory	63	PM <sub>2.5</sub>	5
136	Motihari	Moderate	105	PM <sub>10</sub>	1
137	Mumbai	Good	50	CO, PM <sub>10</sub>	16
138	Munger	Moderate	128	PM <sub>2.5</sub>	1
139	Muzaffarnagar	Satisfactory	99	PM <sub>2.5</sub>	1
140	Muzaffarpur	Satisfactory	83	со	1
141	Mysuru	Satisfactory	70	PM <sub>10</sub>	1
142	Nagaon	Good	25	O <sub>3</sub>	1
143	Nagaur	Satisfactory	99	PM <sub>10</sub>	1
144	Nagpur	Satisfactory	53	PM <sub>10</sub>	4

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### 

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nalbari	Moderate	102	PM <sub>10</sub>	1
146	Nanded	Good	36	03	1
147	Narnaul	Good	47	PM <sub>10</sub>	1
148	Nashik	Satisfactory	61	PM <sub>10</sub>	2
149	Navi Mumbai	Satisfactory	60	PM <sub>10</sub>	7
150	Noida	Satisfactory	92	PM <sub>10</sub> , CO	4
151	Ooty	Satisfactory	74	PM <sub>10</sub>	1
152	Pali	Satisfactory	86	PM <sub>2.5</sub>	1
153	Palkalaiperur	Satisfactory	74	SO <sub>2</sub>	1
154	Palwal	Good	50	PM <sub>2.5</sub>	1
155	Panchkula	Satisfactory	94	PM <sub>2.5</sub>	1
156	Panipat	Moderate	121	PM <sub>2.5</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Beisar, Buxar, Chhapra, Chikkamagaluru, Ceimbatore, Darbhanga, Davanaq Dehradun, Dharuhera, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi,

Hisar, Imphal, Jorapokhar, Kadapa, Kannur, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Rishikesh, Salem, Sasaram, Surat, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Parbhani	Satisfactory	52	PM <sub>10</sub>	1
158	Patiala	Satisfactory	55	PM <sub>10</sub>	1
159	Patna	Satisfactory	78	PM <sub>10</sub> , NO <sub>2</sub>	6
160	Pimpri Chinchwad	Good	47	PM <sub>2.5</sub>	3
161	Pithampur	Satisfactory	85	PM <sub>10</sub>	1
162	Pratapgarh	Moderate	106	PM <sub>2.5</sub>	1
163	Prayagraj	Satisfactory	92	PM <sub>10</sub>	3
164	Puducherry	Satisfactory	61	PM <sub>10</sub>	1
165	Pune	Satisfactory	94	NO <sub>2</sub> , PM <sub>2.5</sub>	6
166	Purnia	Satisfactory	86	PM <sub>2.5</sub>	1
167	Raipur	Good	42	PM <sub>10</sub> , CO	4
168	Rajamahendravaram	Good	50	03	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## 

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rajsamand	Satisfactory	87	PM <sub>10</sub>	1
170	Ramanagara	Satisfactory	54	PM <sub>10</sub>	1
171	Ramanathapuram	Good	39	PM <sub>10</sub>	1
172	Ratlam	Satisfactory	57	PM <sub>10</sub>	1
173	Rohtak	Good	39	03	1
174	Rourkela	Satisfactory	66	PM <sub>10</sub> , PM <sub>2.5</sub>	2
175	Rupnagar	Moderate	127	PM <sub>10</sub>	1
176	Sagar	Good	26	O <sub>3</sub>	1
177	Saharsa	Satisfactory	88	O <sub>3</sub>	1
178	Samastipur	Satisfactory	69	PM <sub>10</sub>	1
179	Sangli	Good	36	PM <sub>10</sub>	1
180	Satna	Satisfactory	70	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

## Anantapur, Ariyalur, Arran, Aurangabad (Binar), Barmer, Begusarai, Bidar, — Beisar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Davanaç

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sawai Madhopur	Moderate	111	PM <sub>2.5</sub>	1
182	Shillong	Good	39	PM <sub>10</sub> , PM <sub>2.5</sub>	2
183	Shivamogga	Satisfactory	65	PM <sub>10</sub>	1
184	Sikar	Satisfactory	68	PM <sub>10</sub>	1
185	Silchar	Good	36	со	1
186	Siliguri	Satisfactory	55	PM <sub>10</sub>	1
187	Singrauli	Moderate	104	NO <sub>2</sub>	1
188	Sirohi	Satisfactory	63	PM <sub>10</sub>	1
189	Sirsa	Good	42	PM <sub>10</sub>	1
190	Sivasagar	Good	20	PM <sub>10</sub>	1
191	Siwan	Satisfactory	66	PM <sub>10</sub>	1
192	Solapur	Satisfactory	67	PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

ar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Notes:

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sonipat	Moderate	102	PM <sub>10</sub>	1
194	Sri Ganganagar	Satisfactory	81	PM <sub>10</sub>	1
195	Srinagar	Good	43	PM <sub>10</sub>	1
196	Suakati	Satisfactory	68	PM <sub>10</sub>	1
197	Talcher	Good	41	PM <sub>10</sub>	1
198	Tensa	Good	39	PM <sub>10</sub>	1
199	Thane	Good	33	PM <sub>10</sub>	2
200	Thiruvananthapuram	Good	43	PM <sub>2.5</sub> , CO	2
201	Thoothukudi	Satisfactory	81	PM <sub>10</sub>	1
202	Thrissur	Satisfactory	58	PM <sub>10</sub>	1
203	Tirupati	Satisfactory	52	PM <sub>10</sub>	2
204	Tirupur	Satisfactory	68	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

# Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar, Beisar, Buxar, Chhapra, Chikkamagaluru, Ceimbatere, Darbhanga, Davana,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tonk	Satisfactory	98	PM <sub>10</sub>	1
206	Tumakuru	Satisfactory	57	со	1
207	Tumidih	Good	39	PM <sub>10</sub>	1
208	Udaipur	Satisfactory	59	PM <sub>10</sub>	1
209	Ujjain	Satisfactory	76	со	1
210	Ulhasnagar	Satisfactory	53	PM <sub>10</sub>	1
211	Varanasi	Good	39	PM <sub>10</sub>	3
212	Vatva	Moderate	107	PM <sub>10</sub>	1
213	Vijayapura	Good	49	PM <sub>10</sub>	1
214	Visakhapatnam	Satisfactory	82	PM <sub>10</sub>	1
215	Vrindavan	Moderate	179	PM <sub>2.5</sub>	1
216	Yadgir	Good	46	PM <sub>10</sub>	1

Notes:

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl,

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar, ar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yamunanagar	Satisfactory	77	PM <sub>10</sub>	1

#### Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

\* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Anantapur, Ariyalur, Arrah, Aurangabad (Bihar), Barmer, Begusarai, Bidar,

Boisar, Buxar, Chhapra, Chikkamagaluru, Coimbatore, Darbhanga, Davanage

Dehradun, Dharuhera, Dindigul, Eloor, Ernakulam, Gadag, Gummidipoondi, Hisar, Imphal, Jorapokhar, Kadapa, Kannur, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Naharlagun, Nandesari, Nayagarh, Raichur, Rairangpur, Rajgir, Rishikesh, Salem, Sasaram, Surat, Udupi, Vapi, Vijayawada, Virar, vellore as data was not available.

# Some stations have data available at 3PM

Notes:

- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.