

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	29	03	1
2	Agra	Poor	214	PM _{2.5}	1
3	Ahmedabad	Moderate	153	O ₃	1
4	Aizawl	Good	20	PM ₁₀	1
5	Ajmer	Satisfactory	80	PM ₁₀	1
6	Alwar	Satisfactory	69	PM ₁₀	1
7	Amaravati	Satisfactory	72	03	1
8	Ambala	Satisfactory	81	PM ₁₀	1
9	Amritsar	Satisfactory	71	PM ₁₀	1
10	Asansol	Satisfactory	73	PM ₁₀	1
11	Aurangabad	Satisfactory	76	PM ₁₀	1
12	Bagalkot	Good	41	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	144	PM ₁₀	1
14	Bahadurgarh	Moderate	104	PM ₁₀	1
15	Ballabgarh	Moderate	137	PM _{2.5}	1
16	Bathinda	Satisfactory	74	PM ₁₀	1
17	Bengaluru	Good	50	PM ₁₀ , O ₃	7
18	Bhiwadi	Poor	273	PM _{2.5}	1
19	Bhiwani	Satisfactory	66	O ₃	1
20	Bhopal	Moderate	127	PM ₁₀	1
21	Bidar	Moderate	113	PM ₁₀	1
22	Bulandshahr	Moderate	175	PM ₁₀	1
23	Chamarajanagar	Good	50	O ₃	1
24	Chandigarh	Satisfactory	89	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Satisfactory	92	PM ₁₀ , PM _{2.5}	2
26	Charkhi Dadri	Moderate	120	PM _{2.5}	1
27	Chennai	Satisfactory	71	CO, PM ₁₀	6
28	Chikkaballapur	Good	44	PM ₁₀	1
29	Damoh	Satisfactory	69	PM ₁₀	1
30	Davanagere	Satisfactory	57	PM ₁₀	1
31	Delhi	Moderate	169	O ₃ , PM _{2.5} , PM ₁₀	27
32	Dewas	Satisfactory	78	PM ₁₀	1
33	Dharuhera	Moderate	180	PM ₁₀	1
34	Durgapur	Satisfactory	97	PM ₁₀	1
35	Eloor	Satisfactory	60	со	1
36	Ernakulam	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Faridabad	Moderate	137	PM ₁₀ , PM _{2.5}	2
38	Fatehabad	Satisfactory	88	PM ₁₀	1
39	Gadag	Good	27	03	1
40	Gandhinagar	Satisfactory	66	PM ₁₀	1
41	Gaya	Satisfactory	56	03	1
42	Ghaziabad	Moderate	175	PM ₁₀	4
43	Greater Noida	Moderate	184	PM ₁₀	2
44	Gurugram	Moderate	131	PM ₁₀ , PM _{2.5}	3
45	Guwahati	Satisfactory	68	PM ₁₀ , SO ₂	2
46	Gwalior	Moderate	193	PM ₁₀	1
47	Hajipur	Moderate	178	PM ₁₀	1
48	Haldia	Satisfactory	64	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hapur	Satisfactory	85	03	1
50	Hassan	Satisfactory	71	PM ₁₀	1
51	Hisar	Moderate	116	PM ₁₀	1
52	Howrah	Satisfactory	67	PM ₁₀ , PM _{2.5}	3
53	Hubballi	Good	46	PM ₁₀	1
54	Hyderabad	Satisfactory	78	PM ₁₀ , PM _{2.5}	5
55	Indore	Satisfactory	95	PM ₁₀	1
56	Jabalpur	Moderate	141	PM ₁₀	1
57	Jaipur	Moderate	104	PM ₁₀	3
58	Jalandhar	Satisfactory	92	PM ₁₀	1
59	Jodhpur	Moderate	117	PM ₁₀	1
60	Kaithal	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Moderate	101	PM ₁₀	1
62	Kanpur	Moderate	124	PM _{2.5}	1
63	Karnal	Satisfactory	83	O ₃	1
64	Katni	Moderate	199	PM ₁₀	1
65	Khanna	Satisfactory	91	PM ₁₀	1
66	Kochi	Good	47	со	1
67	Kohima	Good	37	PM ₁₀	1
68	Kolkata	Satisfactory	69	PM _{2.5} , PM ₁₀ , O ₃	7
69	Kollam	Satisfactory	80	PM ₁₀	1
70	Koppal	Satisfactory	68	O ₃	1
71	Kota	Satisfactory	92	PM ₁₀	1
72	Kozhikode	Good	45	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Moderate	187	PM ₁₀ , PM _{2.5}	4
74	Ludhiana	Satisfactory	90	PM ₁₀	1
75	Mandi Gobindgarh	Poor	217	PM _{2.5}	1
76	Mandideep	Satisfactory	70	PM ₁₀	1
77	Manglore	Satisfactory	74	PM ₁₀	1
78	Medikeri	Satisfactory	59	PM ₁₀	1
79	Meerut	Moderate	164	PM ₁₀	2
80	Moradabad	Poor	201	PM ₁₀	1
81	Mumbai	Satisfactory	71	PM ₁₀	17
82	Muzaffarnagar	Moderate	140	PM ₁₀	1
83	Muzaffarpur	Satisfactory	96	PM _{2.5} , CO	2
84	Narnaul	Moderate	162	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Navi Mumbai	Satisfactory	74	CO, PM ₁₀	2
86	Noida	Moderate	183	PM ₁₀	3
87	Pali	Moderate	120	PM ₁₀	1
88	Palwal	Moderate	153	PM ₁₀	1
89	Panchkula	Satisfactory	68	со	1
90	Panipat	Moderate	122	PM ₁₀	1
91	Patiala	Satisfactory	98	PM ₁₀	1
92	Patna	Moderate	116	O ₃ , PM ₁₀	4
93	Pithampur	Satisfactory	72	O ₃	1
94	Puducherry	Good	42	O ₃	1
95	Pune	Satisfactory	69	PM ₁₀ , PM _{2.5} , CO	7
96	Raichur	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rajamahendravaram	Satisfactory	73	PM ₁₀	1
98	Ratlam	Satisfactory	83	PM ₁₀	1
99	Rohtak	Satisfactory	81	со	1
100	Rupnagar	Moderate	101	PM ₁₀	1
101	Sagar	Satisfactory	54	PM _{2.5}	1
102	Satna	Satisfactory	100	PM ₁₀	1
103	Shivamogga	Good	42	PM ₁₀	1
104	Siliguri	Satisfactory	92	PM _{2.5}	1
105	Singrauli	Poor	214	PM ₁₀	1
106	Sirsa	Moderate	110	PM ₁₀	1
107	Sonipat	Moderate	142	PM ₁₀	1
108	Srinagar	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Talcher	Moderate	121	PM ₁₀	1
110	Thiruvananthapuram	Good	37	СО	1
111	Thoothukudi	Satisfactory	56	PM ₁₀	1
112	Thrissur	Satisfactory	60	со	1
113	Tirupati	Satisfactory	54	PM ₁₀	1
114	Udaipur	Moderate	117	PM ₁₀	1
115	Udupi	Satisfactory	70	СО	1
116	Ujjain	Moderate	118	O ₃	1
117	Vapi	Satisfactory	70	PM ₁₀	1
118	Varanasi	Poor	233	PM ₁₀	1
119	Vatva	Moderate	122	PM ₁₀	1
120	Visakhapatnam	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yadgir	Good	40	PM ₁₀	1
122	Yamunanagar	Moderate	115	03	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Brajrajnagar, Chikkamagaluru, Coimbatore, Gummidipoondi, Jind, Jorapokhar, Kalaburgi, Kalyan, Kolar, Kurukshetra, Maihar, Mandikhera, Manesar, Mysuru, Nagpur, Naharlagun, Nandesari, Nashik, Ramanagara, Shillong, Solapur, Thane, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.