

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	66	PM ₁₀	2
2	Agra	Moderate	151	PM ₁₀ , PM _{2.5}	6
3	Ahmedabad	Satisfactory	96	PM _{2.5} , PM ₁₀	6
4	Aizawl	Satisfactory	83	PM ₁₀	1
5	Ajmer	Satisfactory	94	PM _{2.5}	1
6	Alwar	Moderate	105	PM ₁₀	1
7	Amaravati	Good	49	PM ₁₀	1
8	Ambala	Moderate	155	PM ₁₀	1
9	Amritsar	Moderate	115	NO ₂	1
10	Ankleshwar	Satisfactory	95	PM _{2.5}	1
11	Arrah	Very Poor	303	PM ₁₀	1
12	Asansol	Moderate	200	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	256	PM ₁₀	1
14	Aurangabad	Moderate	111	PM ₁₀	1
15	Baddi	Moderate	152	PM ₁₀	1
16	Bagalkot	Good	50	PM _{2.5}	1
17	Baghpat	Poor	229	PM _{2.5}	1
18	Bahadurgarh	Poor	240	PM _{2.5}	1
19	Ballabgarh	Moderate	132	PM ₁₀	1
20	Bathinda	Moderate	194	PM _{2.5}	1
21	Bengaluru	Moderate	103	PM ₁₀	8
22	Bettiah	Moderate	141	PM _{2.5}	1
23	Bhagalpur	Poor	299	PM ₁₀	1
24	Bhiwadi	Very Poor	316	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Very Poor	306	PM _{2.5}	1
26	Bhopal	Moderate	119	PM ₁₀	1
27	Bilaspur	Satisfactory	59	PM ₁₀	1
28	Bulandshahr	Poor	254	PM ₁₀	1
29	Buxar	Very Poor	346	PM ₁₀	1
30	Chamarajanagar	Good	40	PM ₁₀	1
31	Chandigarh	Moderate	136	O ₃ , PM ₁₀	3
32	Chandrapur	Moderate	126	PM ₁₀ , O ₃	2
33	Charkhi Dadri	Very Poor	308	PM _{2.5}	1
34	Chennai	Good	47	CO, PM _{2.5} , NO ₂	6
35	Chhapra	Poor	248	PM ₁₀	1
36	Chikkaballapur	Satisfactory	62	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	47	PM ₁₀	1
38	Damoh	Satisfactory	64	PM ₁₀	1
39	Darbhanga	Very Poor	362	PM ₁₀	1
40	Davanagere	Satisfactory	88	PM ₁₀	1
41	Dehradun	Satisfactory	99	PM ₁₀	1
42	Delhi	Poor	244	PM ₁₀ , PM _{2.5}	38
43	Dewas	Satisfactory	95	PM ₁₀	1
44	Durgapur	Very Poor	370	PM ₁₀	1
45	Eloor	Satisfactory	67	PM ₁₀	1
46	Ernakulam	Good	38	NO ₂	1
47	Faridabad	Poor	270	PM _{2.5} , PM ₁₀	2
48	Gandhinagar	Satisfactory	98	PM _{2.5} , PM ₁₀	3

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gaya	Moderate	146	PM ₁₀ , PM _{2.5}	3
50	Ghaziabad	Poor	209	PM ₁₀	3
51	Greater Noida	Poor	216	PM ₁₀	2
52	Gummidipoondi	Good	49	PM _{2.5}	1
53	Gurugram	Poor	234	PM ₁₀	3
54	Guwahati	Moderate	112	PM ₁₀	2
55	Gwalior	Moderate	163	PM ₁₀	1
56	Hajipur	Poor	277	PM _{2.5}	1
57	Haldia	Satisfactory	59	PM ₁₀	1
58	Hapur	Very Poor	302	PM ₁₀	1
59	Hassan	Satisfactory	93	PM ₁₀	1
60	Haveri	Moderate	101	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Moderate	199	PM ₁₀	1
62	Howrah	Moderate	123	O ₃ , PM _{2.5}	3
63	Hubballi	Satisfactory	98	PM ₁₀	1
64	Hyderabad	Moderate	123	PM ₁₀ , PM _{2.5}	6
65	Imphal	Satisfactory	88	PM ₁₀ , SO ₂	2
66	Indore	Moderate	112	PM ₁₀	1
67	Jabalpur	Moderate	143	PM ₁₀	1
68	Jaipur	Moderate	168	PM _{2.5} , PM ₁₀	2
69	Jalandhar	Moderate	136	PM ₁₀	1
70	Jhansi	Moderate	196	PM ₁₀	1
71	Jind	Poor	219	PM _{2.5}	1
72	Kaithal	Moderate	193	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	sfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Satisfactory	89	PM ₁₀	1
74	Kalyan	Moderate	117	PM _{2.5}	1
75	Kannur	Satisfactory	53	PM _{2.5}	1
76	Kanpur	Moderate	138	PM _{2.5} , PM ₁₀	3
77	Karnal	Moderate	135	PM ₁₀	1
78	Katihar	Moderate	200	PM _{2.5}	1
79	Katni	Poor	231	PM ₁₀	1
80	Khanna	Moderate	140	PM ₁₀	1
81	Kishanganj	Poor	216	PM _{2.5}	1
82	Kochi	Satisfactory	80	PM _{2.5}	1
83	Kohima	Moderate	129	PM ₁₀	1
84	Kolkata	Satisfactory	85	PM _{2.5} , O ₃ , PM ₁₀	7

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	93	PM ₁₀	1
86	Koppal	Satisfactory	56	PM ₁₀	1
87	Kota	Moderate	109	PM _{2.5}	1
88	Kozhikode	Satisfactory	58	PM ₁₀	1
89	Kurukshetra	Moderate	194	PM _{2.5}	1
90	Lucknow	Poor	211	PM _{2.5} , PM ₁₀	5
91	Ludhiana	Moderate	132	PM ₁₀	1
92	Madikeri	Satisfactory	55	O ₃	1
93	Mandi Gobindgarh	Very Poor	303	PM _{2.5}	1
94	Mandideep	Satisfactory	59	PM ₁₀	1
95	Mandikhera	Satisfactory	100	PM ₁₀	1
96	Manglore	Satisfactory	61	СО	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Poor	217	PM ₁₀	3
98	Moradabad	Moderate	125	O ₃ , PM ₁₀	4
99	Motihari	Poor	220	PM _{2.5}	1
100	Mumbai	Satisfactory	91	PM _{2.5} , PM ₁₀ , CO	16
101	Munger	Very Poor	350	PM ₁₀	1
102	Muzaffarnagar	Poor	271	O ₃	1
103	Muzaffarpur	Very Poor	327	PM _{2.5}	1
104	Mysuru	Satisfactory	59	O ₃	1
105	Nagpur	Moderate	127	PM _{2.5}	1
106	Narnaul	Moderate	167	PM _{2.5}	1
107	Navi Mumbai	Satisfactory	69	со	1
108	Noida	Poor	229	PM ₁₀	2

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pali	Moderate	112	PM _{2.5}	1
110	Palwal	Moderate	155	PM ₁₀	1
111	Patiala	Moderate	140	PM ₁₀	1
112	Patna	Poor	275	PM ₁₀ , PM _{2.5}	6
113	Pithampur	Moderate	102	PM ₁₀	1
114	Prayagraj	Moderate	131	PM ₁₀	3
115	Puducherry	Good	22	PM ₁₀	1
116	Pune	Moderate	119	PM _{2.5} , PM ₁₀	4
117	Raichur	Moderate	101	PM ₁₀	1
118	Rajamahendravaram	Good	47	PM ₁₀	1
119	Rajgir	Moderate	186	PM ₁₀	1
120	Ramanagara	Satisfactory	71	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ratlam	Satisfactory	98	PM ₁₀	1
122	Rohtak	Poor	251	PM _{2.5}	1
123	Rupnagar	Moderate	112	PM ₁₀	1
124	Sagar	Satisfactory	75	PM _{2.5}	1
125	Samastipur	Very Poor	347	PM ₁₀	1
126	Sasaram	Moderate	174	PM ₁₀	1
127	Satna	Satisfactory	88	PM ₁₀	1
128	Shillong	Satisfactory	88	PM ₁₀	2
129	Shivamogga	Satisfactory	54	PM ₁₀	1
130	Siliguri	Moderate	124	PM ₁₀	1
131	Singrauli	Very Poor	309	PM ₁₀	1
132	Sirsa	Moderate	167	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Talcher	Moderate	109	со	1
134	Thane	Moderate	112	PM ₁₀	1
135	Thiruvananthapuram	Good	38	CO, PM _{2.5}	2
136	Thoothukudi	Good	39	PM ₁₀	1
137	Tirupati	Satisfactory	76	PM ₁₀	1
138	Udaipur	Satisfactory	84	PM ₁₀	1
139	Varanasi	Satisfactory	94	PM ₁₀ , PM _{2.5}	4
140	Vatva	Satisfactory	80	PM ₁₀	1
141	Vijayapura	Satisfactory	51	PM ₁₀	1
142	Visakhapatnam	Moderate	112	PM ₁₀	1
143	Vrindavan	Moderate	139	PM ₁₀	1
144	Yadgir	Satisfactory	71	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yamunanagar	Moderate	169	PM ₁₀	1

Good	Good Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Araria, Begusarai, Bhilai, Notes: Bidar, Bihar Sharif, Brajrajnagar, Coimbatore, Dharuhera, Fatehabad, Firozabad, Gadag, Gangtok, Gorakhpur, Jodhpur, Jorapokhar, Kolar, Maihar, Manesar, Manguraha, Naharlagun, Nandesari, Nashik, Panchkula, Panipat, Purnia, Saharsa, Siwan, Solapur, Sonipat, Srinagar, Thrissur, Udupi, Ujjain, Vapi as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.