

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	37	03	1
2	Agra	Satisfactory	77	PM <sub>2.5</sub>	1
3	Ahmedabad	Poor	213	03	1
4	Aizawl	Good	20	PM <sub>10</sub>	1
5	Ajmer	Satisfactory	74	PM <sub>10</sub>	1
6	Alwar	Satisfactory	64	PM <sub>10</sub>	1
7	Amaravati	Good	17	SO <sub>2</sub>	1
8	Ambala	Satisfactory	84	PM <sub>10</sub>	1
9	Amritsar	Satisfactory	93	PM <sub>10</sub>	1
10	Ankleshwar	Satisfactory	80	PM <sub>10</sub>	1
11	Asansol	Satisfactory	72	03	1
12	Aurangabad	Satisfactory	66	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Moderate	124	PM <sub>10</sub>	1
14	Bahadurgarh	Satisfactory	85	PM <sub>10</sub>	1
15	Ballabgarh	Satisfactory	92	PM <sub>10</sub>	1
16	Bathinda	Moderate	120	PM <sub>2.5</sub>	1
17	Bengaluru	Satisfactory	53	CO, NO <sub>2</sub> , PM <sub>2.5</sub>	9
18	Bhiwadi	Moderate	136	PM <sub>2.5</sub>	1
19	Bhiwani	Satisfactory	91	PM <sub>10</sub>	1
20	Bhopal	Satisfactory	96	03	1
21	Bulandshahr	Moderate	161	03	1
22	Chamarajanagar	Satisfactory	84	NO <sub>2</sub>	1
23	Chandigarh	Satisfactory	57	PM <sub>10</sub>	1
24	Chandrapur	Good	42	PM <sub>10</sub> , PM <sub>2.5</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Satisfactory	88	PM <sub>10</sub>	1
26	Chennai	Good	41	PM <sub>10</sub> , SO <sub>2</sub> , CO	7
27	Chikkaballapur	Good	50	PM <sub>2.5</sub>	1
28	Chikkamagaluru	Satisfactory	55	03	1
29	Damoh	Good	28	PM <sub>2.5</sub>	1
30	Delhi	Moderate	136	03	24
31	Dewas	Moderate	111	PM <sub>10</sub>	1
32	Dharuhera	Moderate	138	PM <sub>10</sub>	1
33	Eloor	Good	47	со	1
34	Faridabad	Moderate	165	O <sub>3</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	4
35	Fatehabad	Moderate	165	PM <sub>10</sub>	1
36	Gandhinagar	Satisfactory	53	03	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Satisfactory	79	O <sub>3</sub> , PM <sub>10</sub>	2
38	Ghaziabad	Moderate	172	O <sub>3</sub>	1
39	Greater Noida	Moderate	110	PM <sub>10</sub>	1
40	Gummidipoondi	Good	45	PM <sub>10</sub>	1
41	Gurugram	Moderate	109	PM <sub>2.5</sub> , PM <sub>10</sub>	2
42	Guwahati	Good	50	PM <sub>10</sub>	1
43	Gwalior	Satisfactory	97	O <sub>3</sub>	1
44	Hajipur	Satisfactory	99	PM <sub>10</sub>	1
45	Haldia	Good	28	PM <sub>2.5</sub>	1
46	Hapur	Satisfactory	80	O <sub>3</sub>	1
47	Hisar	Moderate	132	PM <sub>10</sub>	1
48	Howrah	Good	49	PM <sub>10</sub>	3

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Satisfactory	54	PM <sub>10</sub>	1
50	Hyderabad	Good	50	NO <sub>2</sub> , PM <sub>10</sub> , PM <sub>2.5</sub>	5
51	Indore	Moderate	125	PM <sub>10</sub>	1
52	Jabalpur	Satisfactory	76	O <sub>3</sub>	1
53	Jaipur	Satisfactory	76	PM <sub>10</sub> , O <sub>3</sub>	2
54	Jalandhar	Satisfactory	84	PM <sub>10</sub>	1
55	Jind	Moderate	104	PM <sub>2.5</sub>	1
56	Jodhpur	Moderate	116	PM <sub>10</sub>	1
57	Kaithal	Satisfactory	94	PM <sub>10</sub>	1
58	Kalyan	Good	38	со	1
59	Kannur	Satisfactory	100	PM <sub>10</sub>	1
60	Kanpur	Satisfactory	57	O <sub>3</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Satisfactory	86	PM <sub>10</sub>	1
62	Katni	Satisfactory	89	O <sub>3</sub>	1
63	Khanna	Moderate	114	PM <sub>10</sub>	1
64	Kohima	Satisfactory	59	PM <sub>2.5</sub>	1
65	Kolkata	Satisfactory	53	O <sub>3</sub> , PM <sub>2.5</sub>	7
66	Kollam	Good	39	PM <sub>10</sub>	1
67	Koppal	Satisfactory	60	СО	1
68	Kota	Satisfactory	80	PM <sub>10</sub>	1
69	Kurukshetra	Moderate	107	PM <sub>10</sub>	1
70	Lucknow	Moderate	112	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	4
71	Mandi Gobindgarh	Satisfactory	58	PM <sub>10</sub>	1
72	Mandideep	Good	34	SO <sub>2</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manesar	Moderate	125	PM <sub>2.5</sub>	1
74	Manglore	Good	38	PM <sub>2.5</sub>	1
75	Medikeri	Good	26	O <sub>3</sub>	1
76	Meerut	Moderate	125	PM <sub>10</sub>	1
77	Mumbai	Satisfactory	68	PM <sub>10</sub> , SO <sub>2</sub> , PM <sub>2.5</sub>	11
78	Muzaffarnagar	Moderate	140	PM <sub>10</sub>	1
79	Muzaffarpur	Satisfactory	71	СО	2
80	Nagpur	Good	32	PM <sub>2.5</sub>	1
81	Naharlagun	Satisfactory	59	PM <sub>10</sub>	1
82	Narnaul	Moderate	162	PM <sub>10</sub>	1
83	Nashik	Satisfactory	51	PM <sub>2.5</sub>	1
84	Navi Mumbai	Satisfactory	64	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Noida	Moderate	117	PM <sub>10</sub>	3
86	Pali	Moderate	123	PM <sub>10</sub>	1
87	Palwal	Moderate	111	PM <sub>10</sub>	1
88	Panchkula	Good	44	PM <sub>2.5</sub>	1
89	Patiala	Satisfactory	69	PM <sub>10</sub>	1
90	Patna	Moderate	106	O <sub>3</sub> , PM <sub>10</sub> , NO <sub>2</sub>	6
91	Pithampur	Satisfactory	76	PM <sub>10</sub>	1
92	Puducherry	Good	26	O <sub>3</sub>	1
93	Pune	Satisfactory	58	PM <sub>2.5</sub> , PM <sub>10</sub> , CO	6
94	Rajamahendravaram	Good	26	со	1
95	Ramanagara	Good	43	PM <sub>10</sub>	1
96	Ratlam	Moderate	106	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Rupnagar	Satisfactory	79	PM <sub>10</sub>	1
98	Sagar	Good	42	PM <sub>2.5</sub>	1
99	Satna	Satisfactory	61	PM <sub>10</sub>	1
100	Shillong	Good	21	PM <sub>2.5</sub>	1
101	Siliguri	Satisfactory	79	PM <sub>10</sub>	1
102	Singrauli	Satisfactory	98	PM <sub>10</sub>	1
103	Sirsa	Moderate	115	PM <sub>10</sub>	1
104	Sonipat	Moderate	143	PM <sub>10</sub>	1
105	Srinagar	Moderate	101	PM <sub>10</sub>	1
106	Talcher	Satisfactory	86	со	1
107	Thane	Poor	281	NO <sub>2</sub>	1
108	Thiruvananthapuram	Good	45	PM <sub>10</sub> , O <sub>3</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

#### \* AQI is not calculated for today's bulletin for Bagalkot, Bidar,

- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Tirupati	Good	37	O <sub>3</sub>	1
110	Udaipur	Moderate	122	PM <sub>10</sub>	1
111	Ujjain	Moderate	132	PM <sub>10</sub>	1
112	Vapi	Satisfactory	57	PM <sub>10</sub>	1
113	Varanasi	Moderate	128	PM <sub>10</sub>	1
114	Vatva	Moderate	111	PM <sub>10</sub>	1
115	Visakhapatnam	Good	39	PM <sub>10</sub>	1
116	Yadgir	Satisfactory	63	O <sub>3</sub>	1
117	Yamunanagar	Moderate	157	O <sub>3</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bidar, Notes: Brajrajnagar, Coimbatore, Davanagere, Durgapur, Ernakulam, Gadag, Hassan, Jorapokhar, Kalaburgi, Kochi, Kolar, Kozhikode, Ludhiana, Maihar, Mandikhera, Moradabad, Mysuru, Nandesari, Panipat, Raichur, Rohtak, Shivamogga, Solapur, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
  - # Some stations have data available at 3PM
  - \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
  - \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.