

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	32	PM _{2.5}	1
2	Agra	Satisfactory	58	PM _{2.5}	1
3	Ahmedabad	Moderate	189	03	1
4	Aizawl	Good	10	PM ₁₀	1
5	Ajmer	Satisfactory	81	PM ₁₀	1
6	Alwar	Satisfactory	72	PM ₁₀	1
7	Amaravati	Good	39	03	1
8	Amritsar	Satisfactory	75	PM ₁₀	1
9	Asansol	Satisfactory	72	PM ₁₀	1
10	Baghpat	Moderate	132	PM _{2.5}	1
11	Bahadurgarh	Moderate	112	PM ₁₀	1
12	Ballabgarh	Moderate	107	СО	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Satisfactory	56	PM ₁₀	1
14	Bengaluru	Good	46	CO, NO ₂ , O ₃	9
15	Bhiwadi	Moderate	143	PM _{2.5}	1
16	Bhopal	Satisfactory	91	PM ₁₀	1
17	Brajrajnagar	Satisfactory	54	со	1
18	Bulandshahr	Satisfactory	77	03	1
19	Chamarajanagar	Moderate	126	NO ₂	1
20	Chandigarh	Satisfactory	75	PM ₁₀	1
21	Chandrapur	Satisfactory	54	PM ₁₀ , PM _{2.5}	2
22	Charkhi Dadri	Satisfactory	91	PM ₁₀	1
23	Chennai	Satisfactory	85	PM ₁₀ , O ₃ , CO	7
24	Chikkaballapur	Good	41	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkamagaluru	Good	40	O ₃	1
26	Delhi	Moderate	121	O ₃	31
27	Dewas	Satisfactory	80	PM ₁₀	1
28	Dharuhera	Moderate	151	PM ₁₀	1
29	Durgapur	Satisfactory	84	PM ₁₀	1
30	Eloor	Good	46	со	1
31	Ernakulam	Good	27	со	1
32	Faridabad	Moderate	144	O ₃ , PM _{2.5} , PM ₁₀	4
33	Fatehabad	Moderate	157	PM ₁₀	1
34	Gandhinagar	Satisfactory	51	O ₃	1
35	Gaya	Moderate	170	O ₃	1
36	Ghaziabad	Moderate	136	O ₃ , PM ₁₀	4

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Greater Noida	Moderate	116	PM ₁₀	2
38	Gummidipoondi	Satisfactory	65	PM ₁₀	1
39	Gurugram	Moderate	107	PM ₁₀ , PM _{2.5}	3
40	Guwahati	Good	40	SO ₂ , O ₃	2
41	Gwalior	Satisfactory	82	03	1
42	Hajipur	Satisfactory	78	PM ₁₀	1
43	Haldia	Good	30	O ₃	1
44	Hapur	Good	50	03	1
45	Hassan	Good	47	PM ₁₀	1
46	Howrah	Good	50	CO, PM ₁₀	2
47	Hubballi	Good	44	PM ₁₀	1
48	Hyderabad	Satisfactory	55	PM ₁₀ , PM _{2.5}	5

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Indore	Satisfactory	98	PM ₁₀	1
50	Jabalpur	Satisfactory	87	O ₃	1
51	Jaipur	Moderate	101	PM ₁₀	3
52	Jalandhar	Good	49	PM ₁₀	1
53	Jind	Satisfactory	89	O ₃	1
54	Jodhpur	Moderate	111	PM ₁₀	1
55	Kaithal	Satisfactory	76	PM ₁₀	1
56	Kannur	Satisfactory	85	PM ₁₀	1
57	Kanpur	Good	45	O ₃	2
58	Karnal	Satisfactory	64	PM ₁₀	1
59	Katni	Satisfactory	77	O ₃	1
60	Khanna	Satisfactory	85	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ambala, Ankleshwar,

Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kohima	Satisfactory	54	PM ₁₀	1
62	Kolkata	Satisfactory	58	O ₃	6
63	Kollam	Good	42	PM ₁₀	1
64	Koppal	Satisfactory	55	со	1
65	Kota	Satisfactory	60	PM ₁₀	1
66	Kurukshetra	Satisfactory	86	PM ₁₀	1
67	Lucknow	Satisfactory	84	PM ₁₀ , O ₃	4
68	Ludhiana	Satisfactory	82	PM ₁₀	1
69	Mandi Gobindgarh	Satisfactory	78	PM ₁₀	1
70	Mandideep	Good	47	PM _{2.5}	1
71	Mandikhera	Satisfactory	79	PM _{2.5}	1
72	Manesar	Moderate	106	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Manglore	Good	33	СО	1
74	Meerut	Satisfactory	90	PM ₁₀	2
75	Mumbai	Satisfactory	64	PM ₁₀ , SO ₂	16
76	Muzaffarnagar	Moderate	103	PM ₁₀	1
77	Muzaffarpur	Good	46	со	1
78	Mysuru	Satisfactory	54	PM ₁₀	1
79	Nashik	Good	42	03	1
80	Navi Mumbai	Satisfactory	68	PM ₁₀	2
81	Noida	Moderate	119	PM ₁₀	3
82	Pali	Satisfactory	93	PM ₁₀	1
83	Palwal	Satisfactory	96	PM ₁₀	1
84	Panchkula	Satisfactory	62	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panipat	Moderate	125	PM ₁₀	1
86	Patiala	Satisfactory	72	PM ₁₀	1
87	Patna	Satisfactory	78	O ₃ , SO ₂ , NO ₂	5
88	Pithampur	Satisfactory	68	PM ₁₀	1
89	Puducherry	Good	35	03	1
90	Pune	Good	50	CO, PM ₁₀ , PM _{2.5}	7
91	Rajamahendravaram	Good	27	СО	1
92	Ramanagara	Good	37	O ₃	1
93	Ratlam	Satisfactory	79	PM ₁₀	1
94	Rohtak	Satisfactory	85	СО	1
95	Rupnagar	Satisfactory	89	PM ₁₀	1
96	Sagar	Good	40	PM _{2.5}	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Shillong	Good	11	SO ₂	1
98	Shivamogga	Satisfactory	57	PM _{2.5}	1
99	Siliguri	Satisfactory	57	03	1
100	Singrauli	Satisfactory	67	PM ₁₀	1
101	Sonipat	Moderate	144	PM ₁₀	1
102	Srinagar	Good	38	PM ₁₀	1
103	Thane	Poor	259	NO ₂	1
104	Thiruvananthapuram	Satisfactory	64	CO, O ₃	2
105	Tirupati	Good	48	PM _{2.5}	1
106	Udaipur	Moderate	110	PM ₁₀	1
107	Ujjain	Moderate	121	PM ₁₀	1
108	Vapi	Satisfactory	57	PM ₁₀	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Varanasi	Good	45	PM ₁₀	1
110	Vatva	Moderate	124	PM ₁₀	1
111	Visakhapatnam	Satisfactory	51	PM ₁₀	1
112	Yadgir	Good	36	PM _{2.5}	1
113	Yamunanagar	Moderate	122	O ₃	1

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ambala, Ankleshwar, Notes: Aurangabad, Bagalkot, Bhiwani, Bidar, Coimbatore, Damoh, Davanagere, Gadag Hisar, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Kozhikode, Maihar, Medikeri, Moradabad, Nagpur, Naharlagun, Nandesari, Narnaul, Raichur, Satna, Sirsa, Solapur, Talcher, Thoothukudi, Thrissur, Udupi, Vijayapura as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.