

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	PM _{2.5}	1
2	Agra	Satisfactory	62	PM ₁₀	6
3	Ahmedabad	Satisfactory	64	03	6
4	Ajmer	Satisfactory	60	PM ₁₀	1
5	Akola	Good	49	PM ₁₀	1
6	Alwar	Satisfactory	59	PM ₁₀	1
7	Amaravati	Good	25	03	1
8	Ambala	Satisfactory	97	со	1
9	Amravati	Good	43	PM ₁₀	2
10	Amritsar	Satisfactory	93	PM _{2.5}	1
11	Anantapur	Satisfactory	56	PM ₁₀	1
12	Araria	Satisfactory	65	PM ₁₀	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur,

Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Moderate	145	со	1
14	Arrah	Moderate	154	PM ₁₀	1
15	Aurangabad (Maharashtra)	Good	44	03	3
16	Baddi	Moderate	104	PM ₁₀	1
17	Badlapur	Good	31	PM ₁₀	1
18	Bagalkot	Good	42	PM ₁₀	1
19	Baghpat	Satisfactory	88	PM ₁₀	1
20	Bahadurgarh	Good	49	PM ₁₀	1
21	Ballabgarh	Satisfactory	88	PM ₁₀	1
22	Banswara	Satisfactory	55	PM ₁₀	1
23	Baran	Moderate	136	PM _{2.5}	1
24	Bareilly	Satisfactory	56	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	41	PM ₁₀	1
26	Barmer	Satisfactory	74	PM ₁₀	1
27	Begusarai	Satisfactory	87	PM ₁₀	1
28	Belapur	Good	42	PM ₁₀	1
29	Bengaluru	Satisfactory	67	CO, PM ₁₀	10
30	Bettiah	Moderate	124	PM ₁₀	1
31	Bhagalpur	Satisfactory	63	PM ₁₀	2
32	Bhilai	Good	36	PM ₁₀	3
33	Bhilwara	Moderate	110	PM ₁₀	1
34	Bhiwadi	Satisfactory	80	PM _{2.5}	1
35	Bhiwandi	Good	33	PM ₁₀	1
36	Bhiwani	Good	43	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbaterd Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhopal	Satisfactory	59	PM ₁₀	3
38	Bihar Sharif	Moderate	101	03	1
39	Bikaner	Satisfactory	73	PM ₁₀	1
40	Bilaspur	Satisfactory	73	со	1
41	Bileipada	Satisfactory	61	PM ₁₀	1
42	Bulandshahr	Moderate	105	PM ₁₀	1
43	Bundi	Satisfactory	90	PM ₁₀	1
44	Byrnihat	Moderate	174	PM ₁₀	1
45	Chamarajanagar	Good	40	PM ₁₀	1
46	Chandigarh	Satisfactory	84	PM ₁₀	2
47	Chandrapur	Good	30	PM ₁₀	1
48	Charkhi Dadri	Satisfactory	83	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chennai	Satisfactory	79	PM ₁₀ , CO	7
50	Chhal	Good	31	03	1
51	Chhapra	Satisfactory	74	со	1
52	Chikkaballapur	Good	36	PM ₁₀	1
53	Chikkamagaluru	Good	36	03	1
54	Chittoor	Good	33	O ₃	1
55	Churu	Satisfactory	67	PM ₁₀	1
56	Cuddalore	Moderate	136	NO ₂	2
57	Damoh	Good	37	PM ₁₀	1
58	Dausa	Moderate	105	PM ₁₀	1
59	Davanagere	Good	32	PM ₁₀	1
60	Dehradun	Satisfactory	66	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher,

Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Delhi	Satisfactory	92	PM ₁₀ , CO	29
62	Dewas	Good	26	03	1
63	Dharuhera	Satisfactory	63	PM ₁₀	1
64	Dharwad	Good	44	PM ₁₀	1
65	Dholpur	Good	36	PM ₁₀	1
66	Durgapur	Satisfactory	59	PM ₁₀	1
67	Eloor	Satisfactory	68	PM ₁₀	1
68	Faridabad	Satisfactory	72	CO, PM _{2.5}	4
69	Fatehabad	Moderate	124	03	1
70	Firozabad	Good	46	PM ₁₀	2
71	Gadag	Good	42	SO ₂	1
72	Gandhinagar	Good	48	PM _{2.5} , O ₃	3

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Gangtok	Satisfactory	60	SO ₂	1
74	Gaya	Good	33	PM ₁₀	1
75	Ghaziabad	Satisfactory	95	PM ₁₀	4
76	Gorakhpur	Satisfactory	65	PM _{2.5}	1
77	Greater Noida	Moderate	119	PM ₁₀	2
78	Gummidipoondi	Moderate	120	PM ₁₀	1
79	Gurugram	Satisfactory	81	PM ₁₀ , PM _{2.5}	3
80	Guwahati	Satisfactory	73	CO, SO ₂	3
81	Gwalior	Good	46	PM ₁₀ , CO	4
82	Hajipur	Moderate	106	03	1
83	Haldia	Good	25	PM ₁₀	1
84	Hanumangarh	Satisfactory	63	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

-Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatord Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Possible Health Impacts

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Hapur	Satisfactory	84	PM _{2.5}	1
86	Hassan	Good	45	PM ₁₀	1
87	Haveri	Satisfactory	81	PM ₁₀	1
88	Hosur	Good	46	PM ₁₀	1
89	Howrah	Good	43	NO ₂ , PM ₁₀	3
90	Hubballi	Satisfactory	52	со	1
91	Hyderabad	Satisfactory	54	PM ₁₀ , NO ₂	10
92	Indore	Satisfactory	65	со	1
93	Jabalpur	Good	45	PM _{2.5} , PM ₁₀	3
94	Jaipur	Satisfactory	60	O ₃ , PM ₁₀	6
95	Jaisalmer	Satisfactory	88	PM ₁₀	1
96	Jalandhar	Satisfactory	75	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher,

Bidar, Beisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Ceimbater Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna,

Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Good	34	PM ₁₀	1
98	Jhalawar	Satisfactory	64	PM ₁₀	1
99	Jhansi	Satisfactory	68	PM _{2.5}	1
100	Jhunjhunu	Satisfactory	68	03	1
101	Jind	Satisfactory	62	со	1
102	Jodhpur	Satisfactory	59	PM ₁₀	4
103	Kaithal	Satisfactory	96	PM _{2.5}	1
104	Kalaburgi	Good	44	SO ₂	1
105	Kalyan	Satisfactory	66	СО	1
106	Kanchipuram	Good	49	PM ₁₀	1
107	Kannur	Satisfactory	69	PM ₁₀	1
108	Kanpur	Satisfactory	57	PM ₁₀	2

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karauli	Satisfactory	66	PM ₁₀	1
110	Karnal	Satisfactory	64	PM ₁₀	1
111	Kashipur	Satisfactory	81	PM ₁₀	1
112	Katihar	Moderate	109	со	1
113	Katni	Good	50	PM ₁₀	1
114	Keonjhar	Good	41	PM ₁₀	1
115	Khanna	Satisfactory	62	PM ₁₀	1
116	Khurja	Satisfactory	90	PM _{2.5}	1
117	Kishanganj	Satisfactory	78	PM ₁₀	1
118	Kochi	Satisfactory	80	со	1
119	Kohima	Good	48	SO ₂	1
120	Kolar	Satisfactory	52	со	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Notes: Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Notes: Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, MiraBhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur,

Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact

Satisfactory Minor breathing discomfort to sensitive people

Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kolhapur	Good	28	PM ₁₀	2
122	Kolkata	Good	42	O ₃ , PM ₁₀	5
123	Kollam	Satisfactory	76	PM ₁₀	1
124	Koppal	Good	27	SO ₂	1
125	Korba	Good	32	PM ₁₀	2
126	Kota	Satisfactory	70	PM _{2.5}	3
127	Kunjemura	Good	44	PM ₁₀	1
128	Kurukshetra	Satisfactory	64	PM ₁₀	1
129	Latur	Satisfactory	62	PM ₁₀	1
130	Lucknow	Satisfactory	69	CO, PM ₁₀	6
131	Ludhiana	Satisfactory	56	PM ₁₀	1
132	Madikeri	Good	30	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mahad	Good	32	PM ₁₀	1
134	Maihar	Good	33	со	1
135	Mandi Gobindgarh	Moderate	151	PM ₁₀	1
136	Mandideep	Satisfactory	75	со	1
137	Mandikhera	Good	30	PM ₁₀	1
138	Manesar	Satisfactory	57	PM _{2.5}	1
139	Mangalore	Satisfactory	55	PM ₁₀	1
140	Meerut	Satisfactory	89	PM ₁₀	3
141	Moradabad	Moderate	138	PM _{2.5}	6
142	Motihari	Satisfactory	59	PM ₁₀	1
143	Mumbai	Satisfactory	54	CO, PM ₁₀	19
144	Muzaffarnagar	Satisfactory	95	PM ₁₀	1

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Muzaffarpur	Satisfactory	91	co	3
146	Mysuru	Satisfactory	51	PM ₁₀	1
147	Nagaon	Satisfactory	65	PM ₁₀	1
148	Nagaur	Satisfactory	85	PM ₁₀	1
149	Nagpur	Good	46	PM ₁₀	4
150	Naharlagun	Good	31	PM ₁₀	1
151	Nalbari	Satisfactory	68	PM ₁₀	1
152	Nanded	Satisfactory	56	PM ₁₀	1
153	Narnaul	Good	39	PM ₁₀	1
154	Nashik	Good	46	PM ₁₀	3
155	Navi Mumbai	Satisfactory	64	O ₃ , CO	7
156	Nayagarh	Satisfactory	52	NO ₂	1

Notes:

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Noida	Satisfactory	89	PM ₁₀	3
158	Ooty	Good	49	SO ₂	1
159	Pali	Moderate	110	PM ₁₀	1
160	Palkalaiperur	Satisfactory	65	SO ₂	1
161	Panipat	Satisfactory	74	PM ₁₀	1
162	Parbhani	Good	46	PM ₁₀	1
163	Patiala	Satisfactory	66	PM ₁₀	1
164	Patna	Satisfactory	85	PM ₁₀ , PM _{2.5}	6
165	Pimpri Chinchwad	Good	37	CO, PM ₁₀	3
166	Pithampur	Satisfactory	71	PM ₁₀	1
167	Pratapgarh	Satisfactory	78	PM ₁₀	1
168	Prayagraj	Good	48	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgark

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Notes:

Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Puducherry	Satisfactory	66	PM ₁₀	1
170	Pune	Satisfactory	94	NO ₂ , PM ₁₀	4
171	Purnia	Satisfactory	73	PM ₁₀	1
172	Raipur	Good	41	PM ₁₀	4
173	Rajamahendravaram	Good	42	PM ₁₀	1
174	Rajsamand	Satisfactory	77	со	1
175	Ramanagara	Good	47	NO ₂	1
176	Ramanathapuram	Satisfactory	55	PM ₁₀	1
177	Ratlam	Good	31	PM ₁₀	1
178	Rishikesh	Good	43	O ₃	1
179	Rohtak	Good	40	O ₃	1
180	Rourkela	Satisfactory	64	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Very Poor Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Bidar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Coimbatore Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur,

Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Sagar	Good	36	PM ₁₀	1
182	Saharsa	Satisfactory	84	PM ₁₀	1
183	Salem	Good	34	PM ₁₀	1
184	Sangli	Good	21	PM ₁₀	1
185	Sasaram	Good	36	PM ₁₀	1
186	Sawai Madhopur	Satisfactory	60	O ₃	1
187	Shillong	Good	19	SO ₂	2
188	Shivamogga	Good	42	PM ₁₀	1
189	Sikar	Satisfactory	69	PM ₁₀	1
190	Silchar	Good	41	со	1
191	Siliguri	Good	42	PM ₁₀	1
192	Singrauli	Moderate	192	NO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sirohi	Good	35	PM ₁₀	1
194	Sivasagar	Good	22	PM ₁₀	1
195	Siwan	Satisfactory	58	PM ₁₀	1
196	Solapur	Satisfactory	51	PM ₁₀	3
197	Sri Ganganagar	Moderate	118	PM ₁₀	1
198	Srinagar	Satisfactory	70	PM ₁₀	1
199	Suakati	Good	44	O ₃	1
200	Tensa	Good	36	PM ₁₀	1
201	Thane	Good	47	PM ₁₀ , CO	3
202	Thiruvananthapuram	Good	30	CO, PM ₁₀	2
203	Thoothukudi	Satisfactory	67	PM ₁₀	1
204	Thrissur	Satisfactory	52	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Possible Health Impacts Notes:

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tirupati	Satisfactory	55	O ₃	1
206	Tonk	Moderate	114	PM ₁₀	1
207	Tumakuru	Good	39	PM _{2.5}	1
208	Udaipur	Good	44	PM ₁₀	1
209	Ujjain	Satisfactory	57	со	1
210	Ulhasnagar	Satisfactory	51	PM ₁₀	1
211	Vapi	Moderate	105	со	1
212	Varanasi	Good	32	SO ₂ , PM ₁₀	3
213	Vatva	Satisfactory	81	PM ₁₀	1
214	Vijayawada	Good	43	03	1
215	Visakhapatnam	Satisfactory	86	PM ₁₀	1
216	Vrindavan	Good	28	SO ₂	1

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

idar, Boisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh

Possible Health Impacts Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Yadgir	Good	22	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Ahmednagar, Aizawl, Ankleshwar, Asansol, Aurangabad (Bihar), Bathinda, Belgaum, Bharatpur,

Bidar, Beisar, Brajrajnagar, Buxar, Chengalpattu, Chittorgarh, Ceimbatore Darbhanga, Dhanbad, Dhule, Dindigul, Ernakulam, Hisar, Imphal, Jalna, Jorapokhar, Kadapa, Kozhikode, Malegaon, Manguraha, Milupara, Mira-Bhayandar, Munger, Nandesari, Palwal, Panchkula, Raichur, Rairangpur, Rajgir, Rupnagar, Samastipur, Satna, Sirsa, Sonipat, Surat, Talcher, Tirupur, Tumidih, Udupi, Vijayapura, Virar, Yamunanagar, vellore as data was not available.

Some stations have data available at 3PM

Notes:

- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.