

### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Very Poor	328	PM <sub>2.5</sub>	1
2	Ahmedabad	Poor	237	OZONE	1
3	Ajmer	Moderate	111	PM <sub>2.5</sub>	1
4	Alwar	Satisfactory	87	PM <sub>2.5</sub>	1
5	Amaravati	Moderate	122	PM <sub>2.5</sub>	1
6	Ambala	Moderate	166	OZONE	1
7	Amritsar	Moderate	175	PM <sub>2.5</sub>	1
8	Ankleshwar	Poor	203	PM <sub>2.5</sub>	1
9	Asanol	Moderate	172	PM <sub>2.5</sub>	1
10	Aurangabad	Satisfactory	75	OZONE	1
11	Baghpat	Very Poor	339	PM <sub>2.5</sub>	1
12	Bahadurgarh	Poor	287	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	300	PM <sub>2.5</sub>	1
14	Bathinda	Moderate	106	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	100	OZONE, PM <sub>2.5</sub> , PM <sub>10</sub>	6
16	Bhiwadi	Very Poor	301	PM <sub>2.5</sub>	1
17	Bhiwani	Moderate	118	PM <sub>2.5</sub>	1
18	Brajrajnagar	Poor	258	PM <sub>2.5</sub>	1
19	Bulandshahr	Very Poor	356	PM <sub>2.5</sub>	1
20	Chandrapur	Moderate	109	PM <sub>10</sub> , PM <sub>2.5</sub>	2
21	Chennai	Moderate	154	PM <sub>2.5</sub> , OZONE	3
22	Damoh	Moderate	112	PM <sub>2.5</sub>	1
23	Delhi	Very Poor	367	PM <sub>10</sub> , PM <sub>2.5</sub>	29
24	Dewas	Moderate	131	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dharuhera	Poor	300	PM <sub>2.5</sub>	1
26	Faridabad	Very Poor	372	PM <sub>2.5</sub>	1
27	Fatehabad	Moderate	191	PM <sub>2.5</sub>	1
28	GandhiNagar	Moderate	128	PM <sub>10</sub>	1
29	Gaya	Poor	291	PM <sub>2.5</sub>	1
30	Ghaziabad	Very Poor	368	PM <sub>2.5</sub>	1
31	Greater_Noida	Very Poor	393	PM <sub>2.5</sub>	1
32	Gurugram	Very Poor	338	PM <sub>2.5</sub>	1
33	Haldia	Moderate	141	PM <sub>10</sub>	1
34	Hapur	Very Poor	338	PM <sub>2.5</sub>	1
35	Hisar	Poor	232	PM <sub>2.5</sub>	1
36	Howrah	Poor	270	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hyderabad	Moderate	132	PM <sub>2.5</sub> , PM <sub>10</sub>	6
38	Jaipur	Moderate	102	PM <sub>2.5</sub> , OZONE, PM <sub>10</sub>	3
39	Jalandhar	Moderate	156	PM <sub>10</sub>	1
40	Jind	Poor	233	PM <sub>2.5</sub>	1
41	Jodhpur	Moderate	178	PM <sub>2.5</sub>	1
42	Jorapokhar	Moderate	157	PM <sub>10</sub>	1
43	Kalaburgi	Moderate	107	PM <sub>10</sub>	1
44	Kanpur	Very Poor	358	PM <sub>2.5</sub>	1
45	Karnal	Poor	217	PM <sub>2.5</sub>	1
46	Khanna	Satisfactory	85	PM <sub>10</sub>	1
47	Kolkata	Poor	264	PM <sub>2.5</sub>	2
48	Kota	Moderate	112	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	isfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kurushketra	Poor	229	PM <sub>2.5</sub>	1
50	Lucknow	Poor	281	PM <sub>2.5</sub>	3
51	Ludhiana	Satisfactory	89	PM <sub>10</sub>	1
52	Maihar	Satisfactory	95	со	1
53	Mandi Gobindgarh	Moderate	131	PM <sub>10</sub>	1
54	Mandideep	Moderate	157	OZONE	1
55	Mandikhera	Poor	265	PM <sub>2.5</sub>	1
56	Manesar	Very Poor	310	PM <sub>2.5</sub>	1
57	Mumbai	Moderate	175	PM <sub>2.5</sub>	1
58	Muzaffarnagar	Very Poor	344	PM <sub>2.5</sub>	1
59	Muzaffarpur	Very Poor	305	PM <sub>2.5</sub>	1
60	Nagpur	Poor	210	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Narnaul	Poor	226	PM <sub>2.5</sub>	1
62	Nashik	Satisfactory	92	OZONE	1
63	Navi Mumbai	Moderate	155	PM <sub>10</sub>	1
64	Noida	Severe	402	PM <sub>2.5</sub>	1
65	Pali	Moderate	158	PM <sub>2.5</sub>	1
66	Palwal	Poor	282	PM <sub>2.5</sub>	1
67	Panchkula	Moderate	142	PM <sub>2.5</sub>	1
68	Panipat	Poor	233	PM <sub>2.5</sub>	1
69	Patiala	Moderate	177	PM <sub>2.5</sub>	1
70	Patna	Very Poor	317	PM <sub>2.5</sub>	1
71	Pithampur	Moderate	138	PM <sub>10</sub>	1
72	Pune	Moderate	128	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Moderate	115	PM <sub>10</sub>	1
74	Ratlam	Moderate	145	PM <sub>10</sub>	1
75	Rohtak	Moderate	184	PM <sub>2.5</sub>	1
76	Rupnagar	Satisfactory	85	PM <sub>10</sub>	1
77	Satna	Moderate	106	со	1
78	Siliguri	Moderate	185	PM <sub>2.5</sub>	1
79	Singrauli	Poor	277	PM <sub>2.5</sub>	1
80	Sirsa	Moderate	156	PM <sub>10</sub>	1
81	Solapur	Moderate	133	PM <sub>10</sub>	1
82	Sonipat	Poor	279	PM <sub>2.5</sub>	1
83	Talcher	Very Poor	359	PM <sub>10</sub>	1
84	Thane	Poor	271	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



### (Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Satisfactory	93	OZONE	1
86	Tirupati	Satisfactory	92	OZONE	1
87	Udaipur	Poor	222	PM <sub>10</sub>	1
88	Ujjain	Moderate	163	PM <sub>10</sub>	1
89	Varanasi	Very Poor	351	PM <sub>2.5</sub>	1
90	Vatva	Poor	215	PM <sub>2.5</sub>	1
91	Vijayawada	Satisfactory	80	PM <sub>10</sub>	1
92	Visakhapatnam	Moderate	116	PM <sub>10</sub>	1
93	Yamunanagar	Poor	244	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Chikkaballapur, Durgapur, Hubballi, Moradabad as data was not available. # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.