



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	47	PM ₁₀	1
2	Agra	Good	50	PM ₁₀ , NO ₂	5
3	Ahmedabad	Satisfactory	95	CO, PM ₁₀	6
4	Aizawl	Good	17	PM ₁₀	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Akola	Satisfactory	71	PM ₁₀	1
7	Alwar	Satisfactory	82	PM ₁₀	1
8	Amaravati	Satisfactory	52	PM ₁₀	1
9	Amravati	Good	50	PM ₁₀	2
10	Amritsar	Satisfactory	60	PM _{2.5}	1
11	Anantapur	Satisfactory	59	PM ₁₀	1
12	Ankleshwar	Satisfactory	83	CO	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ariyalur	Good	26	NO ₂	1
14	Arrah	Moderate	136	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	62	PM ₁₀	2
16	Baddi	Satisfactory	52	PM _{2.5}	1
17	Badlapur	Moderate	104	PM ₁₀	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Moderate	132	NO ₂	1
20	Bahadurgarh	Good	44	PM _{2.5}	1
21	Ballabgarh	Satisfactory	59	PM ₁₀	1
22	Banswara	Satisfactory	61	PM ₁₀	1
23	Baran	Moderate	119	PM _{2.5}	1
24	Bareilly	Good	25	SO ₂	2

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Boisar, Brijrajnagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Satisfactory	72	PM ₁₀	1
26	Barmer	Moderate	150	PM ₁₀	1
27	Bathinda	Good	41	PM ₁₀	1
28	Begusarai	Moderate	117	PM ₁₀	1
29	Belapur	Good	45	PM ₁₀	1
30	Belgaum	Good	50	PM ₁₀	1
31	Bengaluru	Satisfactory	52	PM ₁₀	11
32	Bettiah	Moderate	101	CO	1
33	Bhagalpur	Moderate	125	PM ₁₀	2
34	Bharatpur	Good	50	O ₃	1
35	Bhilai	Good	24	PM ₁₀	2
36	Bhilwara	Satisfactory	79	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.
Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Satisfactory	92	PM ₁₀	1
38	Bhiwandi	Moderate	172	PM _{2.5}	1
39	Bhiwani	Satisfactory	52	PM _{2.5}	1
40	Bhopal	Satisfactory	63	CO, PM ₁₀	3
41	Bidar	Satisfactory	51	PM _{2.5}	1
42	Bihar Sharif	Good	27	O ₃	1
43	Bikaner	Satisfactory	90	PM ₁₀	1
44	Bilaspur	Satisfactory	93	PM ₁₀	1
45	Bileipada	Satisfactory	83	PM ₁₀	1
46	Bulandshahr	Good	50	CO	1
47	Bundi	Satisfactory	96	PM ₁₀	1
48	Byrnihat	Poor	210	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chamarajanagar	Good	35	PM ₁₀	1
50	Chandigarh	Good	47	O ₃ , CO	3
51	Chandrapur	Satisfactory	67	PM ₁₀	1
52	Charkhi Dadri	Good	37	PM ₁₀	1
53	Chengalpattu	Moderate	172	PM ₁₀	1
54	Chennai	Satisfactory	52	PM ₁₀ , NO ₂	5
55	Chhal	Good	50	PM ₁₀	1
56	Chhapra	Satisfactory	97	CO	1
57	Chikkaballapur	Good	31	PM ₁₀	1
58	Chikkamagaluru	Good	22	O ₃	1
59	Chittoor	Good	33	O ₃	1
60	Chittorgarh	Satisfactory	63	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Churu	Satisfactory	70	O ₃	1
62	Coimbatore	Satisfactory	71	PM ₁₀	1
63	Damoh	Good	21	CO	1
64	Dausa	Satisfactory	73	PM ₁₀	1
65	Davanagere	Good	27	PM _{2.5}	1
66	Delhi	Satisfactory	69	NO ₂ , CO	33
67	Dewas	Satisfactory	68	CO	1
68	Dhanbad	Moderate	185	CO	1
69	Dharuhera	Good	49	PM ₁₀	1
70	Dharwad	Satisfactory	54	PM ₁₀	1
71	Dhule	Satisfactory	53	PM ₁₀	1
72	Durgapur	Good	50	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Eloor	Satisfactory	68	PM ₁₀	1
74	Faridabad	Satisfactory	62	PM ₁₀	3
75	Fatehabad	Moderate	155	O ₃	1
76	Firozabad	Good	39	PM ₁₀	2
77	Gadag	Moderate	101	PM ₁₀	1
78	Gandhinagar	Moderate	130	PM _{2.5} , PM ₁₀	2
79	Gangtok	Satisfactory	53	SO ₂	1
80	Gaya	Satisfactory	96	O ₃	3
81	Ghaziabad	Satisfactory	59	PM _{2.5}	4
82	Gorakhpur	Satisfactory	61	PM ₁₀	1
83	Greater Noida	Satisfactory	54	CO, O ₃	2
84	Gurugram	Satisfactory	81	PM _{2.5} , CO	4

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Guwahati	Satisfactory	66	CO, PM ₁₀	4
86	Gwalior	Good	50	O ₃ , CO	3
87	Hajipur	Satisfactory	71	PM ₁₀	1
88	Haldia	Good	44	O ₃	1
89	Hanumangarh	Moderate	189	PM ₁₀	1
90	Hapur	Good	26	O ₃	1
91	Hassan	Satisfactory	69	PM ₁₀	1
92	Haveri	Good	36	CO	1
93	Hosur	Good	42	PM ₁₀	1
94	Howrah	Good	50	PM ₁₀	3
95	Hubballi	Satisfactory	82	PM ₁₀ , CO	2
96	Hyderabad	Satisfactory	74	PM _{2.5} , PM ₁₀	13

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Indore	Satisfactory	59	PM ₁₀	1
98	Jabalpur	Satisfactory	57	O ₃	3
99	Jaipur	Satisfactory	65	O ₃ , CO	3
100	Jaisalmer	Moderate	145	PM ₁₀	1
101	Jalandhar	Satisfactory	72	PM ₁₀	1
102	Jalgaon	Satisfactory	83	PM ₁₀	1
103	Jalna	Moderate	121	PM ₁₀	1
104	Jhalawar	Good	47	O ₃	1
105	Jhansi	Satisfactory	52	PM ₁₀	1
106	Jhunjhunu	Moderate	112	O ₃	1
107	Jodhpur	Moderate	163	PM ₁₀	5
108	Kadapa	Good	32	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Kaithal	Good	29	PM _{2.5}	1
110	Kalaburgi	Satisfactory	55	PM ₁₀	1
111	Kalyan	Satisfactory	66	PM ₁₀	1
112	Kanchipuram	Good	27	SO ₂	1
113	Kanpur	Satisfactory	60	CO	3
114	Karauli	Satisfactory	64	PM ₁₀	1
115	Karnal	Good	44	PM _{2.5}	1
116	Kashipur	Good	45	PM ₁₀	1
117	Katihar	Satisfactory	80	PM ₁₀	1
118	Katni	Good	50	PM ₁₀	1
119	Keonjhar	Satisfactory	62	PM ₁₀	1
120	Khanna	Satisfactory	69	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirahi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Khurja	Moderate	138	PM _{2.5}	1
122	Kishanganj	Good	35	CO	1
123	Kochi	Satisfactory	77	CO	1
124	Kohima	Good	48	SO ₂	1
125	Kolar	Good	35	PM ₁₀	1
126	Kolhapur	Satisfactory	54	PM ₁₀	1
127	Kolkata	Good	41	PM ₁₀	7
128	Kollam	Satisfactory	70	PM ₁₀	1
129	Koppal	Good	22	SO ₂	1
130	Korba	Good	47	PM ₁₀	2
131	Kota	Satisfactory	66	PM ₁₀	3
132	Kunjemura	Satisfactory	63	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Boisar, Borejnagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Kurukshetra	Good	42	O ₃	1
134	Latur	Satisfactory	68	PM ₁₀	1
135	Lucknow	Good	44	PM ₁₀ , CO	6
136	Ludhiana	Satisfactory	61	PM ₁₀	1
137	Madikeri	Good	25	PM ₁₀	1
138	Mahad	Satisfactory	59	PM ₁₀	1
139	Maihar	Good	26	CO	1
140	Mandi Gobindgarh	Good	39	PM _{2.5}	1
141	Mandideep	Satisfactory	91	CO	1
142	Mandikhera	Good	30	PM ₁₀	1
143	Manesar	Satisfactory	57	PM ₁₀	1
144	Mangalore	Satisfactory	61	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar, Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Manguraha	Satisfactory	56	PM ₁₀	1
146	Meerut	Good	47	CO, O ₃	3
147	Moradabad	Satisfactory	73	PM _{2.5}	5
148	Motihari	Satisfactory	67	PM ₁₀	1
149	Mumbai	Satisfactory	73	NO ₂ , PM ₁₀	19
150	Muzaffarpur	Moderate	128	PM _{2.5}	3
151	Mysuru	Satisfactory	56	PM ₁₀	1
152	Nagaon	Good	31	O ₃	1
153	Nagaur	Satisfactory	71	PM ₁₀	1
154	Nagpur	Good	40	PM ₁₀	4
155	Nalbari	Good	41	PM ₁₀	1
156	Nanded	Satisfactory	71	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Nashik	Satisfactory	72	PM ₁₀	4
158	Navi Mumbai	Satisfactory	76	PM ₁₀ , CO	5
159	Nayagarh	Satisfactory	70	PM ₁₀	1
160	Noida	Satisfactory	67	CO	4
161	Ooty	Good	50	SO ₂	1
162	Palkalaiperur	Satisfactory	64	SO ₂	1
163	Palwal	Satisfactory	66	O ₃	1
164	Panipat	Good	32	O ₃	1
165	Parbhani	Satisfactory	67	PM ₁₀	1
166	Patiala	Good	40	PM ₁₀	1
167	Patna	Satisfactory	77	PM ₁₀ , PM _{2.5}	5
168	Pimpri Chinchwad	Good	45	PM ₁₀	3

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Pithampur	Satisfactory	63	PM ₁₀	1
170	Pratapgarh	Satisfactory	60	PM ₁₀	1
171	Prayagraj	Satisfactory	60	PM _{2.5} , PM ₁₀	3
172	Pune	Moderate	115	NO ₂ , CO	4
173	Purnia	Satisfactory	87	CO	1
174	Raipur	Satisfactory	54	PM ₁₀ , NO ₂	3
175	Rairangpur	Satisfactory	85	PM ₁₀	1
176	Rajamahendravaram	Good	50	PM ₁₀	1
177	Rajsamand	Moderate	135	PM _{2.5}	1
178	Ramanagara	Good	45	PM ₁₀	1
179	Ramanathapuram	Satisfactory	74	CO	1
180	Ratlam	Good	32	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Rohtak	Good	41	O ₃	1
182	Rourkela	Satisfactory	92	PM ₁₀	1
183	Rupnagar	Satisfactory	75	CO	1
184	Sagar	Good	40	O ₃	1
185	Saharsa	Satisfactory	56	PM ₁₀	1
186	Salem	Moderate	103	SO ₂	1
187	Samastipur	Moderate	122	CO	1
188	Sangli	Good	39	PM ₁₀	1
189	Satna	Satisfactory	67	PM ₁₀	1
190	Sawai Madhopur	Satisfactory	96	PM _{2.5}	1
191	Shivamogga	Satisfactory	52	O ₃	1
192	Sikar	Satisfactory	83	O ₃	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Silchar	Good	42	CO	1
194	Siliguri	Satisfactory	52	PM ₁₀	1
195	Singrauli	Satisfactory	83	NO ₂	1
196	Sivasagar	Good	40	SO ₂	1
197	Siwan	Satisfactory	80	CO	1
198	Solapur	Satisfactory	79	PM ₁₀	3
199	Sonipat	Good	41	PM ₁₀	1
200	Sri Ganganagar	Moderate	184	PM ₁₀	1
201	Srinagar	Satisfactory	78	PM ₁₀	1
202	Suakati	Satisfactory	78	PM ₁₀	1
203	Surat	Satisfactory	53	PM _{2.5}	1
204	Talcher	Satisfactory	61	CO	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Baisar, Bajejnagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Tensa	Good	50	PM ₁₀	1
206	Thane	Satisfactory	62	PM ₁₀	2
207	Thiruvananthapuram	Good	41	PM ₁₀ , CO	2
208	Thoothukudi	Good	41	PM ₁₀	1
209	Tirupati	Good	39	CO	1
210	Tirupur	Satisfactory	56	PM ₁₀	1
211	Tonk	Moderate	144	PM _{2.5}	1
212	Tumidih	Satisfactory	58	PM ₁₀	1
213	Udaipur	Satisfactory	80	PM ₁₀	1
214	Vapi	Satisfactory	62	PM _{2.5}	1
215	Varanasi	Good	32	O ₃ , SO ₂	4
216	Vatva	Moderate	127	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala,

Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam,

Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode,

Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun,

Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir,

Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi,

Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on Jul 11, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
217	Vijayapura	Good	49	PM ₁₀	1
218	Visakhapatnam	Moderate	106	PM ₁₀	1
219	Vrindavan	Poor	206	PM ₁₀	1
220	Yadgir	Good	45	PM ₁₀	1
221	Yamunanagar	Good	45	PM ₁₀	1

* AQI is not calculated for today's bulletin for Ahmednagar, Ambala, Araria, Asansol, Aurangabad (Bihar), Baisar, Bajeinagar, Buxar,

Cuddalore, Darbhanga, Dehradun, Dholpur, Dindigul, Ernakulam, Gummidipoondi, Hisar, Imphal, Jind, Jorapokhar, Kannur, Kozhikode, Malegaon, Milupara, Mira-Bhayandar, Munger, Muzaffarnagar, Naharlagun, Nandesari, Narnaul, Pali, Panchkula, Puducherry, Raichur, Rajgir, Rishikesh, Sasaram, Shillong, Sirohi, Sirsa, Thrissur, Tumakuru, Udupi, Ujjain, Vijayawada, Vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases