

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	100	PM <sub>10</sub>	1
2	Agra	Very Poor	353	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	163	PM <sub>2.5</sub>	1
4	Aizawl	Moderate	163	PM <sub>2.5</sub>	1
5	Ajmer	Satisfactory	100	PM <sub>10</sub>	1
6	Alwar	Moderate	115	PM <sub>10</sub>	1
7	Amaravati	Satisfactory	66	PM <sub>10</sub>	1
8	Ambala	Poor	239	PM <sub>2.5</sub>	1
9	Amritsar	Poor	231	PM <sub>2.5</sub>	1
10	Ankleshwar	Moderate	149	PM <sub>10</sub>	1
11	Asansol	Very Poor	361	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	92	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	361	PM <sub>2.5</sub>	1
14	Ballabgarh	Poor	216	PM <sub>10</sub>	1
15	Bathinda	Moderate	154	PM <sub>10</sub>	1
16	Bengaluru	Good	44	CO, NO <sub>2</sub> , PM <sub>10</sub>	9
17	Bhopal	Moderate	149	PM <sub>10</sub>	1
18	Bulandshahr	Severe	417	PM <sub>2.5</sub>	1
19	Chandigarh	Moderate	110	PM <sub>10</sub>	1
20	Chandrapur	Moderate	136	PM <sub>2.5</sub> , PM <sub>10</sub>	2
21	Chennai	Good	30	PM <sub>2.5</sub> , CO, NO <sub>2</sub>	5
22	Chikkaballapur	Good	35	со	1
23	Chikkamagaluru	Good	43	O <sub>3</sub>	1
24	Coimbatore	Good	45	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Moderate	149	PM <sub>10</sub>	1
26	Delhi	Very Poor	400	PM <sub>2.5</sub>	36
27	Dewas	Moderate	124	O <sub>3</sub>	1
28	Dharuhera	Very Poor	378	PM <sub>2.5</sub>	1
29	Ernakulam	Satisfactory	82	СО	1
30	Faridabad	Very Poor	388	PM <sub>10</sub> , PM <sub>2.5</sub>	3
31	Fatehabad	Very Poor	373	PM <sub>2.5</sub>	1
32	Gandhinagar	Moderate	132	PM <sub>10</sub>	1
33	Gaya	Moderate	158	O <sub>3</sub> , PM <sub>2.5</sub>	2
34	Ghaziabad	Severe	438	PM <sub>2.5</sub>	3
35	Greater Noida	Severe	422	PM <sub>2.5</sub>	2
36	Gurugram	Very Poor	357	PM <sub>2.5</sub>	3

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Moderate	162	PM <sub>2.5</sub>	1
38	Gwalior	Very Poor	313	PM <sub>2.5</sub>	1
39	Hajipur	Satisfactory	93	PM <sub>10</sub>	1
40	Hapur	Moderate	142	PM <sub>2.5</sub>	1
41	Hisar	Very Poor	380	PM <sub>2.5</sub>	1
42	Howrah	Poor	234	PM <sub>2.5</sub>	3
43	Hubballi	Satisfactory	92	PM <sub>10</sub>	1
44	Hyderabad	Moderate	123	PM <sub>2.5</sub> , PM <sub>10</sub>	5
45	Indore	Moderate	174	PM <sub>2.5</sub>	1
46	Jabalpur	Moderate	159	PM <sub>10</sub>	1
47	Jaipur	Moderate	143	PM <sub>2.5</sub> , PM <sub>10</sub>	3
48	Jalandhar	Poor	214	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Very Poor	377	PM <sub>2.5</sub>	1
50	Jodhpur	Poor	206	PM <sub>2.5</sub>	1
51	Kaithal	Very Poor	317	PM <sub>2.5</sub>	1
52	Kalaburgi	Moderate	112	PM <sub>10</sub>	1
53	Kalyan	Moderate	178	PM <sub>2.5</sub>	1
54	Kannur	Satisfactory	60	PM <sub>10</sub>	1
55	Kanpur	Severe	406	PM <sub>2.5</sub>	1
56	Katni	Poor	201	PM <sub>10</sub>	1
57	Khanna	Moderate	164	PM <sub>2.5</sub>	1
58	Kohima	Satisfactory	91	PM <sub>2.5</sub>	1
59	Kolkata	Poor	203	PM <sub>2.5</sub> , PM <sub>10</sub>	6
60	Kota	Moderate	122	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kozhikode	Satisfactory	59	со	1
62	Kurukshetra	Very Poor	326	PM <sub>2.5</sub>	1
63	Lucknow	Very Poor	398	PM <sub>2.5</sub> , PM <sub>10</sub>	4
64	Ludhiana	Poor	206	PM <sub>2.5</sub>	1
65	Maihar	Satisfactory	57	PM <sub>10</sub>	1
66	Mandi Gobindgarh	Poor	295	PM <sub>2.5</sub>	1
67	Mandideep	Poor	234	PM <sub>10</sub>	1
68	Mandikhera	Poor	231	PM <sub>2.5</sub>	1
69	Manesar	Very Poor	318	PM <sub>2.5</sub>	1
70	Medikeri	Good	29	03	1
71	Meerut	Very Poor	353	PM <sub>2.5</sub>	3
72	Moradabad	Very Poor	356	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Moderate	144	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	15
74	Muzaffarnagar	Very Poor	334	PM <sub>2.5</sub>	1
75	Muzaffarpur	Very Poor	346	PM <sub>2.5</sub> , PM <sub>10</sub>	2
76	Narnaul	Poor	293	PM <sub>2.5</sub>	1
77	Nashik	Moderate	135	PM <sub>2.5</sub>	1
78	Navi Mumbai	Moderate	149	PM <sub>2.5</sub>	3
79	Noida	Severe	422	PM <sub>2.5</sub> , PM <sub>10</sub>	4
80	Pali	Moderate	133	PM <sub>10</sub>	1
81	Palwal	Moderate	170	PM <sub>10</sub>	1
82	Panchkula	Moderate	179	PM <sub>2.5</sub>	1
83	Panipat	Very Poor	303	PM <sub>2.5</sub>	1
84	Patiala	Moderate	198	PM <sub>2.5</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Patna	Very Poor	354	PM <sub>2.5</sub>	5
86	Pithampur	Moderate	109	O <sub>3</sub>	1
87	Pune	Moderate	140	PM <sub>2.5</sub>	4
88	Rajamahendravaram	Satisfactory	85	PM <sub>10</sub>	1
89	Ratlam	Moderate	152	PM <sub>10</sub>	1
90	Rohtak	Very Poor	384	PM <sub>2.5</sub>	1
91	Rupnagar	Moderate	106	PM <sub>10</sub>	1
92	Satna	Satisfactory	95	PM <sub>10</sub>	1
93	Singrauli	Poor	269	PM <sub>10</sub>	1
94	Sirsa	Moderate	198	PM <sub>2.5</sub>	1
95	Sonipat	Poor	261	PM <sub>2.5</sub>	1
96	Talcher	Moderate	129	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thane	Poor	209	PM <sub>10</sub>	1
98	Thiruvananthapuram	Good	38	CO, PM <sub>10</sub>	2
99	Thrissur	Good	45	со	1
100	Tirupati	Good	37	со	1
101	Udaipur	Moderate	126	PM <sub>10</sub>	1
102	Ujjain	Moderate	198	03	1
103	Vapi	Poor	233	PM <sub>2.5</sub>	1
104	Varanasi	Poor	265	PM <sub>2.5</sub>	1
105	Vatva	Poor	212	PM <sub>10</sub>	1
106	Vijayapura	Satisfactory	64	PM <sub>2.5</sub>	1
107	Visakhapatnam	Satisfactory	90	PM <sub>10</sub>	1
108	Yadgir	Satisfactory	69	O <sub>3</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Bagalkot, Bahadurgarh, Bhiwadi, Bhiwani, Brajrajnagar, Chamarajanagar, Charkhi Dadri, Eloor, Jorapokhar, Karnal, Kochi, Kollam, Mysuru, Nagpur, Nandesari, Ramanagara, Sagar, Shillong, Shivamogga, Siliguri, Solapur, Thoothukudi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.