

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Very Poor	358	PM _{2.5}	2
2	Agra	Satisfactory	74	PM ₁₀	6
3	Ahmedabad	Moderate	150	NO ₂	1
4	Aizawl	Satisfactory	76	PM ₁₀	1
5	Alwar	Satisfactory	81	PM ₁₀	1
6	Amaravati	Satisfactory	82	PM ₁₀	1
7	Ambala	Moderate	198	PM _{2.5}	1
8	Amritsar	Poor	222	PM _{2.5}	1
9	Anantapur	Satisfactory	63	03	1
10	Ankleshwar	Poor	209	PM _{2.5}	1
11	Araria	Very Poor	378	PM ₁₀	1
12	Arrah	Poor	246	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	216	PM ₁₀	1
14	Aurangabad (Bihar)	Moderate	160	PM _{2.5}	1
15	Aurangabad (Maharashtra)	Satisfactory	94	PM _{2.5}	1
16	Baddi	Poor	256	PM _{2.5}	1
17	Baghpat	Poor	229	PM _{2.5}	1
18	Bahadurgarh	Moderate	107	PM ₁₀	1
19	Ballabgarh	Moderate	160	PM _{2.5}	1
20	Bareilly	Moderate	128	PM ₁₀	2
21	Baripada	Moderate	158	O ₃	1
22	Bathinda	Satisfactory	60	со	1
23	Belgaum	Satisfactory	89	PM _{2.5}	1
24	Bengaluru	Moderate	121	PM _{2.5} , PM ₁₀	9

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bettiah	Very Poor	316	PM _{2.5}	1
26	Bhagalpur	Poor	277	PM _{2.5}	2
27	Bhiwadi	Moderate	167	PM ₁₀	1
28	Bhiwani	Satisfactory	83	PM _{2.5}	1
29	Bhopal	Moderate	155	PM ₁₀ , PM _{2.5}	2
30	Bidar	Satisfactory	77	SO ₂	1
31	Bihar Sharif	Very Poor	310	PM _{2.5}	1
32	Bilaspur	Satisfactory	88	со	1
33	Bileipada	Moderate	138	PM ₁₀	1
34	Brajrajnagar	Satisfactory	69	PM ₁₀	1
35	Bulandshahr	Moderate	177	PM _{2.5}	1
36	Chamarajanagar	Good	43	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chandigarh	Poor	235	PM _{2.5}	3
38	Chandrapur	Poor	212	PM _{2.5}	2
39	Charkhi Dadri	Moderate	194	PM _{2.5}	1
40	Chengalpattu	Moderate	108	PM ₁₀	1
41	Chennai	Satisfactory	97	PM _{2.5} , PM ₁₀	8
42	Chhapra	Poor	274	PM _{2.5}	1
43	Chikkaballapur	Satisfactory	63	PM ₁₀	1
44	Chikkamagaluru	Good	38	PM ₁₀	1
45	Damoh	Good	31	PM ₁₀	1
46	Darbhanga	Very Poor	362	PM _{2.5}	1
47	Davanagere	Satisfactory	59	PM ₁₀	1
48	Dehradun	Moderate	160	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Delhi	Poor	223	PM _{2.5}	36
50	Dewas	Moderate	109	PM ₁₀	1
51	Dharuhera	Moderate	185	PM _{2.5}	1
52	Durgapur	Moderate	140	PM ₁₀	1
53	Faridabad	Poor	204	PM ₁₀ , PM _{2.5}	4
54	Fatehabad	Moderate	119	PM ₁₀	1
55	Firozabad	Moderate	104	PM _{2.5}	2
56	Gandhinagar	Satisfactory	93	03	1
57	Gangtok	Satisfactory	61	PM _{2.5}	1
58	Gaya	Moderate	193	PM ₁₀ , PM _{2.5}	3
59	Ghaziabad	Moderate	184	PM ₁₀	4
60	Gorakhpur	Satisfactory	98	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Greater Noida	Moderate	199	PM _{2.5}	2
62	Gurugram	Poor	252	PM _{2.5}	3
63	Guwahati	Poor	240	PM _{2.5}	3
64	Gwalior	Poor	217	PM _{2.5}	3
65	Hajipur	Moderate	188	PM ₁₀	1
66	Haldia	Moderate	126	PM ₁₀	1
67	Hapur	Satisfactory	99	PM ₁₀	1
68	Hassan	Good	38	PM _{2.5}	1
69	Haveri	Satisfactory	74	PM ₁₀	1
70	Hisar	Satisfactory	83	PM ₁₀	1
71	Hosur	Satisfactory	97	PM _{2.5}	1
72	Howrah	Poor	237	PM _{2.5} , O ₃	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hubballi	Satisfactory	74	СО	2
74	Hyderabad	Satisfactory	96	PM _{2.5} , PM ₁₀	12
75	Imphal	Moderate	138	PM _{2.5} , SO ₂	2
76	Indore	Moderate	118	PM ₁₀	1
77	Jabalpur	Moderate	136	PM ₁₀	1
78	Jaipur	Moderate	156	PM _{2.5} , NO ₂	3
79	Jalandhar	Poor	255	PM _{2.5}	1
80	Jhansi	Moderate	106	PM ₁₀	1
81	Jind	Moderate	115	PM _{2.5}	1
82	Jodhpur	Moderate	108	PM _{2.5}	1
83	Kaithal	Moderate	129	PM _{2.5}	1
84	Kalaburgi	Satisfactory	76	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kalyan	Moderate	138	PM ₁₀	1
86	Kanchipuram	Satisfactory	58	SO ₂	1
87	Kannur	Satisfactory	74	PM _{2.5}	1
88	Kanpur	Moderate	108	PM _{2.5}	4
89	Karnal	Moderate	134	PM _{2.5}	1
90	Katihar	Very Poor	372	PM _{2.5}	1
91	Katni	Moderate	166	PM _{2.5}	1
92	Keonjhar	Satisfactory	97	PM ₁₀	1
93	Khanna	Moderate	169	PM _{2.5}	1
94	Khurja	Moderate	130	PM _{2.5}	1
95	Kishanganj	Very Poor	359	PM _{2.5}	1
96	Kochi	Satisfactory	85	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kohima	Satisfactory	98	PM _{2.5}	1
98	Kolkata	Poor	201	PM _{2.5}	7
99	Kollam	Satisfactory	91	PM ₁₀	1
100	Koppal	Satisfactory	88	со	1
101	Kota	Moderate	147	PM ₁₀	1
102	Kozhikode	Good	37	со	1
103	Lucknow	Moderate	144	PM _{2.5}	6
104	Ludhiana	Poor	235	PM _{2.5}	1
105	Madikeri	Good	32	O ₃	1
106	Maihar	Good	31	PM ₁₀	1
107	Mandi Gobindgarh	Very Poor	317	PM _{2.5}	1
108	Mandideep	Satisfactory	78	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandikhera	Satisfactory	83	PM ₁₀	1
110	Manesar	Moderate	113	PM ₁₀	1
111	Mangalore	Satisfactory	76	PM ₁₀	1
112	Manguraha	Poor	246	PM _{2.5}	1
113	Meerut	Very Poor	302	PM _{2.5}	3
114	Moradabad	Moderate	180	PM _{2.5}	6
115	Motihari	Poor	226	PM ₁₀	1
116	Mumbai	Moderate	142	PM _{2.5} , PM ₁₀	19
117	Munger	Poor	267	PM _{2.5}	1
118	Muzaffarnagar	Very Poor	343	PM _{2.5}	1
119	Muzaffarpur	Very Poor	333	PM _{2.5}	2
120	Mysuru	Good	41	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Moderate	182	PM _{2.5}	1
122	Nalbari	Very Poor	301	PM _{2.5}	1
123	Narnaul	Moderate	111	PM ₁₀	1
124	Navi Mumbai	Moderate	145	PM ₁₀	1
125	Nayagarh	Satisfactory	99	PM ₁₀	1
126	Noida	Moderate	154	PM ₁₀	4
127	Ooty	Good	49	SO ₂	1
128	Pali	Moderate	112	PM ₁₀	1
129	Palwal	Satisfactory	71	PM ₁₀	1
130	Panchkula	Moderate	163	PM _{2.5}	1
131	Panipat	Moderate	135	PM ₁₀	1
132	Patiala	Satisfactory	93	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Poor	271	PM ₁₀ , NO ₂	6
134	Pithampur	Moderate	156	PM _{2.5}	1
135	Prayagraj	Satisfactory	88	PM ₁₀	3
136	Puducherry	Satisfactory	55	PM ₁₀	1
137	Purnia	Severe	419	PM _{2.5}	1
138	Raichur	Satisfactory	96	PM ₁₀	1
139	Rairangpur	Moderate	122	PM ₁₀	1
140	Rajamahendravaram	Moderate	106	PM _{2.5}	1
141	Rajgir	Poor	242	PM _{2.5}	1
142	Ramanagara	Satisfactory	61	PM ₁₀	1
143	Ramanathapuram	Good	31	PM ₁₀	1
144	Ratlam	Satisfactory	98	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Rohtak	Moderate	115	PM _{2.5}	1
146	Rourkela	Moderate	198	PM ₁₀	1
147	Rupnagar	Moderate	118	PM ₁₀	1
148	Sagar	Satisfactory	86	O ₃ , CO	2
149	Saharsa	Very Poor	350	PM _{2.5}	1
150	Salem	Satisfactory	76	SO ₂	1
151	Samastipur	Poor	280	PM _{2.5}	1
152	Sasaram	Moderate	119	PM ₁₀	1
153	Satna	Satisfactory	79	PM ₁₀	1
154	Shillong	Moderate	101	PM _{2.5}	1
155	Shivamogga	Good	42	PM ₁₀	1
156	Siliguri	Poor	230	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sirsa	Satisfactory	73	O ₃	1
158	Sivasagar	Satisfactory	56	PM _{2.5}	1
159	Siwan	Very Poor	331	PM _{2.5}	1
160	Solapur	Satisfactory	77	PM ₁₀	1
161	Sonipat	Moderate	145	PM ₁₀	1
162	Srinagar	Satisfactory	74	PM _{2.5}	1
163	Suakati	Satisfactory	96	PM ₁₀	1
164	Surat	Poor	258	PM _{2.5}	1
165	Talcher	Moderate	115	PM _{2.5}	1
166	Tensa	Satisfactory	65	PM ₁₀	1
167	Thane	Moderate	135	PM ₁₀	1
168	Thiruvananthapuram	Good	46	PM _{2.5} , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Thoothukudi	Good	42	O ₃	1
170	Thrissur	Satisfactory	71	PM ₁₀	1
171	Tirupati	Satisfactory	78	NO ₂	2
172	Tirupur	Moderate	135	PM _{2.5}	1
173	Udaipur	Moderate	113	PM _{2.5}	1
174	Ujjain	Moderate	130	PM ₁₀	1
175	Varanasi	Satisfactory	66	O ₃ , NO ₂	4
176	Vatva	Moderate	113	PM ₁₀	1
177	Vijayapura	Satisfactory	58	PM ₁₀	1
178	Visakhapatnam	Poor	203	PM ₁₀	1
179	Vrindavan	Satisfactory	62	PM ₁₀	1
180	Yadgir	Satisfactory	52	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Yamunanagar	Poor	251	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Ajmer, Bagalkot,
 Begusarai, Bhilai, Buxar, Chittoor, Coimbatore, Dharwad, Dindigul, Eloor,
 Ernakulam, Gadag, Gummidipoondi, Jorapokhar, Kolar, Korba, Kurukshetra,
 Naharlagun, Nandesari, Nashik, Pune, Raipur, Singrauli, Tumakuru, Udupi,
 Vapi, vellore as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.