

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	278	PM _{2.5}	2
2	Agra	Satisfactory	75	PM ₁₀	6
3	Ahmedabad	Moderate	185	PM _{2.5} , NO ₂	7
4	Aizawl	Satisfactory	92	PM ₁₀	1
5	Ajmer	Moderate	159	PM _{2.5}	1
6	Alwar	Satisfactory	91	PM ₁₀	1
7	Amaravati	Moderate	104	PM ₁₀	1
8	Ambala	Satisfactory	98	PM _{2.5}	1
9	Amritsar	Poor	211	PM _{2.5}	1
10	Anantapur	Moderate	115	O ₃	1
11	Araria	Poor	300	PM ₁₀	1
12	Ariyalur	Moderate	102	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Very Poor	331	PM _{2.5}	1
14	Asansol	Poor	212	PM _{2.5}	1
15	Aurangabad (Bihar)	Poor	255	PM _{2.5}	1
16	Aurangabad (Maharashtra)	Moderate	111	PM ₁₀	1
17	Baddi	Poor	224	PM _{2.5}	1
18	Bagalkot	Good	46	PM ₁₀	1
19	Baghpat	Very Poor	301	O ₃	1
20	Bahadurgarh	Moderate	197	PM _{2.5}	1
21	Ballabgarh	Poor	232	PM _{2.5}	1
22	Bareilly	Moderate	102	PM ₁₀	2
23	Baripada	Moderate	143	PM ₁₀	1
24	Bathinda	Moderate	139	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Begusarai	Severe	433	PM _{2.5}	1
26	Belgaum	Good	49	NO ₂	1
27	Bengaluru	Satisfactory	98	PM ₁₀ , PM _{2.5}	10
28	Bettiah	Very Poor	396	PM _{2.5}	1
29	Bhagalpur	Poor	265	PM _{2.5}	2
30	Bhilai	Satisfactory	67	PM ₁₀ , O ₃	3
31	Bhiwadi	Poor	216	PM ₁₀	1
32	Bhiwani	Moderate	127	PM _{2.5}	1
33	Bhopal	Moderate	112	PM ₁₀	1
34	Bidar	Satisfactory	98	PM ₁₀	1
35	Bihar Sharif	Moderate	171	PM ₁₀	1
36	Bilaspur	Satisfactory	91	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bileipada	Moderate	168	PM ₁₀	1
38	Brajrajnagar	Satisfactory	72	PM ₁₀	1
39	Bulandshahr	Poor	218	PM _{2.5}	1
40	Byrnihat	Very Poor	349	PM _{2.5}	1
41	Chamarajanagar	Good	42	PM ₁₀	1
42	Chandigarh	Poor	205	PM _{2.5}	3
43	Chandrapur	Moderate	134	PM ₁₀	1
44	Charkhi Dadri	Moderate	167	PM ₁₀	1
45	Chengalpattu	Moderate	124	PM ₁₀	1
46	Chennai	Moderate	131	PM _{2.5} , PM ₁₀	8
47	Chhapra	Very Poor	320	PM ₁₀	1
48	Chikkaballapur	Moderate	141	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.




(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chittoor	Moderate	186	O ₃	1
50	Damoh	Good	49	PM ₁₀	1
51	Dehradun	Moderate	136	PM ₁₀	1
52	Delhi	Poor	270	PM _{2.5}	38
53	Dewas	Moderate	154	PM ₁₀	1
54	Dharuhera	Poor	275	PM _{2.5}	1
55	Dindigul	Very Poor	303	NO ₂	1
56	Durgapur	Poor	253	PM _{2.5}	1
57	Eloor	Satisfactory	81	PM ₁₀	1
58	Faridabad	Poor	216	PM _{2.5}	4
59	Fatehabad	Poor	205	PM _{2.5}	1
60	Firozabad	Satisfactory	97	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gadag	Satisfactory	62	03	1
62	Gandhinagar	Moderate	174	PM _{2.5} , PM ₁₀	3
63	Gangtok	Satisfactory	63	PM ₁₀	1
64	Gaya	Poor	240	PM _{2.5}	3
65	Ghaziabad	Poor	232	PM _{2.5} , PM ₁₀	4
66	Gorakhpur	Moderate	120	PM ₁₀	1
67	Greater Noida	Poor	235	PM _{2.5}	2
68	Gummidipoondi	Poor	238	PM _{2.5}	1
69	Gurugram	Poor	251	PM _{2.5}	3
70	Guwahati	Moderate	198	PM _{2.5}	4
71	Gwalior	Poor	227	O ₃ , PM _{2.5}	3
72	Hajipur	Very Poor	313	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- Notes: * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Haldia	Moderate	129	PM ₁₀	1
74	Hapur	Satisfactory	100	PM _{2.5}	1
75	Hassan	Satisfactory	82	PM ₁₀	1
76	Haveri	Satisfactory	66	PM ₁₀	1
77	Hisar	Moderate	177	PM ₁₀	1
78	Hosur	Moderate	161	PM _{2.5}	1
79	Howrah	Poor	244	PM _{2.5}	3
80	Hubballi	Moderate	111	PM ₁₀	2
81	Hyderabad	Moderate	111	PM _{2.5} , PM ₁₀	13
82	Imphal	Moderate	154	PM _{2.5} , SO ₂	2
83	Indore	Moderate	160	PM ₁₀	1
84	Jabalpur	Moderate	178	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jaipur	Moderate	150	PM _{2.5} , PM ₁₀	3
86	Jalandhar	Moderate	160	PM _{2.5}	1
87	Jhansi	Moderate	103	PM ₁₀	1
88	Jind	Moderate	130	PM _{2.5}	1
89	Jodhpur	Poor	226	PM ₁₀	2
90	Jorapokhar	Moderate	196	PM ₁₀	1
91	Kadapa	Poor	207	PM _{2.5}	1
92	Kaithal	Moderate	177	PM _{2.5}	1
93	Kalaburgi	Moderate	123	PM _{2.5}	1
94	Kalyan	Moderate	195	PM ₁₀	1
95	Kanchipuram	Moderate	102	PM ₁₀	1
96	Kannur	Satisfactory	63	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Kanpur	Moderate	168	PM _{2.5}	3
98	Karnal	Moderate	138	PM _{2.5}	1
99	Kashipur	Moderate	166	PM _{2.5}	1
100	Katihar	Poor	298	PM ₁₀	1
101	Katni	Poor	206	PM ₁₀	1
102	Keonjhar	Moderate	126	PM ₁₀	1
103	Khanna	Moderate	125	PM ₁₀	1
104	Kishanganj	Poor	258	PM _{2.5}	1
105	Kohima	Satisfactory	95	PM _{2.5}	1
106	Kolar	Moderate	169	SO ₂	1
107	Kolkata	Moderate	200	PM _{2.5}	7
108	Koppal	Very Poor	384	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Korba	Satisfactory	68	PM ₁₀	2
110	Kota	Moderate	155	PM ₁₀	3
111	Kurukshetra	Poor	202	PM _{2.5}	1
112	Lucknow	Poor	230	PM _{2.5}	6
113	Ludhiana	Poor	282	PM _{2.5}	1
114	Madikeri	Satisfactory	60	03	1
115	Maihar	Good	43	PM ₁₀	1
116	Mandi Gobindgarh	Moderate	178	PM _{2.5}	1
117	Mandideep	Moderate	175	PM ₁₀	1
118	Manesar	Poor	209	PM _{2.5}	1
119	Mangalore	Moderate	141	PM ₁₀	1
120	Manguraha	Moderate	123	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Meerut	Very Poor	310	PM _{2.5}	3
122	Moradabad	Moderate	156	PM _{2.5}	6
123	Motihari	Very Poor	315	PM ₁₀	1
124	Mumbai	Moderate	199	PM _{2.5} , NO ₂	19
125	Munger	Very Poor	340	PM _{2.5}	1
126	Muzaffarnagar	Very Poor	317	PM _{2.5}	1
127	Muzaffarpur	Very Poor	309	PM _{2.5}	3
128	Mysuru	Satisfactory	55	PM ₁₀	1
129	Nagaon	Poor	288	PM _{2.5}	1
130	Nagpur	Moderate	115	PM ₁₀	1
131	Naharlagun	Good	48	PM _{2.5}	1
132	Nalbari	Poor	257	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Nandesari	Good	34	PM _{2.5}	1
134	Narnaul	Poor	225	PM _{2.5}	1
135	Navi Mumbai	Poor	284	PM _{2.5}	3
136	Nayagarh	Moderate	169	PM ₁₀	1
137	Noida	Poor	244	PM _{2.5}	4
138	Pali	Satisfactory	99	PM ₁₀	1
139	Palwal	Satisfactory	94	PM _{2.5}	1
140	Panipat	Moderate	133	PM ₁₀	1
141	Patiala	Moderate	135	PM ₁₀	1
142	Patna	Very Poor	356	PM ₁₀	6
143	Pithampur	Moderate	190	PM ₁₀	1
144	Prayagraj	Moderate	130	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Puducherry	Satisfactory	80	PM ₁₀	1
146	Pune	Moderate	150	PM _{2.5} , PM ₁₀	5
147	Purnia	Poor	275	PM _{2.5}	1
148	Raichur	Moderate	132	PM ₁₀	1
149	Raipur	Satisfactory	95	NO ₂ , PM ₁₀	4
150	Rairangpur	Moderate	144	PM _{2.5}	1
151	Rajamahendravaram	Moderate	104	PM ₁₀	1
152	Rajgir	Poor	282	PM _{2.5}	1
153	Ramanagara	Moderate	102	PM ₁₀	1
154	Ramanathapuram	Satisfactory	83	PM ₁₀	1
155	Ratlam	Moderate	180	PM ₁₀	1
156	Rishikesh	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Rohtak	Moderate	105	PM _{2.5}	1
158	Rourkela	Poor	205	PM ₁₀	2
159	Rupnagar	Moderate	197	PM ₁₀	1
160	Sagar	Satisfactory	88	PM ₁₀ , CO	2
161	Saharsa	Very Poor	332	PM ₁₀	1
162	Salem	Satisfactory	97	SO ₂	1
163	Samastipur	Very Poor	367	PM ₁₀	1
164	Sasaram	Moderate	143	PM ₁₀	1
165	Satna	Moderate	148	PM ₁₀	1
166	Shillong	Satisfactory	98	PM _{2.5}	1
167	Shivamogga	Satisfactory	64	O ₃	1
168	Siliguri	Moderate	130	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Singrauli	Moderate	179	PM _{2.5}	1
170	Sirsa	Moderate	141	PM _{2.5}	1
171	Sivasagar	Satisfactory	56	PM _{2.5}	1
172	Siwan	Very Poor	360	PM _{2.5}	1
173	Solapur	Moderate	142	PM ₁₀	1
174	Sonipat	Moderate	156	PM ₁₀	1
175	Srinagar	Satisfactory	83	PM ₁₀	1
176	Suakati	Moderate	115	PM _{2.5}	1
177	Surat	Poor	223	PM _{2.5}	1
178	Talcher	Moderate	159	PM _{2.5}	1
179	Tensa	Moderate	114	PM ₁₀	1
180	Thane	Poor	233	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur, Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga, Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode, Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi, Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Thiruvananthapuram	Moderate	102	PM _{2.5}	2
182	Thoothukudi	Satisfactory	55	PM ₁₀	1
183	Thrissur	Moderate	151	PM _{2.5}	1
184	Tirupati	Satisfactory	88	PM ₁₀	2
185	Tirupur	Satisfactory	85	PM ₁₀	1
186	Udaipur	Moderate	120	PM ₁₀	1
187	Udupi	Moderate	104	СО	1
188	Ujjain	Moderate	175	PM ₁₀	1
189	Vapi	Very Poor	330	PM _{2.5}	1
190	Varanasi	Satisfactory	94	PM ₁₀ , PM _{2.5}	4
191	Vatva	Moderate	195	PM _{2.5}	1
192	Vijayapura	Good	46	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Visakhapatnam	Moderate	160	PM ₁₀	1
194	Vrindavan	Moderate	127	PM ₁₀	1
195	Yadgir	Satisfactory	75	PM ₁₀	1
196	Yamunanagar	Poor	224	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ankleshwar, Bharatpur,
 Bikaner, Buxar, Chhal, Chikkamagaluru, Churu, Coimbatore, Darbhanga,
 Davanagere, Dharwad, Dholpur, Ernakulam, Khurja, Kochi, Kollam, Kozhikode,
 Kunjemura, Mandikhera, Milupara, Nashik, Ooty, Panchkula, Silchar, Sirohi,
 Tonk, Tumakuru, Tumidih, Vijayawada, vellore as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.