

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	71	PM _{2.5}	1
2	Agra	Poor	206	PM _{2.5}	1
3	Ahmedabad	Moderate	120	PM _{2.5}	1
4	Aizawl	Satisfactory	76	PM ₁₀	1
5	Ajmer	Satisfactory	86	PM ₁₀	1
6	Alwar	Satisfactory	90	PM ₁₀	1
7	Amaravati	Good	34	03	1
8	Ambala	Satisfactory	97	PM ₁₀	1
9	Amritsar	Moderate	102	PM ₁₀	1
10	Ankleshwar	Moderate	160	PM _{2.5}	1
11	Asansol	Poor	204	PM ₁₀	1
12	Aurangabad	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	36	PM _{2.5}	1
14	Baghpat	Poor	230	PM ₁₀	1
15	Bahadurgarh	Moderate	147	PM ₁₀	1
16	Ballabgarh	Moderate	107	PM ₁₀	1
17	Bathinda	Moderate	104	PM ₁₀	1
18	Bengaluru	Satisfactory	79	PM ₁₀ , CO, PM _{2.5}	7
19	Bhiwadi	Poor	252	PM _{2.5}	1
20	Bhiwani	Moderate	128	03	1
21	Bhopal	Moderate	160	PM ₁₀	1
22	Bulandshahr	Moderate	194	PM _{2.5}	1
23	Chamarajanagar	Satisfactory	77	PM ₁₀	1
24	Chandigarh	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Moderate	120	PM _{2.5} , PM ₁₀	2
26	Charkhi Dadri	Moderate	176	PM ₁₀	1
27	Chennai	Good	42	PM ₁₀ , PM _{2.5}	5
28	Chikkaballapur	Satisfactory	84	PM ₁₀	1
29	Chikkamagaluru	Satisfactory	75	PM _{2.5}	1
30	Coimbatore	Satisfactory	86	PM ₁₀	1
31	Damoh	Satisfactory	64	PM ₁₀	1
32	Delhi	Moderate	177	PM ₁₀ , PM _{2.5}	36
33	Dewas	Moderate	153	PM ₁₀	1
34	Dharuhera	Poor	211	PM _{2.5}	1
35	Durgapur	Very Poor	326	PM ₁₀	1
36	Eloor	Good	47	СО	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	68	PM ₁₀	1
38	Faridabad	Moderate	166	PM ₁₀ , PM _{2.5} , O ₃	4
39	Fatehabad	Moderate	122	PM ₁₀	1
40	Gandhinagar	Moderate	114	PM ₁₀	1
41	Gaya	Satisfactory	83	03	1
42	Ghaziabad	Poor	208	PM ₁₀	4
43	Greater Noida	Poor	215	PM ₁₀	2
44	Gurugram	Moderate	180	PM _{2.5} , PM ₁₀	4
45	Guwahati	Poor	258	PM ₁₀	2
46	Gwalior	Moderate	162	PM ₁₀	1
47	Hajipur	Moderate	194	PM ₁₀	1
48	Hapur	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	ory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Moderate	119	PM ₁₀ , PM _{2.5}	3
50	Hubballi	Moderate	149	PM _{2.5}	1
51	Hyderabad	Moderate	128	PM _{2.5} , PM ₁₀	6
52	Indore	Moderate	191	PM ₁₀	1
53	Jabalpur	Moderate	145	PM ₁₀	1
54	Jaipur	Moderate	125	PM _{2.5} , PM ₁₀	3
55	Jalandhar	Moderate	131	PM ₁₀	1
56	Jind	Moderate	132	PM _{2.5}	1
57	Jodhpur	Moderate	182	PM ₁₀	1
58	Kaithal	Moderate	124	PM ₁₀	1
59	Kalaburgi	Satisfactory	93	PM ₁₀	1
60	Kalyan	Moderate	137	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	97	PM ₁₀	1
62	Kanpur	Moderate	134	PM _{2.5}	2
63	Karnal	Moderate	103	PM ₁₀	1
64	Katni	Poor	233	PM ₁₀	1
65	Khanna	Moderate	102	PM ₁₀	1
66	Kohima	Moderate	123	PM ₁₀	1
67	Kolar	Satisfactory	61	СО	1
68	Kolkata	Moderate	120	PM _{2.5} , O ₃ , PM ₁₀	7
69	Kollam	Satisfactory	65	PM ₁₀	1
70	Koppal	Satisfactory	82	03	1
71	Kozhikode	Satisfactory	81	PM ₁₀	1
72	Kurukshetra	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Poor	203	PM _{2.5} , PM ₁₀	3
74	Ludhiana	Satisfactory	94	PM ₁₀	1
75	Maihar	Satisfactory	72	PM ₁₀	1
76	Mandi Gobindgarh	Moderate	165	PM _{2.5}	1
77	Mandideep	Satisfactory	73	PM ₁₀	1
78	Mandikhera	Satisfactory	88	PM ₁₀	1
79	Manesar	Moderate	178	PM _{2.5}	1
80	Medikeri	Satisfactory	69	PM ₁₀	1
81	Meerut	Moderate	194	PM ₁₀	1
82	Moradabad	Moderate	180	PM ₁₀	1
83	Mumbai	Moderate	161	PM _{2.5} , O ₃	17
84	Muzaffarnagar	Moderate	169	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Moderate	181	PM _{2.5} , PM ₁₀	2
86	Mysuru	Satisfactory	88	PM ₁₀	1
87	Nagpur	Satisfactory	74	PM ₁₀	1
88	Nandesari	Moderate	113	со	1
89	Narnaul	Moderate	182	PM ₁₀	1
90	Nashik	Satisfactory	72	PM _{2.5}	1
91	Navi Mumbai	Moderate	164	O ₃ , PM ₁₀ , PM _{2.5}	3
92	Noida	Moderate	169	PM ₁₀	4
93	Pali	Moderate	192	PM _{2.5}	1
94	Panchkula	Satisfactory	62	PM _{2.5}	1
95	Panipat	Moderate	187	PM ₁₀	1
96	Patiala	Moderate	107	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patna	Moderate	183	PM ₁₀ , PM _{2.5}	5
98	Pithampur	Moderate	118	PM ₁₀	1
99	Puducherry	Good	47	PM _{2.5}	1
100	Pune	Satisfactory	92	PM _{2.5} , CO, PM ₁₀	6
101	Raichur	Moderate	146	PM ₁₀	1
102	Rajamahendravaram	Satisfactory	68	PM ₁₀	1
103	Ramanagara	Satisfactory	99	PM _{2.5}	1
104	Rohtak	Moderate	132	PM _{2.5}	1
105	Sagar	Moderate	117	PM _{2.5}	1
106	Satna	Moderate	104	PM ₁₀	1
107	Shillong	Satisfactory	78	PM ₁₀	1
108	Shivamogga	Satisfactory	93	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Moderate	187	PM _{2.5}	1
110	Singrauli	Moderate	140	PM _{2.5}	1
111	Sirsa	Satisfactory	89	PM ₁₀	1
112	Solapur	Moderate	119	PM ₁₀	1
113	Sonipat	Moderate	136	PM ₁₀	1
114	Srinagar	Satisfactory	78	PM ₁₀	1
115	Talcher	Satisfactory	99	PM _{2.5}	1
116	Thane	Poor	275	PM ₁₀	1
117	Thiruvananthapuram	Satisfactory	69	PM ₁₀	2
118	Thoothukudi	Satisfactory	61	PM ₁₀	1
119	Thrissur	Satisfactory	92	PM _{2.5}	1
120	Tirupati	Satisfactory	58	NO ₂	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar,
 Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota,
 Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Udaipur	Moderate	121	PM ₁₀	1
122	Ujjain	Moderate	155	PM ₁₀	1
123	Vapi	Moderate	154	PM ₁₀	1
124	Varanasi	Poor	240	PM _{2.5}	1
125	Vatva	Moderate	193	PM ₁₀	1
126	Vijayapura	Satisfactory	77	PM ₁₀	1
127	Visakhapatnam	Moderate	106	PM ₁₀	1
128	Yadgir	Satisfactory	86	O ₃	1
129	Yamunanagar	Moderate	138	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bidar, Brajrajnagar, Davanagere, Gadag, Gummidipoondi, Haldia, Hisar, Jorapokhar, Kochi, Kota, Manglore, Palwal, Ratlam, Rupnagar, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.