

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM _{2.5}	1
2	Agra	Satisfactory	68	PM _{2.5}	1
3	Ahmedabad	Moderate	122	03	1
4	Aizawl	Good	27	PM ₁₀	1
5	Ajmer	Satisfactory	86	03	1
6	Alwar	Satisfactory	74	PM ₁₀	1
7	Amaravati	Good	21	SO ₂	1
8	Ambala	Satisfactory	64	PM _{2.5}	1
9	Ankleshwar	Satisfactory	86	PM ₁₀	1
10	Asansol	Satisfactory	54	03	1
11	Aurangabad	Satisfactory	85	PM ₁₀	1
12	Bagalkot	Good	45	СО	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Poor	226	PM ₁₀	1
14	Bahadurgarh	Moderate	166	PM _{2.5}	1
15	Ballabgarh	Satisfactory	73	со	1
16	Bathinda	Satisfactory	53	PM ₁₀	1
17	Bengaluru	Satisfactory	61	CO, NO ₂ , PM _{2.5}	8
18	Bhiwadi	Poor	217	PM _{2.5}	1
19	Bhiwani	Satisfactory	90	PM ₁₀	1
20	Bhopal	Moderate	110	PM ₁₀	1
21	Bulandshahr	Moderate	192	03	1
22	Chamarajanagar	Satisfactory	54	PM ₁₀	1
23	Chandigarh	Satisfactory	54	03	1
24	Chandrapur	Good	42	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	108	PM ₁₀	1
26	Chennai	Satisfactory	51	O ₃ , CO, SO ₂	8
27	Chikkaballapur	Satisfactory	72	PM ₁₀	1
28	Chikkamagaluru	Satisfactory	67	O ₃	1
29	Damoh	Good	44	PM _{2.5}	1
30	Delhi	Moderate	173	PM ₁₀ , O ₃ , PM _{2.5}	29
31	Dewas	Moderate	102	PM ₁₀	1
32	Dharuhera	Moderate	149	PM ₁₀	1
33	Durgapur	Moderate	111	PM ₁₀	1
34	Eloor	Good	47	СО	1
35	Ernakulam	Good	42	PM ₁₀	1
36	Faridabad	Moderate	172	O ₃ , PM _{2.5}	3

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Fatehabad	Moderate	125	PM ₁₀	1
38	Gandhinagar	Satisfactory	64	PM ₁₀	1
39	Gaya	Moderate	112	03	2
40	Ghaziabad	Poor	213	03	3
41	Greater Noida	Moderate	114	PM ₁₀ , O ₃	2
42	Gummidipoondi	Satisfactory	74	PM ₁₀	1
43	Gurugram	Moderate	139	PM _{2.5} , PM ₁₀	3
44	Guwahati	Good	36	PM ₁₀ , SO ₂	2
45	Gwalior	Moderate	112	03	1
46	Hajipur	Satisfactory	100	PM ₁₀	1
47	Haldia	Satisfactory	59	PM ₁₀	1
48	Hapur	Satisfactory	98	03	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hassan	Satisfactory	69	PM ₁₀	1
50	Hisar	Moderate	115	PM _{2.5}	1
51	Howrah	Satisfactory	55	PM ₁₀ , O ₃	3
52	Hubballi	Satisfactory	64	03	1
53	Hyderabad	Satisfactory	51	PM ₁₀ , NO ₂ , PM _{2.5}	5
54	Indore	Moderate	129	PM ₁₀	1
55	Jabalpur	Satisfactory	62	PM ₁₀	1
56	Jaipur	Moderate	102	PM _{2.5} , PM ₁₀	3
57	Jalandhar	Satisfactory	100	PM ₁₀	1
58	Jind	Moderate	124	PM _{2.5}	1
59	Jodhpur	Moderate	155	PM _{2.5}	1
60	Kaithal	Satisfactory	69	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kannur	Satisfactory	86	PM ₁₀	1
62	Kanpur	Satisfactory	52	PM _{2.5} , O ₃	2
63	Karnal	Satisfactory	59	PM ₁₀	1
64	Katni	Satisfactory	76	03	1
65	Khanna	Satisfactory	54	PM ₁₀	1
66	Kohima	Satisfactory	69	PM ₁₀	1
67	Kolkata	Satisfactory	70	O ₃ , PM _{2.5}	7
68	Kollam	Satisfactory	58	PM ₁₀	1
69	Koppal	Satisfactory	63	со	1
70	Kota	Moderate	139	PM _{2.5}	1
71	Kozhikode	Good	50	PM ₁₀	1
72	Kurukshetra	Satisfactory	83	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	97	PM _{2.5} , O ₃ , PM ₁₀	4
74	Ludhiana	Moderate	104	PM ₁₀	1
75	Mandi Gobindgarh	Satisfactory	68	PM ₁₀	1
76	Mandideep	Satisfactory	51	SO ₂	1
77	Mandikhera	Satisfactory	89	PM ₁₀	1
78	Manesar	Moderate	109	PM _{2.5}	1
79	Manglore	Good	33	СО	1
80	Medikeri	Good	26	03	1
81	Meerut	Moderate	140	PM _{2.5}	1
82	Mumbai	Satisfactory	69	PM ₁₀ , PM _{2.5} , SO ₂	14
83	Muzaffarnagar	Moderate	112	PM ₁₀	1
84	Muzaffarpur	Satisfactory	73	CO, PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mysuru	Good	48	PM ₁₀	1
86	Nagpur	Satisfactory	58	PM ₁₀	1
87	Naharlagun	Good	44	PM ₁₀	1
88	Nandesari	Moderate	117	со	1
89	Narnaul	Moderate	150	PM ₁₀	1
90	Nashik	Satisfactory	55	03	1
91	Navi Mumbai	Satisfactory	60	PM ₁₀	1
92	Noida	Moderate	124	PM ₁₀	3
93	Pali	Moderate	129	PM ₁₀	1
94	Palwal	Moderate	108	PM ₁₀	1
95	Panchkula	Good	37	NO ₂	1
96	Panipat	Moderate	129	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Good	44	PM ₁₀	1
98	Patna	Satisfactory	85	O ₃ , PM ₁₀ , PM _{2.5}	5
99	Pithampur	Satisfactory	81	PM ₁₀	1
100	Puducherry	Good	28	O ₃	1
101	Pune	Satisfactory	71	PM _{2.5} , PM ₁₀ , CO	7
102	Raichur	Satisfactory	60	PM ₁₀	1
103	Rajamahendravaram	Good	43	со	1
104	Ratlam	Moderate	103	PM ₁₀	1
105	Rohtak	Moderate	101	со	1
106	Rupnagar	Satisfactory	69	PM ₁₀	1
107	Sagar	Satisfactory	85	PM _{2.5}	1
108	Satna	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Siliguri	Satisfactory	57	PM ₁₀	1
110	Singrauli	Satisfactory	80	PM ₁₀	1
111	Sirsa	Satisfactory	90	PM ₁₀	1
112	Sonipat	Moderate	184	PM ₁₀	1
113	Srinagar	Satisfactory	92	PM ₁₀	1
114	Thane	Very Poor	304	NO ₂	1
115	Thiruvananthapuram	Good	44	PM ₁₀ , O ₃	2
116	Thrissur	Satisfactory	56	СО	1
117	Tirupati	Good	43	O ₃	1
118	Udaipur	Satisfactory	95	PM ₁₀	1
119	Udupi	Satisfactory	74	СО	1
120	Ujjain	Moderate	121	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Satisfactory	72	PM ₁₀	1
122	Varanasi	Satisfactory	96	PM ₁₀	1
123	Vatva	Moderate	174	PM ₁₀	1
124	Visakhapatnam	Good	26	PM ₁₀	1
125	Yadgir	Good	49	O ₃	1
126	Yamunanagar	Poor	201	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Amritsar, Bidar, Brajrajnagar, Coimbatore, Davanagere, Gadag, Jorapokhar, Kalaburgi, Kalyan, Kochi, Kolar, Maihar, Moradabad, Ramanagara, Shillong, Shivamogga, Solapur, Talcher, Thoothukudi, Vijayapura as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.