

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	83	SO ₂ , PM ₁₀	2
2	Agra	Moderate	116	PM _{2.5} , PM ₁₀	5
3	Ahmedabad	Moderate	160	PM _{2.5} , PM ₁₀	8
4	Aizawl	Satisfactory	56	PM ₁₀	1
5	Ajmer	Moderate	121	PM ₁₀	1
6	Alwar	Satisfactory	98	PM ₁₀	1
7	Amaravati	Good	49	PM ₁₀	1
8	Ambala	Moderate	136	PM ₁₀	1
9	Amritsar	Satisfactory	100	PM ₁₀	1
10	Ankleshwar	Moderate	196	PM _{2.5}	1
11	Araria	Moderate	179	PM _{2.5}	1
12	Arrah	Poor	233	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Asansol	Poor	241	03	1
14	Aurangabad	Satisfactory	77	PM _{2.5}	1
15	Baddi	Moderate	162	PM ₁₀	1
16	Bagalkot	Satisfactory	51	PM ₁₀	1
17	Baghpat	Poor	215	PM ₁₀	1
18	Bahadurgarh	Moderate	181	PM _{2.5}	1
19	Ballabgarh	Moderate	144	PM ₁₀	1
20	Bathinda	Moderate	195	PM ₁₀	1
21	Bengaluru	Satisfactory	99	CO, PM ₁₀	9
22	Bettiah	Moderate	127	PM ₁₀	1
23	Bhagalpur	Very Poor	314	PM ₁₀	2
24	Bhiwadi	Poor	266	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Moderate	150	PM ₁₀	1
26	Bhopal	Moderate	136	PM ₁₀	1
27	Bidar	Moderate	108	PM ₁₀	1
28	Bilaspur	Satisfactory	56	со	1
29	Brajrajnagar	Poor	237	03	1
30	Bulandshahr	Poor	227	PM ₁₀	1
31	Chamarajanagar	Good	45	PM ₁₀	1
32	Chandigarh	Moderate	135	O ₃ , PM ₁₀	3
33	Chandrapur	Moderate	132	O ₃ , PM ₁₀	2
34	Charkhi Dadri	Moderate	160	PM ₁₀	1
35	Chennai	Satisfactory	56	PM ₁₀	8
36	Chhapra	Moderate	180	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkaballapur	Satisfactory	86	PM ₁₀	1
38	Chikkamagaluru	Good	48	PM ₁₀	1
39	Damoh	Moderate	121	PM ₁₀	1
40	Darbhanga	Poor	210	PM ₁₀	1
41	Davanagere	Satisfactory	79	PM ₁₀	1
42	Delhi	Poor	207	PM ₁₀ , PM _{2.5}	36
43	Dewas	Moderate	142	PM ₁₀	1
44	Dharuhera	Poor	237	PM ₁₀	1
45	Durgapur	Poor	295	PM _{2.5}	1
46	Eloor	Satisfactory	72	PM ₁₀	1
47	Ernakulam	Good	38	PM _{2.5}	1
48	Faridabad	Moderate	188	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Firozabad	Moderate	114	PM _{2.5}	1
50	Gadag	Satisfactory	59	PM _{2.5}	1
51	Gandhinagar	Moderate	165	PM _{2.5} , PM ₁₀	3
52	Gaya	Moderate	129	PM ₁₀ , PM _{2.5}	3
53	Ghaziabad	Poor	251	PM ₁₀	3
54	Gorakhpur	Moderate	107	PM ₁₀	1
55	Greater Noida	Poor	212	PM ₁₀	2
56	Gummidipoondi	Good	36	PM ₁₀	1
57	Gurugram	Moderate	189	PM ₁₀ , PM _{2.5}	4
58	Guwahati	Moderate	126	PM ₁₀	2
59	Hajipur	Poor	213	PM _{2.5}	1
60	Haldia	Good	28	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hapur	Moderate	168	PM ₁₀	1
62	Hassan	Satisfactory	99	PM ₁₀	1
63	Hisar	Moderate	189	PM _{2.5}	1
64	Howrah	Satisfactory	78	PM ₁₀	2
65	Hubballi	Satisfactory	92	PM ₁₀	1
66	Hyderabad	Moderate	113	PM _{2.5} , PM ₁₀	6
67	Indore	Moderate	173	PM ₁₀	1
68	Jabalpur	Poor	218	PM ₁₀	1
69	Jaipur	Moderate	135	PM _{2.5} , PM ₁₀	3
70	Jalandhar	Moderate	140	PM ₁₀	1
71	Jhansi	Moderate	174	PM ₁₀	1
72	Jind	Moderate	132	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Jodhpur	Moderate	181	PM _{2.5}	1
74	Kaithal	Moderate	117	PM ₁₀	1
75	Kalaburgi	Moderate	120	PM ₁₀	1
76	Kalyan	Moderate	148	PM ₁₀	1
77	Kannur	Satisfactory	51	PM ₁₀	1
78	Kanpur	Moderate	113	PM ₁₀	3
79	Karnal	Moderate	106	PM ₁₀	1
80	Katihar	Poor	229	PM ₁₀	1
81	Katni	Poor	231	PM ₁₀	1
82	Khanna	Moderate	121	PM ₁₀	1
83	Kishanganj	Moderate	184	O ₃	1
84	Kochi	Satisfactory	74	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kolar	Satisfactory	81	PM _{2.5}	1
86	Kolkata	Satisfactory	69	PM ₁₀	6
87	Kollam	Satisfactory	85	PM ₁₀	1
88	Kota	Moderate	190	PM _{2.5}	1
89	Kozhikode	Satisfactory	51	PM ₁₀	1
90	Kurukshetra	Moderate	177	03	1
91	Lucknow	Moderate	156	PM _{2.5} , PM ₁₀	6
92	Ludhiana	Moderate	137	PM ₁₀	1
93	Madikeri	Satisfactory	63	PM ₁₀	1
94	Mandi Gobindgarh	Moderate	133	PM _{2.5}	1
95	Mandideep	Moderate	141	PM ₁₀	1
96	Mandikhera	Satisfactory	100	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Poor	232	PM _{2.5}	1
98	Manglore	Satisfactory	58	СО	1
99	Manguraha	Moderate	151	PM ₁₀	1
100	Meerut	Poor	220	PM ₁₀	3
101	Moradabad	Moderate	115	O ₃ , PM ₁₀	4
102	Motihari	Moderate	160	PM ₁₀	1
103	Mumbai	Moderate	109	PM ₁₀ , PM _{2.5}	18
104	Munger	Poor	282	PM ₁₀	1
105	Muzaffarnagar	Moderate	177	03	1
106	Muzaffarpur	Poor	208	PM ₁₀ , PM _{2.5}	3
107	Mysuru	Satisfactory	55	PM ₁₀	1
108	Nagpur	Satisfactory	92	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Naharlagun	Satisfactory	61	SO ₂	1
110	Narnaul	Moderate	134	PM _{2.5}	1
111	Navi Mumbai	Moderate	146	O ₃ , CO, PM ₁₀	3
112	Noida	Moderate	176	PM ₁₀	3
113	Pali	Moderate	181	PM _{2.5}	1
114	Palwal	Moderate	111	со	1
115	Panchkula	Moderate	151	PM _{2.5}	1
116	Panipat	Moderate	136	PM ₁₀	1
117	Patiala	Satisfactory	66	PM _{2.5}	1
118	Patna	Poor	236	PM _{2.5} , PM ₁₀	6
119	Pithampur	Satisfactory	97	PM ₁₀	1
120	Prayagraj	Moderate	114	PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Puducherry	Good	49	PM ₁₀	1
122	Pune	Moderate	134	PM _{2.5} , PM ₁₀	6
123	Purnia	Moderate	144	PM _{2.5}	1
124	Rajamahendravaram	Satisfactory	63	PM ₁₀	1
125	Rajgir	Moderate	155	PM ₁₀	1
126	Ramanagara	Moderate	104	PM ₁₀	1
127	Ratlam	Moderate	158	PM ₁₀	1
128	Rohtak	Moderate	176	PM _{2.5}	1
129	Rupnagar	Moderate	158	PM ₁₀	1
130	Sagar	Moderate	106	PM _{2.5}	1
131	Saharsa	Poor	234	PM ₁₀	1
132	Samastipur	Poor	232	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Satna	Satisfactory	60	PM ₁₀	1
134	Shillong	Satisfactory	62	PM ₁₀	1
135	Shivamogga	Satisfactory	56	PM ₁₀	1
136	Siliguri	Moderate	169	PM _{2.5}	1
137	Singrauli	Very Poor	333	PM ₁₀	1
138	Sirsa	Moderate	103	03	1
139	Siwan	Poor	214	PM ₁₀	1
140	Solapur	Moderate	108	PM ₁₀	1
141	Sonipat	Moderate	191	PM ₁₀	1
142	Srinagar	Good	36	PM ₁₀	1
143	Talcher	Satisfactory	97	со	1
144	Thane	Moderate	179	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Thiruvananthapuram	Satisfactory	52	PM ₁₀ , PM _{2.5}	2
146	Thoothukudi	Satisfactory	70	PM ₁₀	1
147	Thrissur	Satisfactory	79	PM ₁₀	1
148	Tirupati	Satisfactory	88	PM ₁₀	1
149	Udaipur	Moderate	126	PM ₁₀	1
150	Ujjain	Moderate	177	PM ₁₀	1
151	Varanasi	Moderate	103	PM ₁₀	4
152	Vatva	Moderate	138	PM ₁₀	1
153	Vijayapura	Satisfactory	51	PM ₁₀	1
154	Visakhapatnam	Moderate	113	PM ₁₀	1
155	Vrindavan	Moderate	134	PM ₁₀	1
156	Yadgir	Moderate	117	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Yamunanagar	Moderate	150	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bhilai, Bihar Sharif, Buxar, Coimbatore, Fatehabad, Gwalior, Jorapokhar, Kohima, Koppal, Maihar, Nandesari, Nashik, Raichur, Sasaram, Udupi, Vapi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.