

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	285	PM _{2.5}	1
2	Agra	Poor	223	PM _{2.5}	1
3	Ahmedabad	Moderate	138	PM ₁₀	1
4	Aizawl	Good	43	PM ₁₀	1
5	Ajmer	Moderate	101	PM ₁₀	1
6	Alwar	Satisfactory	94	PM ₁₀	1
7	Amaravati	Satisfactory	70	PM _{2.5}	1
8	Ambala	Moderate	128	PM _{2.5}	1
9	Amritsar	Satisfactory	63	PM ₁₀	1
10	Ankleshwar	Poor	292	PM _{2.5}	1
11	Asansol	Moderate	177	PM _{2.5}	1
12	Aurangabad	Satisfactory	67	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	30	PM ₁₀	1
14	Baghpat	Moderate	180	PM _{2.5}	1
15	Bahadurgarh	Moderate	124	PM _{2.5}	1
16	Ballabgarh	Moderate	116	PM _{2.5}	1
17	Bathinda	Satisfactory	94	PM _{2.5}	1
18	Bengaluru	Satisfactory	58	CO, O ₃ , PM ₁₀	10
19	Bhiwadi	Poor	269	PM _{2.5}	1
20	Bhiwani	Satisfactory	87	PM ₁₀	1
21	Bhopal	Poor	275	PM _{2.5}	1
22	Bidar	Moderate	122	PM _{2.5}	1
23	Brajrajnagar	Moderate	178	PM _{2.5}	1
24	Bulandshahr	Moderate	194	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chamarajanagar	Satisfactory	56	PM ₁₀	1
26	Chandigarh	Satisfactory	64	PM ₁₀	1
27	Chandrapur	Moderate	115	PM ₁₀	1
28	Charkhi Dadri	Moderate	105	PM _{2.5}	1
29	Chennai	Good	41	PM _{2.5} , O ₃ , CO	7
30	Chikkaballapur	Good	35	со	1
31	Chikkamagaluru	Good	36	NO ₂	1
32	Coimbatore	Satisfactory	53	PM ₁₀	1
33	Damoh	Moderate	173	PM _{2.5}	1
34	Delhi	Poor	234	PM _{2.5}	38
35	Dewas	Poor	284	PM _{2.5}	1
36	Durgapur	Moderate	173	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Satisfactory	64	PM ₁₀	1
38	Ernakulam	Satisfactory	63	СО	1
39	Faridabad	Poor	256	PM _{2.5} , PM ₁₀	2
40	Fatehabad	Moderate	109	PM _{2.5}	1
41	Gadag	Good	30	SO ₂	1
42	Gandhinagar	Satisfactory	93	PM ₁₀	1
43	Gaya	Moderate	112	PM _{2.5} , CO	2
44	Ghaziabad	Very Poor	304	PM _{2.5}	3
45	Greater Noida	Very Poor	312	PM _{2.5}	2
46	Gummidipoondi	Satisfactory	73	PM _{2.5}	1
47	Gurugram	Moderate	163	PM _{2.5}	4
48	Guwahati	Poor	282	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Very Poor	310	PM _{2.5}	1
50	Hajipur	Moderate	158	PM ₁₀	1
51	Haldia	Moderate	156	PM _{2.5}	1
52	Hapur	Satisfactory	56	PM ₁₀	1
53	Hisar	Poor	223	PM _{2.5}	1
54	Howrah	Poor	295	PM _{2.5} , PM ₁₀	3
55	Hubballi	Satisfactory	62	PM ₁₀	1
56	Hyderabad	Moderate	141	PM _{2.5}	2
57	Indore	Poor	216	PM _{2.5}	1
58	Jabalpur	Poor	207	PM _{2.5}	1
59	Jaipur	Moderate	131	PM _{2.5}	3
60	Jalandhar	Satisfactory	62	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Moderate	143	PM _{2.5}	1
62	Jodhpur	Moderate	137	PM _{2.5}	1
63	Jorapokhar	Moderate	111	PM ₁₀	1
64	Kaithal	Satisfactory	76	PM ₁₀	1
65	Kalaburgi	Satisfactory	75	PM ₁₀	1
66	Kalyan	Moderate	163	PM _{2.5}	1
67	Kannur	Good	33	PM ₁₀	1
68	Kanpur	Poor	250	PM _{2.5}	2
69	Karnal	Satisfactory	83	PM _{2.5}	1
70	Katni	Poor	242	PM _{2.5}	1
71	Khanna	Satisfactory	85	PM ₁₀	1
72	Kochi	Satisfactory	58	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Satisfactory	89	PM ₁₀	1
74	Kolkata	Poor	261	PM _{2.5}	7
75	Kollam	Good	48	PM ₁₀	1
76	Koppal	Good	44	PM ₁₀	1
77	Kota	Moderate	153	PM _{2.5}	1
78	Kozhikode	Satisfactory	62	со	1
79	Kurukshetra	Moderate	105	PM _{2.5}	1
80	Lucknow	Poor	218	PM _{2.5}	4
81	Ludhiana	Satisfactory	56	PM ₁₀	1
82	Mandi Gobindgarh	Moderate	155	PM _{2.5}	1
83	Mandideep	Moderate	185	PM _{2.5}	1
84	Mandikhera	Moderate	134	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Satisfactory	98	PM ₁₀	1
86	Manglore	Good	17	PM _{2.5}	1
87	Medikeri	Satisfactory	55	O ₃	1
88	Meerut	Moderate	142	O ₃ , NO ₂ , PM _{2.5}	3
89	Moradabad	Moderate	112	PM _{2.5}	1
90	Mumbai	Poor	272	PM _{2.5}	16
91	Muzaffarnagar	Moderate	143	PM _{2.5}	1
92	Muzaffarpur	Poor	248	PM _{2.5}	2
93	Mysuru	Satisfactory	62	PM ₁₀	1
94	Nandesari	Satisfactory	81	PM _{2.5}	1
95	Nashik	Good	47	NO ₂	1
96	Navi Mumbai	Poor	254	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Poor	261	PM _{2.5} , PM ₁₀	4
98	Pali	Moderate	109	PM _{2.5}	1
99	Palwal	Moderate	115	со	1
100	Panchkula	Moderate	116	03	1
101	Patiala	Satisfactory	72	PM ₁₀	1
102	Patna	Poor	223	PM _{2.5}	5
103	Pithampur	Poor	236	PM _{2.5}	1
104	Pune	Satisfactory	51	O ₃ , PM _{2.5}	4
105	Raichur	Moderate	112	PM ₁₀	1
106	Rajamahendravaram	Satisfactory	83	PM ₁₀	1
107	Ramanagara	Good	32	SO ₂	1
108	Ratlam	Poor	215	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Rohtak	Moderate	138	PM _{2.5}	1
110	Rupnagar	Satisfactory	63	PM _{2.5}	1
111	Sagar	Good	32	PM _{2.5}	1
112	Satna	Satisfactory	72	PM ₁₀	1
113	Shivamogga	Good	42	PM ₁₀	1
114	Siliguri	Poor	243	PM _{2.5}	1
115	Singrauli	Poor	296	PM _{2.5}	1
116	Sirsa	Satisfactory	69	PM _{2.5}	1
117	Solapur	Satisfactory	68	PM ₁₀	1
118	Sonipat	Moderate	124	PM ₁₀	1
119	Talcher	Moderate	140	PM ₁₀	1
120	Thane	Moderate	165	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Thiruvananthapuram	Good	46	CO, PM ₁₀	2
122	Thoothukudi	Good	30	03	1
123	Thrissur	Good	44	03	1
124	Tirupati	Good	40	со	1
125	Udaipur	Poor	294	PM _{2.5}	1
126	Ujjain	Poor	299	PM _{2.5}	1
127	Vapi	Very Poor	320	PM _{2.5}	1
128	Varanasi	Moderate	179	PM _{2.5}	1
129	Vatva	Poor	235	PM _{2.5}	1
130	Vijayapura	Good	42	со	1
131	Visakhapatnam	Satisfactory	85	PM ₁₀	1
132	Yadgir	Satisfactory	73	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart disease		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor Respiratory illness on prolonged exposure			
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yamunanagar	Poor	204	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Dharuhera, Maihar, Nagpur, Narnaul, Panipat, Shillong as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.