

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	175	PM _{2.5}	1
2	Agra	Poor	229	PM _{2.5}	1
3	Ahmedabad	Poor	239	PM _{2.5}	1
4	Aizawl	Satisfactory	70	PM ₁₀	1
5	Ajmer	Satisfactory	85	PM ₁₀	1
6	Alwar	Moderate	115	PM ₁₀	1
7	Amaravati	Satisfactory	97	PM _{2.5}	1
8	Ambala	Moderate	180	PM _{2.5}	1
9	Amritsar	Moderate	139	PM _{2.5}	1
10	Ankleshwar	Poor	258	PM _{2.5}	1
11	Bagalkot	Good	44	PM ₁₀	1
12	Baghpat	Very Poor	347	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Poor	260	PM _{2.5}	1
14	Ballabgarh	Moderate	195	PM _{2.5}	1
15	Bathinda	Moderate	109	PM ₁₀	1
16	Bengaluru	Satisfactory	86	NO ₂ , PM ₁₀ , PM _{2.5}	7
17	Bhiwadi	Poor	224	PM _{2.5}	1
18	Bhopal	Moderate	135	PM ₁₀	1
19	Brajrajnagar	Moderate	170	PM _{2.5}	1
20	Bulandshahr	Very Poor	323	PM _{2.5}	1
21	Chamarajanagar	Moderate	102	PM _{2.5}	1
22	Chandigarh	Moderate	161	PM _{2.5}	1
23	Chandrapur	Moderate	146	PM ₁₀ , PM _{2.5}	2
24	Charkhi Dadri	Moderate	102	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	96	PM _{2.5} , PM ₁₀	8
26	Chikkaballapur	Satisfactory	82	PM ₁₀	1
27	Chikkamagaluru	Satisfactory	68	PM ₁₀	1
28	Damoh	Satisfactory	86	PM ₁₀	1
29	Davanagere	Satisfactory	82	PM ₁₀	1
30	Delhi	Poor	291	PM _{2.5} , PM ₁₀	37
31	Dharuhera	Moderate	193	PM ₁₀	1
32	Durgapur	Poor	232	PM _{2.5}	1
33	Eloor	Satisfactory	70	PM ₁₀	1
34	Ernakulam	Moderate	122	PM _{2.5}	1
35	Faridabad	Poor	294	PM ₁₀ , PM _{2.5}	2
36	Gadag	Satisfactory	82	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Moderate	106	PM ₁₀	1
38	Gaya	Moderate	190	PM _{2.5} , O ₃	2
39	Ghaziabad	Very Poor	356	PM ₁₀ , PM _{2.5}	4
40	Greater Noida	Very Poor	344	PM ₁₀	1
41	Gummidipoondi	Poor	222	PM _{2.5}	1
42	Gurugram	Poor	247	PM _{2.5}	4
43	Guwahati	Poor	258	PM _{2.5}	2
44	Gwalior	Moderate	168	PM _{2.5}	2
45	Hajipur	Poor	269	PM ₁₀	1
46	Haldia	Moderate	149	PM _{2.5}	1
47	Hapur	Moderate	122	PM ₁₀	1
48	Hisar	Poor	285	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Howrah	Poor	282	PM _{2.5}	3
50	Hyderabad	Moderate	154	PM _{2.5}	5
51	Indore	Moderate	160	PM ₁₀	1
52	Jabalpur	Moderate	188	PM ₁₀	1
53	Jaipur	Moderate	136	PM ₁₀ , PM _{2.5}	3
54	Jalandhar	Moderate	133	PM ₁₀	1
55	Jind	Poor	268	PM _{2.5}	1
56	Jodhpur	Moderate	176	PM _{2.5}	1
57	Kaithal	Moderate	162	PM ₁₀	1
58	Kalyan	Poor	214	PM _{2.5}	1
59	Kannur	Moderate	103	PM _{2.5}	1
60	Kanpur	Very Poor	331	PM _{2.5}	2

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Karnal	Poor	263	PM _{2.5}	1
62	Katni	Poor	239	PM _{2.5}	1
63	Khanna	Satisfactory	95	PM ₁₀	1
64	Kochi	Moderate	153	PM _{2.5}	1
65	Kohima	Satisfactory	91	PM ₁₀	1
66	Kolar	Satisfactory	74	O ₃	1
67	Kolkata	Poor	258	PM _{2.5}	6
68	Kollam	Moderate	130	PM _{2.5}	1
69	Koppal	Satisfactory	91	O ₃	1
70	Kota	Moderate	135	PM ₁₀	1
71	Kozhikode	Satisfactory	89	PM ₁₀	1
72	Kurukshetra	Very Poor	340	PM _{2.5}	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Very Poor	328	PM ₁₀ , PM _{2.5}	3
74	Ludhiana	Poor	228	PM _{2.5}	1
75	Maihar	Satisfactory	83	PM ₁₀	1
76	Mandikhera	Moderate	148	PM _{2.5}	1
77	Manesar	Poor	201	PM _{2.5}	1
78	Manglore	Moderate	101	PM _{2.5}	1
79	Medikeri	Satisfactory	76	PM ₁₀	1
80	Meerut	Very Poor	347	PM _{2.5}	2
81	Mumbai	Moderate	196	PM _{2.5} , PM ₁₀	17
82	Muzaffarpur	Very Poor	302	PM _{2.5}	2
83	Mysuru	Satisfactory	98	O ₃	1
84	Nagpur	Satisfactory	74	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nandesari	Moderate	102	СО	1
86	Narnaul	Poor	221	PM ₁₀	1
87	Nashik	Satisfactory	89	PM ₁₀	1
88	Navi Mumbai	Poor	248	PM _{2.5}	2
89	Noida	Very Poor	311	PM _{2.5}	4
90	Pali	Moderate	159	PM ₁₀	1
91	Palwal	Moderate	122	PM ₁₀	1
92	Panchkula	Satisfactory	62	PM _{2.5}	1
93	Patiala	Moderate	168	PM _{2.5}	1
94	Patna	Poor	264	PM _{2.5} , PM ₁₀	6
95	Pithampur	Satisfactory	94	PM ₁₀	1
96	Puducherry	Satisfactory	80	O ₃	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pune	Moderate	146	PM _{2.5} , PM ₁₀	7
98	Raichur	Moderate	136	PM ₁₀	1
99	Rajamahendravaram	Moderate	122	PM ₁₀	1
100	Ramanagara	Satisfactory	94	03	1
101	Ratlam	Moderate	146	PM ₁₀	1
102	Rohtak	Very Poor	353	PM _{2.5}	1
103	Rupnagar	Satisfactory	71	PM ₁₀	1
104	Sagar	Satisfactory	65	PM _{2.5}	1
105	Satna	Satisfactory	78	PM ₁₀	1
106	Shivamogga	Satisfactory	95	NO ₂	1
107	Siliguri	Poor	262	PM _{2.5}	1
108	Singrauli	Moderate	196	PM _{2.5}	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sirsa	Moderate	124	PM ₁₀	1
110	Solapur	Moderate	156	PM ₁₀	1
111	Sonipat	Poor	247	PM _{2.5}	1
112	Srinagar	Poor	277	PM _{2.5}	1
113	Talcher	Moderate	185	PM ₁₀	1
114	Thane	Poor	300	PM ₁₀	1
115	Thiruvananthapuram	Satisfactory	76	PM ₁₀	1
116	Thoothukudi	Satisfactory	60	PM ₁₀	1
117	Thrissur	Moderate	139	O ₃	1
118	Tirupati	Satisfactory	88	PM _{2.5}	1
119	Udaipur	Moderate	156	PM _{2.5}	1
120	Ujjain	Moderate	191	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vapi	Moderate	154	PM ₁₀	1
122	Varanasi	Poor	274	PM _{2.5}	1
123	Vatva	Very Poor	330	PM ₁₀	1
124	Vijayapura	Good	46	PM _{2.5}	1
125	Visakhapatnam	Moderate	165	PM ₁₀	1
126	Yadgir	Satisfactory	88	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Asansol, Aurangabad, Bhiwani, Bidar, Coimbatore, Dewas, Fatehabad, Hubballi, Jorapokhar, Kalaburgi, Mandi Gobindgarh, Mandideep, Moradabad, Muzaffarnagar, Panipat, Shillong, Udupi, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.