Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	220	$PM_{2.5}$	1
2	Ahmedabad	Moderate	152	$PM_{2.5}$	1
3	Ajmer	Moderate	180	$PM_{2.5}$	1
4	Alwar	Moderate	135	$PM_{2.5}$	1
5	Amaravati	Satisfactory	71	PM_{10}	1
6	Ambala	Very Poor	303	$PM_{2.5}$	1
7	Ankleshwar	Poor	266	$PM_{2.5}$	1
8	Asanol	Poor	269	$PM_{2.5}$	1
9	Aurangabad	Moderate	102	$PM_{2.5}$	1
10	Baghpat	Severe	432	$PM_{2.5}$	1
11	Bahadurgarh	Very Poor	361	$PM_{2.5}$	1
12	Ballabgarh	Poor	294	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Poor	241	PM_{10}	1
14	Bengaluru	Satisfactory	62	O_3, PM_{10}, $PM_{2.5}$	8
15	Bhiwadi	Very Poor	349	$PM_{2.5}$	1
16	Bhiwani	Very Poor	389	$PM_{2.5}$	1
17	Bhopal	Poor	230	$PM_{2.5}$	1
18	Brajrajnagar	Poor	248	$PM_{2.5}$	1
19	Bulandshahr	Severe	444	$PM_{2.5}$	1
20	Chandigarh	Poor	276	$PM_{2.5}$	1
21	Chandrapur	Satisfactory	82	$PM_{2.5}$	2
22	Chennai	Satisfactory	52	$PM_{2.5}$, O_3	4
23	Chikkaballapur	Satisfactory	62	CO	1
24	Coimbatore	Satisfactory	65	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Damoh	Poor	245	$PM_{2.5}$	1
26	Delhi	Severe	430	$PM_{2.5}$	35
27	Dewas	Moderate	186	O_3	1
28	Dharuhera	Very Poor	353	$PM_{2.5}$	1
29	Eloor	Good	50	CO	1
30	Faridabad	Severe	410	$PM_{2.5}$	1
31	Fatehabad	Poor	201	PM_{10}	1
32	GandhiNagar	Satisfactory	78	PM_{10}	1
33	Ghaziabad	Severe	467	$PM_{2.5}$	4
34	Greater_Noida	Severe	423	$PM_{2.5}$	2
35	Gurugram	Very Poor	395	$PM_{2.5}$	2
36	Guwahati	Moderate	182	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hapur	Very Poor	383	PM_{10}	1
38	Hisar	Very Poor	357	$PM_{2.5}$	1
39	Howrah	Moderate	170	$PM_{2.5}$	3
40	Hubballi	Satisfactory	72	PM_{10}	1
41	Hyderabad	Moderate	126	$PM_{2.5}$, PM_{10}	6
42	Indore	Moderate	196	$PM_{2.5}$	1
43	Jabalpur	Poor	245	$PM_{2.5}$	1
44	Jaipur	Moderate	166	$PM_{2.5}$, PM_{10}	3
45	Jalandhar	Poor	232	$PM_{2.5}$	1
46	Jind	Very Poor	382	$PM_{2.5}$	1
47	Jodhpur	Poor	210	$PM_{2.5}$	1
48	Jorapokhar	Poor	279	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Poor	290	$PM_{2.5}$	1
50	Kalaburagi	Satisfactory	88	PM_{10}	1
51	Kalyan	Moderate	177	PM_{10}	1
52	Kanpur	Very Poor	386	$PM_{2.5}$	1
53	Karnal	Very Poor	377	$PM_{2.5}$	1
54	Katni	Very Poor	309	$PM_{2.5}$	1
55	Khanna	Poor	220	$PM_{2.5}$	1
56	Kolkata	Moderate	135	$PM_{2.5}$, PM_{10}	5
57	Kota	Moderate	157	$PM_{2.5}$	1
58	Kurukshetra	Very Poor	372	$PM_{2.5}$	1
59	Lucknow	Very Poor	312	$PM_{2.5}$	4
60	Ludhiana	Poor	222	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	63	PM_{10}	1
62	Mandi Gobindgarh	Very Poor	360	$PM_{2.5}$	1
63	Mandikhera	Very Poor	310	$PM_{2.5}$	1
64	Manesar	Very Poor	314	$PM_{2.5}$	1
65	Meerut	Very Poor	391	$PM_{2.5}$, PM_{10}	3
66	Moradabad	Severe	410	$PM_{2.5}$	1
67	Mumbai	Poor	215	$PM_{2.5}$	9
68	Muzaffarpur	Very Poor	395	$PM_{2.5}$	1
69	Mysuru	Satisfactory	78	PM_{10}	1
70	Nagpur	Satisfactory	85	PM_{10}	1
71	Narnaul	Very Poor	329	$PM_{2.5}$	1
72	Nashik	Moderate	115	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Navi Mumbai	Poor	235	$PM_{2.5}$	2
74	Noida	Severe	434	$PM_{2.5}$, PM_{10}	4
75	Pali	Satisfactory	100	$PM_{2.5}$	1
76	Palwal	Very Poor	374	$PM_{2.5}$	1
77	Panchkula	Moderate	156	$PM_{2.5}$	1
78	Panipat	Severe	440	PM_{10}	1
79	Patiala	Poor	299	$PM_{2.5}$	1
80	Patna	Severe	402	$PM_{2.5}$	1
81	Pithampur	Poor	204	$PM_{2.5}$	1
82	Pune	Moderate	134	$PM_{2.5}$	1
83	Rajamahendravaram	Satisfactory	70	PM_{10}	1
84	Ramanagara	Satisfactory	75	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ratlam	Moderate	189	$PM_{2.5}$	1
86	Rohtak	Very Poor	399	$PM_{2.5}$	1
87	Rupnagar	Moderate	191	$PM_{2.5}$	1
88	Satna	Moderate	113	PM_{10}	1
89	Siliguri	Poor	258	$PM_{2.5}$	1
90	Sirsa	Moderate	194	$PM_{2.5}$	1
91	Solapur	Moderate	119	PM_{10}	1
92	Sonipat	Moderate	116	CO	1
93	Talcher	Poor	281	PM_{10}	1
94	Thane	Moderate	152	O_3	1
95	Thiruvananthapuram	Satisfactory	67	CO	1
96	Tirupati	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Dec 12, 2019 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Udaipur	Moderate	129	PM$_{2.5}$	1
98	Ujjain	Moderate	194	PM$_{2.5}$	1
99	Vapi	Very Poor	341	PM$_{2.5}$	1
100	Varanasi	Very Poor	344	PM$_{2.5}$	1
101	Vatva	Very Poor	337	PM$_{10}$	1
102	Visakhapatnam	Satisfactory	98	PM$_{10}$	1
103	Yadgir	Satisfactory	67	PM$_{10}$	1
104	Yamunanagar	Very Poor	337	PM$_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Amritsar, Gaya, Haldia, Mandideep, Muzaffarnagar, Shillong, Singrauli, Vijayawada as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.