

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	89	PM _{2.5}	1
2	Ahmedabad	Moderate	105	NO ₂	1
3	Ajmer	Moderate	134	PM _{2.5}	1
4	Alwar	Moderate	102	PM ₁₀	1
5	Amaravati	Satisfactory	85	PM ₁₀	1
6	Ambala	Moderate	177	OZONE	1
7	Amritsar	Satisfactory	89	PM ₁₀	1
8	Ankleshwar	Satisfactory	97	PM ₁₀	1
9	Asanol	Satisfactory	74	PM ₁₀	1
10	Aurangabad	Moderate	140	PM _{2.5}	1
11	Baghpat	Moderate	179	OZONE	1
12	Bahadurgarh	Moderate	112	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Ballabgarh	Poor	257	PM ₁₀	1
14	Bengaluru	Satisfactory	97	OZONE	8
15	Bhiwadi	Poor	263	PM _{2.5}	1
16	Bhiwani	Moderate	135	PM _{2.5}	1
17	Brajrajnagar	Satisfactory	74	PM ₁₀	1
18	Bulandshahr	Poor	207	OZONE	1
19	Chandrapur	Moderate	139	PM ₁₀	1
20	Chennai	Moderate	144	PM _{2.5} , CO	2
21	Chikkaballapur	Satisfactory	72	PM ₁₀	1
22	Delhi	Moderate	185	PM ₁₀ , OZONE, PM _{2.5}	32
23	Dewas	Moderate	152	OZONE	1
24	Dharuhera	Moderate	149	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Durgapur	Moderate	105	PM ₁₀	1
26	Eloor	Good	39	со	1
27	Faridabad	Poor	261	OZONE	1
28	Fatehabad	Moderate	182	PM ₁₀	1
29	GandhiNagar	Moderate	122	PM ₁₀	1
30	Gaya	Moderate	119	PM _{2.5}	1
31	Ghaziabad	Poor	201	PM ₁₀	3
32	Greater_Noida	Moderate	189	OZONE	1
33	Gurugram	Moderate	167	PM _{2.5}	1
34	Guwahati	Satisfactory	58	PM ₁₀	1
35	Haldia	Satisfactory	59	PM ₁₀	1
36	Hapur	Moderate	175	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Hisar	Moderate	173	PM _{2.5}	1
38	Howrah	Satisfactory	81	PM ₁₀ , PM _{2.5}	3
39	Hyderabad	Moderate	124	PM ₁₀ , PM _{2.5}	6
40	Jaipur	Moderate	104	PM ₁₀ , NO ₂	3
41	Jalandhar	Moderate	119	PM ₁₀	1
42	Jind	Moderate	130	PM ₁₀	1
43	Jodhpur	Poor	265	PM _{2.5}	1
44	Jorapokhar	Satisfactory	70	со	1
45	Kaithal	Satisfactory	99	PM ₁₀	1
46	Kanpur	Moderate	144	OZONE	1
47	Karnal	Moderate	126	PM _{2.5}	1
48	Kolkata	Moderate	109	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kota	Moderate	115	PM ₁₀	1
50	Kurukshetra	Moderate	117	PM ₁₀	1
51	Loni_Dehat	Poor	245	PM ₁₀	1
52	Lucknow	Moderate	177	PM _{2.5}	4
53	Ludhiana	Moderate	114	PM _{2.5}	1
54	Maihar	Satisfactory	70	PM ₁₀	1
55	Mandideep	Moderate	183	PM ₁₀	1
56	Mandikhera	Moderate	170	OZONE	1
57	Manesar	Moderate	175	PM _{2.5}	1
58	Moradabad	Poor	213	PM _{2.5}	1
59	Mumbai	Satisfactory	90	СО	1
60	Muzaffarnagar	Poor	209	OZONE	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Muzaffarpur	Satisfactory	74	PM _{2.5}	1
62	Nagpur	Moderate	120	OZONE	1
63	Narnaul	Satisfactory	94	PM ₁₀	1
64	Nashik	Satisfactory	69	PM ₁₀	1
65	Noida	Moderate	151	PM ₁₀ , PM _{2.5}	2
66	Pali	Moderate	176	PM ₁₀	1
67	Palwal	Moderate	196	PM _{2.5}	1
68	Panchkula	Satisfactory	70	PM _{2.5}	1
69	Panipat	Moderate	180	PM ₁₀	1
70	Patiala	Moderate	121	PM ₁₀	1
71	Patna	Moderate	103	OZONE	1
72	Pithampur	Moderate	173	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Rajamahendravaram	Satisfactory	68	OZONE	1
74	Ratlam	Moderate	148	PM ₁₀	1
75	Rohtak	Moderate	117	PM _{2.5}	1
76	Rupnagar	Moderate	140	PM _{2.5}	1
77	Satna	Satisfactory	99	PM ₁₀	1
78	Siliguri	Satisfactory	52	OZONE	1
79	Singrauli	Poor	254	PM ₁₀	1
80	Sirsa	Moderate	148	PM ₁₀	1
81	Solapur	Satisfactory	100	PM ₁₀	1
82	Sonipat	Moderate	180	OZONE	1
83	Talcher	Moderate	195	PM ₁₀	1
84	Thane	Satisfactory	66	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Thiruvananthapuram	Satisfactory	87	PM ₁₀	1
86	Tirupati	Satisfactory	68	OZONE	1
87	Udaipur	Moderate	133	PM _{2.5}	1
88	Ujjain	Moderate	133	PM ₁₀	1
89	Vapi	Satisfactory	61	PM ₁₀	1
90	Varanasi	Poor	257	PM ₁₀	1
91	Vatva	Moderate	112	PM ₁₀	1
92	Visakhapatnam	Moderate	106	PM ₁₀	1
93	Yamunanagar	Moderate	123	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Bathinda, Damoh, Hubballi, Kalaburagi, Khanna, Mandi Gobindgarh, Navi Mumbai, Pune, Vijayawada as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.