

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Moderate	156	PM <sub>2.5</sub>	1
2	Agra	Poor	282	PM <sub>2.5</sub>	5
3	Ahmedabad	Poor	205	PM <sub>2.5</sub>	9
4	Ajmer	Moderate	141	PM <sub>10</sub>	1
5	Alwar	Moderate	172	PM <sub>2.5</sub>	1
6	Amaravati	Good	19	со	1
7	Ambala	Poor	219	PM <sub>2.5</sub>	1
8	Amritsar	Poor	230	PM <sub>2.5</sub>	1
9	Ankleshwar	Very Poor	301	PM <sub>2.5</sub>	1
10	Asansol	Moderate	110	PM <sub>10</sub>	1
11	Aurangabad	Satisfactory	59	PM <sub>10</sub>	1
12	Bagalkot	Good	23	СО	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baghpat	Very Poor	340	PM <sub>2.5</sub>	1
14	Bahadurgarh	Very Poor	322	PM <sub>2.5</sub>	1
15	Ballabgarh	Very Poor	339	PM <sub>2.5</sub>	1
16	Bathinda	Moderate	180	PM <sub>10</sub>	1
17	Bengaluru	Satisfactory	51	PM <sub>10</sub> , O <sub>3</sub> , NO <sub>2</sub>	6
18	Bhiwadi	Very Poor	337	PM <sub>2.5</sub>	1
19	Bhiwani	Poor	251	PM <sub>2.5</sub>	1
20	Bhopal	Poor	289	PM <sub>2.5</sub>	1
21	Bilaspur	Satisfactory	66	со	1
22	Brajrajnagar	Good	47	O <sub>3</sub>	1
23	Bulandshahr	Very Poor	320	PM <sub>2.5</sub>	1
24	Chamarajanagar	Good	46	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandigarh	Moderate	133	O <sub>3</sub> , PM <sub>10</sub>	2
26	Chandrapur	Satisfactory	66	PM <sub>10</sub>	2
27	Charkhi Dadri	Very Poor	323	PM <sub>2.5</sub>	1
28	Chennai	Satisfactory	52	CO, SO <sub>2</sub>	5
29	Chikkaballapur	Good	29	со	1
30	Chikkamagaluru	Good	29	СО	1
31	Coimbatore	Good	18	PM <sub>2.5</sub>	1
32	Davanagere	Good	27	PM <sub>10</sub>	1
33	Delhi	Very Poor	353	PM <sub>10</sub> , PM <sub>2.5</sub>	33
34	Dewas	Moderate	108	PM <sub>10</sub>	1
35	Dharuhera	Very Poor	317	PM <sub>2.5</sub>	1
36	Durgapur	Poor	269	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Eloor	Good	48	СО	1
38	Ernakulam	Good	49	со	1
39	Faridabad	Very Poor	319	PM <sub>10</sub>	1
40	Fatehabad	Very Poor	306	PM <sub>2.5</sub>	1
41	Firozabad	Poor	283	PM <sub>2.5</sub>	1
42	Gadag	Good	26	03	1
43	Gandhinagar	Moderate	153	PM <sub>2.5</sub> , PM <sub>10</sub>	3
44	Gaya	Moderate	136	PM <sub>2.5</sub>	2
45	Ghaziabad	Very Poor	335	PM <sub>2.5</sub>	4
46	Gorakhpur	Very Poor	302	PM <sub>2.5</sub>	1
47	Greater Noida	Very Poor	317	PM <sub>2.5</sub>	1
48	Gurugram	Very Poor	332	PM <sub>2.5</sub>	4

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Guwahati	Moderate	158	PM <sub>10</sub> , PM <sub>2.5</sub>	2
50	Gwalior	Moderate	179	PM <sub>2.5</sub> , PM <sub>10</sub>	2
51	Hajipur	Moderate	163	PM <sub>2.5</sub>	1
52	Hapur	Poor	292	PM <sub>2.5</sub>	1
53	Hassan	Good	34	NO <sub>2</sub>	1
54	Hisar	Very Poor	308	PM <sub>2.5</sub>	1
55	Howrah	Satisfactory	90	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3
56	Hubballi	Good	49	PM <sub>10</sub>	1
57	Hyderabad	Satisfactory	59	PM <sub>10</sub> , NO <sub>2</sub> , PM <sub>2.5</sub>	6
58	Indore	Poor	227	PM <sub>2.5</sub>	1
59	Jabalpur	Poor	202	PM <sub>2.5</sub>	1
60	Jaipur	Poor	289	PM <sub>2.5</sub>	3

#### Possible Health Impacts

Very Poor

Severe

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

Respiratory illness on prolonged exposure

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jalandhar	Poor	275	PM <sub>2.5</sub>	1
62	Jind	Very Poor	350	PM <sub>2.5</sub>	1
63	Jodhpur	Very Poor	320	PM <sub>2.5</sub>	1
64	Kaithal	Poor	261	PM <sub>2.5</sub>	1
65	Kalaburgi	Satisfactory	59	PM <sub>10</sub>	1
66	Kalyan	Poor	235	PM <sub>2.5</sub>	1
67	Kannur	Good	45	СО	1
68	Kanpur	Poor	270	PM <sub>2.5</sub>	4
69	Karnal	Poor	223	PM <sub>2.5</sub>	1
70	Katni	Poor	285	PM <sub>2.5</sub>	1
71	Khanna	Moderate	159	PM <sub>2.5</sub>	1
72	Kochi	Good	42	СО	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kohima	Satisfactory	74	PM <sub>10</sub>	1
74	Kolar	Good	39	SO <sub>2</sub>	1
75	Kolkata	Satisfactory	65	PM <sub>2.5</sub> , PM <sub>10</sub>	6
76	Kollam	Satisfactory	72	PM <sub>10</sub>	1
77	Koppal	Good	44	со	1
78	Kota	Very Poor	353	PM <sub>2.5</sub>	1
79	Kozhikode	Satisfactory	57	со	1
80	Kurukshetra	Poor	232	PM <sub>2.5</sub>	1
81	Lucknow	Poor	249	PM <sub>2.5</sub>	6
82	Ludhiana	Poor	235	PM <sub>2.5</sub>	1
83	Mandi Gobindgarh	Poor	229	PM <sub>10</sub>	1
84	Mandideep	Moderate	160	PM <sub>10</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Mandikhera	Poor	209	PM <sub>2.5</sub>	1
86	Manesar	Very Poor	342	PM <sub>2.5</sub>	1
87	Manglore	Satisfactory	56	со	1
88	Medikeri	Good	24	со	1
89	Meerut	Very Poor	310	PM <sub>2.5</sub>	3
90	Moradabad	Poor	298	PM <sub>2.5</sub>	2
91	Mumbai	Moderate	200	PM <sub>2.5</sub>	19
92	Munger	Poor	289	PM <sub>2.5</sub>	1
93	Muzaffarnagar	Very Poor	351	PM <sub>2.5</sub>	1
94	Muzaffarpur	Poor	233	PM <sub>10</sub> , PM <sub>2.5</sub>	3
95	Mysuru	Satisfactory	54	03	1
96	Narnaul	Very Poor	359	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Nashik	Moderate	127	PM <sub>2.5</sub>	1
98	Navi Mumbai	Moderate	181	PM <sub>2.5</sub> , PM <sub>10</sub>	2
99	Noida	Very Poor	338	PM <sub>2.5</sub> , PM <sub>10</sub>	4
100	Pali	Poor	258	PM <sub>2.5</sub>	1
101	Palwal	Moderate	105	PM <sub>10</sub>	1
102	Panchkula	Satisfactory	92	PM <sub>2.5</sub>	1
103	Panipat	Poor	280	PM <sub>10</sub>	1
104	Patiala	Poor	218	PM <sub>2.5</sub>	1
105	Patna	Poor	203	PM <sub>2.5</sub> , PM <sub>10</sub> , O <sub>3</sub>	5
106	Pithampur	Poor	216	PM <sub>2.5</sub>	1
107	Prayagraj	Poor	266	PM <sub>2.5</sub>	3
108	Puducherry	Satisfactory	59	СО	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

<sup>\*</sup> AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.

<sup>#</sup> Some stations have data available at 3PM

<sup>\*</sup> In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

<sup>\*</sup> The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Pune	Moderate	178	PM <sub>2.5</sub> , NO <sub>2</sub>	3
110	Raichur	Good	50	PM <sub>10</sub>	1
111	Rajamahendravaram	Good	34	СО	1
112	Ramanagara	Good	48	O <sub>3</sub>	1
113	Ratlam	Poor	218	PM <sub>2.5</sub>	1
114	Rohtak	Very Poor	319	PM <sub>2.5</sub>	1
115	Rupnagar	Moderate	178	PM <sub>10</sub>	1
116	Sagar	Good	39	PM <sub>2.5</sub>	1
117	Sasaram	Poor	202	PM <sub>2.5</sub>	1
118	Satna	Satisfactory	66	PM <sub>10</sub>	1
119	Siliguri	Satisfactory	98	PM <sub>10</sub>	1
120	Singrauli	Poor	248	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Sirsa	Very Poor	321	PM <sub>2.5</sub>	1
122	Sonipat	Poor	274	PM <sub>2.5</sub>	1
123	Srinagar	Moderate	119	PM <sub>10</sub>	1
124	Talcher	Good	34	PM <sub>10</sub>	1
125	Thiruvananthapuram	Good	46	PM <sub>10</sub> , CO	2
126	Thoothukudi	Good	36	O <sub>3</sub>	1
127	Tirupati	Good	50	СО	1
128	Udaipur	Very Poor	348	PM <sub>2.5</sub>	1
129	Ujjain	Moderate	154	PM <sub>10</sub>	1
130	Vapi	Moderate	159	PM <sub>2.5</sub>	1
131	Varanasi	Poor	252	PM <sub>2.5</sub>	4
132	Vatva	Poor	296	PM <sub>2.5</sub>	1

#### Possible Health Impacts

# Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Vijayapura	Good	44	PM <sub>10</sub>	1
134	Visakhapatnam	Good	26	PM <sub>10</sub>	1
135	Vrindavan	Poor	285	PM <sub>2.5</sub>	1
136	Yamunanagar	Poor	248	PM <sub>2.5</sub>	1

#### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Bettiah, Bidar, Bihar Sharif, Damoh, Darbhanga, Gummidipoondi, Haldia, Jorapokhar, Maihar, Motihari, Nagpur, Naharlagun, Nandesari, Shillong, Shivamogga, Solapur, Thane, Thrissur, Udupi, Yadgir as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.