Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	39	PM_{10}	2
2	Agra	Good	47	O_3, PM_{10}	4
3	Ahmedabad	Good	41	PM_{10}	2
4	Aizawl	Good	38	PM_{10}	1
5	Alwar	Satisfactory	56	PM_{10}	1
6	Amaravati	Good	37	O_3	1
7	Ambala	Satisfactory	84	PM_{10}	1
8	Amritsar	Moderate	106	O_3	1
9	Ankleshwar	Satisfactory	54	CO	1
10	Arrah	Good	49	CO	1
11	Asansol	Moderate	104	PM_{10}	1
12	Aurangabad (Bihar)	Good	41	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Good	49	PM_{10}	1
14	Baghpat	Good	40	O_3	1
15	Bahadurgarh	Good	35	PM_{10}	1
16	Ballabgarh	Satisfactory	88	SO_2	1
17	Bareilly	Satisfactory	54	PM_{10}	2
18	Bathinda	Satisfactory	54	PM_{10}	1
19	Begusarai	Satisfactory	58	O_3	1
20	Belgaum	Good	47	CO	1
21	Bengaluru	Satisfactory	68	$CO, PM_{10}, PM_{2.5}$	5
22	Bettiah	Good	44	PM_{10}	1
23	Bhagalpur	Satisfactory	80	NO_2, CO	2
24	Bhiwadi	Satisfactory	68	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhiwani	Satisfactory	72	O_3	1
26	Bhopal	Good	32	CO	1
27	Bulandshahr	Good	38	PM_{10}	1
28	Buxar	Satisfactory	58	CO	1
29	Chamarajanagar	Good	37	PM_{10}	1
30	Chandigarh	Satisfactory	53	O_3, PM_{10}	3
31	Chandrapur	Satisfactory	60	CO, PM_{10}	2
32	Charkhi Dadri	Good	50	PM_{10}	1
33	Chennai	Satisfactory	60	PM_{10}, CO	8
34	Chhapra	Satisfactory	95	CO	1
35	Chikkaballapur	Good	32	PM_{10}	1
36	Chikkamagaluru	Good	29	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Coimbatore	Good	38	$PM_{2.5}$	1
38	Damoh	Good	22	CO	1
39	Darbhanga	Satisfactory	51	CO	1
40	Dehradun	Good	20	PM_{10}	1
41	Delhi	Satisfactory	63	CO, PM_{10}, NO_2	33
42	Dewas	Good	35	PM_{10}	1
43	Eloor	Satisfactory	62	PM_{10}	1
44	Faridabad	Moderate	103	O_3, $PM_{2.5}$, PM_{10}	4
45	Fatehabad	Good	50	PM_{10}	1
46	Firozabad	Good	29	CO	1
47	Gandhinagar	Good	27	CO	1
48	Gaya	Satisfactory	53	PM_{10}	2

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Ghaziabad	Satisfactory	59	CO, PM_{10}	4
50	Gorakhpur	Good	45	SO_2	1
51	Greater Noida	Satisfactory	67	PM_{10}	2
52	Gummidipoondi	Good	30	PM_{10}	1
53	Gurugram	Good	44	PM_{10}	2
54	Guwahati	Good	40	PM_{10}	2
55	Gwalior	Satisfactory	65	O_3	1
56	Hajipur	Good	44	PM_{10}	1
57	Haldia	Good	50	PM_{10}	1
58	Hapur	Good	49	CO	1
59	Hassan	Satisfactory	54	SO_2	1
60	Haveri	Satisfactory	51	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hosur	Satisfactory	52	PM_{10}	1
62	Howrah	Good	44	PM_{10}, CO	3
63	Hubballi	Satisfactory	55	CO	1
64	Hyderabad	Good	46	CO, NO_2, PM_{10}	13
65	Imphal	Satisfactory	74	O_3, SO_2	2
66	Indore	Good	36	CO	1
67	Jabalpur	Good	37	CO	1
68	Jaipur	Good	37	CO, PM_{10}, $PM_{2.5}$	3
69	Jalandhar	Good	36	O_3	1
70	Jind	Good	46	CO	1
71	Jodhpur	Satisfactory	69	PM_{10}	1
72	Kaithal	Satisfactory	61	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalyan	Good	43	PM_{10}	1
74	Kanpur	Good	21	O_3, CO	4
75	Karnal	Good	31	PM_{10}	1
76	Katni	Good	21	PM_{10}	1
77	Khanna	Good	30	CO	1
78	Khurja	Satisfactory	90	PM_{10}	1
79	Kishanganj	Satisfactory	51	O_3	1
80	Kochi	Good	45	PM_{10}	1
81	Kohima	Satisfactory	54	SO_2	1
82	Kolkata	Satisfactory	52	O_3	7
83	Kollam	Satisfactory	64	PM_{10}	1
84	Koppal	Satisfactory	77	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kota	Good	46	PM_{10}	1
86	Kozhikode	Satisfactory	66	PM_{10}	1
87	Kurukshetra	Good	36	PM_{10}	1
88	Lucknow	Satisfactory	51	CO, PM_{10}, SO_2	5
89	Ludhiana	Good	40	PM_{10}	1
90	Madikeri	Good	25	SO_2	1
91	Maihar	Good	45	CO	1
92	Mandi Gobindgarh	Satisfactory	52	$PM_{2.5}$	1
93	Mandideep	Good	32	O_3	1
94	Mandikhera	Good	26	CO	1
95	Manesar	Satisfactory	64	PM_{10}	1
96	Manglore	Satisfactory	52	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Satisfactory	63	PM_{10}	3
98	Moradabad	Satisfactory	74	PM_{10}	6
99	Motihari	Satisfactory	62	O_3	1
100	Mumbai	Satisfactory	80	PM_{10}, O_3, CO	13
101	Munger	Satisfactory	72	PM_{10}	1
102	Muzaffarnagar	Satisfactory	64	PM_{10}	1
103	Muzaffarpur	Satisfactory	57	CO, PM_{10}	2
104	Mysuru	Good	50	PM_{10}	1
105	Nagpur	Good	29	O_3	1
106	Nandesari	Moderate	146	$PM_{2.5}$	1
107	Narnaul	Good	28	NO_2	1
108	Navi Mumbai	Good	46	CO, O_3, PM_{10}	3

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Noida	Good	50	PM_{10}	2
110	Pali	Satisfactory	55	PM_{10}	1
111	Panchkula	Good	30	NO_2	1
112	Panipat	Good	46	PM_{10}	1
113	Patiala	Good	39	$PM_{2.5}$	1
114	Patna	Satisfactory	79	PM_{10}, NO_2, CO	5
115	Pithampur	Good	35	CO	1
116	Prayagraj	Satisfactory	53	SO_2, PM_{10}	3
117	Puducherry	Good	38	PM_{10}	1
118	Purnia	Moderate	106	PM_{10}	1
119	Raichur	Satisfactory	74	CO	1
120	Rajamahendravaram	Good	27	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	109	CO	1
122	Ramanathapuram	Satisfactory	78	CO	1
123	Ratlam	Good	24	NO_2	1
124	Rohtak	Good	39	NO_2	1
125	Rupnagar	Satisfactory	99	PM_{10}	1
126	Sasaram	Satisfactory	53	O_3	1
127	Satna	Good	14	O_3	1
128	Shillong	Good	28	PM_{10}	2
129	Shivamogga	Good	44	PM_{10}	1
130	Siliguri	Good	46	PM_{10}	1
131	Singrauli	Satisfactory	90	NO_2	1
132	Sirsa	Satisfactory	54	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Solapur	Satisfactory	73	PM_{10}	1
134	Srinagar	Good	46	SO_2	1
135	Talcher	Good	42	PM_{10}	1
136	Thiruvananthapuram	Good	46	$PM_{2.5}$, CO	2
137	Thoothukudi	Good	49	PM_{10}	1
138	Thrissur	Good	38	O_3	1
139	Tirupati	Good	41	CO	1
140	Ujjain	Good	38	PM_{10}	1
141	Varanasi	Good	35	PM_{10}, SO_2, O_3	4
142	Vijayapura	Good	40	PM_{10}	1
143	Visakhapatnam	Moderate	101	PM_{10}	1
144	Vrindavan	Good	44	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Aug 16, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Yadgir	Good	29	CO	1
146	Yamunanagar	Satisfactory	54	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Ajmer, Araria, Baddi, Bagalkot, Bhilai, Bidar, Bihar Sharif, Bilaspur, Brajrajnagar, Chengalpattu, Davanagere, Dharuhera, Durgapur, Ernakulam, Gadag, Gangtok, Hisar, Jhansi, Jorapokhar, Kalaburgi, Kannur, Katihar, Kolar, Manguraha, Naharlagun, Nashik, Palwal, Pune, Ramanagara, Sagar, Saharsa, Samastipur, Siwan, Sonipat, Thane, Udaipur, Udupi, Vapi, Vatva as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.