

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	40	O ₃	1
2	Ahmedabad	Moderate	196	O ₃	1
3	Ajmer	Satisfactory	97	PM ₁₀	1
4	Alwar	Satisfactory	65	PM ₁₀	1
5	Amaravati	Good	25	03	1
6	Ambala	Satisfactory	77	PM ₁₀	1
7	Amritsar	Satisfactory	76	PM ₁₀	1
8	Asansol	Satisfactory	83	PM ₁₀	1
9	Baghpat	Moderate	133	PM _{2.5}	1
10	Bahadurgarh	Satisfactory	98	03	1
11	Ballabgarh	Satisfactory	74	со	1
12	Bathinda	Satisfactory	51	PM _{2.5}	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Good	43	CO, NO ₂ , O ₃	6
14	Bhiwadi	Moderate	134	PM _{2.5}	1
15	Bhiwani	Moderate	112	03	1
16	Bhopal	Moderate	101	03	1
17	Bidar	Satisfactory	54	PM ₁₀	1
18	Brajrajnagar	Satisfactory	59	со	1
19	Bulandshahr	Satisfactory	84	PM _{2.5}	1
20	Chamarajanagar	Satisfactory	51	PM ₁₀	1
21	Chandigarh	Satisfactory	53	O ₃	1
22	Chandrapur	Satisfactory	56	O ₃ , PM _{2.5}	2
23	Charkhi Dadri	Moderate	118	PM _{2.5}	1
24	Chennai	Satisfactory	94	PM ₁₀ , O ₃ , CO	8

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chikkaballapur	Good	35	СО	1
26	Chikkamagaluru	Good	49	03	1
27	Delhi	Moderate	132	O ₃ , PM _{2.5}	29
28	Dewas	Satisfactory	83	PM ₁₀	1
29	Dharuhera	Moderate	123	PM ₁₀	1
30	Eloor	Good	47	со	1
31	Ernakulam	Good	23	со	1
32	Faridabad	Moderate	139	O ₃ , PM _{2.5} , PM ₁₀	4
33	Fatehabad	Moderate	117	PM ₁₀	1
34	Gadag	Good	30	03	1
35	Gandhinagar	Satisfactory	55	03	1
36	Gaya	Satisfactory	96	O ₃	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ghaziabad	Moderate	162	PM _{2.5} , O ₃ , PM ₁₀	4
38	Greater Noida	Moderate	107	PM ₁₀	2
39	Gummidipoondi	Satisfactory	73	PM ₁₀	1
40	Gurugram	Moderate	103	PM ₁₀ , PM _{2.5} , O ₃	3
41	Guwahati	Good	40	SO ₂ , PM _{2.5}	2
42	Gwalior	Satisfactory	92	03	1
43	Hajipur	Moderate	135	PM ₁₀	1
44	Haldia	Good	37	PM _{2.5}	1
45	Hapur	Satisfactory	72	03	1
46	Hassan	Good	25	03	1
47	Hisar	Moderate	104	PM _{2.5}	1
48	Howrah	Satisfactory	64	PM ₁₀	2

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hubballi	Good	46	O ₃	1
50	Hyderabad	Satisfactory	58	NO ₂ , PM ₁₀ , PM _{2.5}	5
51	Indore	Moderate	107	PM ₁₀	1
52	Jabalpur	Satisfactory	88	03	1
53	Jaipur	Satisfactory	84	PM _{2.5} , PM ₁₀ , O ₃	3
54	Jalandhar	Satisfactory	59	PM ₁₀	1
55	Jind	Satisfactory	86	O ₃	1
56	Jodhpur	Moderate	165	PM ₁₀	1
57	Jorapokhar	Satisfactory	96	PM ₁₀	1
58	Kaithal	Satisfactory	66	PM ₁₀	1
59	Kalyan	Good	47	O ₃	1
60	Kannur	Satisfactory	76	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Satisfactory	73	03	1
62	Karnal	Satisfactory	54	03	1
63	Katni	Satisfactory	93	03	1
64	Khanna	Good	50	PM ₁₀	1
65	Kohima	Good	46	PM ₁₀	1
66	Kolkata	Satisfactory	80	O ₃ , PM ₁₀	6
67	Kollam	Good	31	со	1
68	Koppal	Satisfactory	75	03	1
69	Kota	Moderate	115	PM _{2.5}	1
70	Kurukshetra	Satisfactory	67	PM ₁₀	1
71	Lucknow	Satisfactory	70	PM ₁₀ , CO, O ₃	4
72	Ludhiana	Satisfactory	95	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mandi Gobindgarh	Good	42	SO ₂	1
74	Mandideep	Good	49	PM _{2.5}	1
75	Manesar	Satisfactory	79	PM _{2.5}	1
76	Manglore	Good	34	SO ₂	1
77	Medikeri	Good	32	03	1
78	Meerut	Moderate	161	O ₃ , PM ₁₀	2
79	Mumbai	Satisfactory	65	PM ₁₀ , SO ₂	15
80	Muzaffarnagar	Satisfactory	98	PM ₁₀	1
81	Muzaffarpur	Satisfactory	91	PM _{2.5} , CO	2
82	Mysuru	Good	37	PM ₁₀	1
83	Nandesari	Good	45	PM _{2.5}	1
84	Narnaul	Moderate	136	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nashik	Satisfactory	62	O ₃	1
86	Navi Mumbai	Satisfactory	65	PM ₁₀	2
87	Noida	Moderate	113	PM _{2.5} , PM ₁₀	3
88	Pali	Moderate	168	PM _{2.5}	1
89	Palwal	Satisfactory	91	PM ₁₀	1
90	Panchkula	Good	36	NO ₂	1
91	Panipat	Moderate	114	PM ₁₀	1
92	Patiala	Satisfactory	57	PM ₁₀	1
93	Patna	Satisfactory	99	O ₃ , PM ₁₀ , PM _{2.5}	5
94	Pithampur	Satisfactory	78	PM ₁₀	1
95	Puducherry	Satisfactory	63	O ₃	1
96	Pune	Satisfactory	57	CO, PM ₁₀	6

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Raichur	Satisfactory	63	PM ₁₀	1
98	Rajamahendravaram	Satisfactory	58	со	1
99	Ramanagara	Good	30	03	1
100	Ratlam	Satisfactory	84	PM ₁₀	1
101	Rupnagar	Satisfactory	95	PM ₁₀	1
102	Sagar	Good	37	PM _{2.5}	1
103	Satna	Satisfactory	71	PM ₁₀	1
104	Shillong	Good	10	SO ₂	1
105	Shivamogga	Good	50	PM ₁₀	1
106	Siliguri	Satisfactory	79	PM _{2.5}	1
107	Singrauli	Moderate	138	PM _{2.5}	1
108	Sirsa	Satisfactory	64	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Moderate	160	PM ₁₀	1
110	Srinagar	Good	49	PM ₁₀	1
111	Thane	Poor	228	NO ₂	1
112	Thiruvananthapuram	Good	29	со	1
113	Tirupati	Good	37	03	1
114	Udaipur	Moderate	114	PM ₁₀	1
115	Udupi	Satisfactory	95	O ₃	1
116	Ujjain	Moderate	116	O ₃	1
117	Vapi	Satisfactory	95	PM ₁₀	1
118	Varanasi	Moderate	111	PM ₁₀	1
119	Vatva	Moderate	122	PM ₁₀	1
120	Visakhapatnam	Good	46	PM ₁₀	1

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	oderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- Notes: * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
 - # Some stations have data available at 3PM
 - * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
 - * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Yamunanagar	Moderate	160	O ₃	1

Possible Health Impacts

Good	Minimal Impact		
Satisfactory	Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases		
Poor	Breathing discomfort to most people on prolonged exposure		
Very Poor	Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases		

- * AQI is not calculated for today's bulletin for Agra, Aizawl, Ankleshwar, Aurangabad, Bagalkot, Coimbatore, Damoh, Davanagere, Durgapur, Kalaburgi, Kochi, Kolar, Kozhikode, Maihar, Mandikhera, Moradabad, Nagpur, Naharlagun, Rohtak, Solapur, Talcher, Thoothukudi, Thrissur, Vijayapura, Yadgir as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.