

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	27	PM _{2.5} , PM ₁₀	2
2	Agra	Good	40	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	56	PM ₁₀	1
4	Aizawl	Good	19	SO ₂	1
5	Ajmer	Satisfactory	72	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Good	35	03	1
8	Ambala	Moderate	132	PM ₁₀	1
9	Ankleshwar	Satisfactory	95	PM _{2.5}	1
10	Arrah	Satisfactory	67	03	1
11	Asansol	Satisfactory	88	PM ₁₀	1
12	Aurangabad (Maharashtra)	Satisfactory	86	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Baddi	Satisfactory	100	O ₃	1
14	Bagalkot	Good	42	PM ₁₀	1
15	Baghpat	Satisfactory	78	PM ₁₀	1
16	Bahadurgarh	Satisfactory	68	PM ₁₀	1
17	Ballabgarh	Moderate	147	PM ₁₀	1
18	Bareilly	Satisfactory	92	PM ₁₀	2
19	Bathinda	Satisfactory	64	PM ₁₀	1
20	Belgaum	Good	49	PM _{2.5}	1
21	Bengaluru	Satisfactory	54	PM ₁₀ , PM _{2.5}	6
22	Bhagalpur	Satisfactory	67	NO ₂ , O ₃	2
23	Bhiwadi	Moderate	127	NO ₂	1
24	Bhiwani	Satisfactory	68	O ₃	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Satisfactory	63	PM ₁₀	1
26	Bihar Sharif	Good	45	PM ₁₀	1
27	Bilaspur	Satisfactory	75	со	1
28	Bulandshahr	Moderate	105	PM ₁₀	1
29	Buxar	Satisfactory	76	PM ₁₀	1
30	Chamarajanagar	Good	35	PM ₁₀	1
31	Chandigarh	Satisfactory	72	O ₃ , PM ₁₀	3
32	Chandrapur	Good	50	PM ₁₀ , NO ₂	2
33	Charkhi Dadri	Satisfactory	71	PM ₁₀	1
34	Chennai	Satisfactory	58	CO, PM ₁₀	9
35	Chhapra	Satisfactory	64	PM _{2.5}	1
36	Chikkaballapur	Good	43	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	47	PM ₁₀	1
38	Darbhanga	Good	47	03	1
39	Davanagere	Good	9	NO ₂	1
40	Delhi	Moderate	115	PM ₁₀ , O ₃ , PM _{2.5}	23
41	Dewas	Satisfactory	58	PM _{2.5}	1
42	Durgapur	Satisfactory	93	PM ₁₀	1
43	Eloor	Good	47	PM ₁₀	1
44	Ernakulam	Good	38	со	1
45	Faridabad	Moderate	119	PM _{2.5} , PM ₁₀ , O ₃	3
46	Firozabad	Satisfactory	98	PM _{2.5} , O ₃	2
47	Gadag	Good	48	NO ₂	1
48	Gandhinagar	Satisfactory	59	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gangtok	Good	18	03	1
50	Gaya	Satisfactory	67	PM ₁₀ , CO	3
51	Ghaziabad	Moderate	105	PM ₁₀	4
52	Gorakhpur	Good	46	SO ₂	1
53	Greater Noida	Moderate	109	PM ₁₀	2
54	Gurugram	Satisfactory	96	PM ₁₀	3
55	Guwahati	Good	50	PM _{2.5}	2
56	Gwalior	Satisfactory	54	03	1
57	Hajipur	Satisfactory	66	PM ₁₀	1
58	Hapur	Satisfactory	78	со	1
59	Hassan	Good	25	NO ₂	1
60	Haveri	Satisfactory	58	СО	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hisar	Satisfactory	67	O ₃	1
62	Howrah	Satisfactory	69	PM ₁₀ , PM _{2.5} , CO	3
63	Hubballi	Good	32	PM ₁₀	1
64	Hyderabad	Satisfactory	54	CO, PM ₁₀ , PM _{2.5}	13
65	Imphal	Satisfactory	78	O ₃ , SO ₂	2
66	Indore	Satisfactory	82	PM ₁₀	1
67	Jabalpur	Good	50	СО	1
68	Jaipur	Satisfactory	83	PM ₁₀	3
69	Jalandhar	Good	47	NO ₂	1
70	Jind	Moderate	112	со	1
71	Jodhpur	Satisfactory	71	PM ₁₀	1
72	Kaithal	Satisfactory	80	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kalaburgi	Good	28	SO ₂	1
74	Kalyan	Satisfactory	80	PM ₁₀	1
75	Kannur	Satisfactory	53	PM _{2.5}	1
76	Kanpur	Satisfactory	52	PM _{2.5} , PM ₁₀	4
77	Karnal	Satisfactory	81	PM ₁₀	1
78	Katihar	Moderate	103	со	1
79	Katni	Satisfactory	52	PM ₁₀	1
80	Khanna	Satisfactory	59	PM ₁₀	1
81	Khurja	Satisfactory	85	PM _{2.5}	1
82	Kochi	Moderate	115	PM _{2.5}	1
83	Kohima	Satisfactory	55	PM ₁₀	1
84	Kolkata	Satisfactory	61	PM ₁₀ , O ₃	6

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Kollam	Satisfactory	77	PM ₁₀	1
86	Koppal	Satisfactory	85	со	1
87	Kota	Satisfactory	61	PM ₁₀	1
88	Kozhikode	Satisfactory	62	PM ₁₀	1
89	Kurukshetra	Satisfactory	68	PM ₁₀	1
90	Lucknow	Satisfactory	61	PM ₁₀ , CO, NO ₂	6
91	Ludhiana	Satisfactory	97	PM ₁₀	1
92	Madikeri	Good	17	03	1
93	Maihar	Good	32	со	1
94	Mandi Gobindgarh	Satisfactory	78	PM ₁₀	1
95	Mandideep	Satisfactory	52	O ₃	1
96	Mandikhera	Good	38	PM ₁₀	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Manesar	Satisfactory	71	PM _{2.5}	1
98	Manguraha	Good	34	PM ₁₀	1
99	Meerut	Moderate	146	PM ₁₀	1
100	Moradabad	Satisfactory	86	PM ₁₀ , CO	5
101	Motihari	Satisfactory	79	03	1
102	Mumbai	Satisfactory	67	O ₃ , PM ₁₀ , CO	13
103	Muzaffarnagar	Satisfactory	96	PM ₁₀	1
104	Muzaffarpur	Satisfactory	71	O ₃ , PM ₁₀ , CO	3
105	Mysuru	Good	40	PM ₁₀	1
106	Nagpur	Satisfactory	54	со	1
107	Nandesari	Moderate	113	PM _{2.5}	1
108	Narnaul	Good	29	PM _{2.5}	1

Notes:

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Satisfactory	65	PM _{2.5} , PM ₁₀	2
110	Noida	Satisfactory	93	PM ₁₀	4
111	Ooty	Satisfactory	64	со	1
112	Pali	Satisfactory	67	PM ₁₀	1
113	Palwal	Satisfactory	72	PM ₁₀	1
114	Panchkula	Good	45	PM _{2.5}	1
115	Panipat	Good	38	SO ₂	1
116	Patiala	Satisfactory	80	PM ₁₀	1
117	Patna	Satisfactory	70	PM ₁₀ , O ₃	6
118	Pithampur	Satisfactory	92	PM ₁₀	1
119	Prayagraj	Good	44	PM _{2.5} , PM ₁₀ , SO ₂	3
120	Puducherry	Good	35	O ₃	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

AQL is not calculated for today's bulletin for Amritage. Anantanur

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Purnia	Satisfactory	65	PM ₁₀	1
122	Raichur	Satisfactory	71	СО	1
123	Rajamahendravaram	Good	21	PM ₁₀	1
124	Ramanagara	Good	49	O ₃	1
125	Ramanathapuram	Good	26	со	1
126	Ratlam	Satisfactory	66	PM ₁₀	1
127	Sagar	Satisfactory	51	СО	1
128	Salem	Satisfactory	96	SO ₂	1
129	Samastipur	Satisfactory	73	PM ₁₀	1
130	Sasaram	Satisfactory	55	NO ₂	1
131	Satna	Good	25	PM ₁₀	1
132	Shillong	Good	25	PM ₁₀	2

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Shivamogga	Good	47	PM ₁₀	1
134	Siliguri	Good	39	PM ₁₀	1
135	Singrauli	Satisfactory	92	NO ₂	1
136	Sirsa	Satisfactory	73	PM ₁₀	1
137	Siwan	Satisfactory	76	NO ₂	1
138	Solapur	Satisfactory	84	PM ₁₀	1
139	Sonipat	Satisfactory	89	PM ₁₀	1
140	Srinagar	Good	45	PM ₁₀	1
141	Talcher	Satisfactory	64	СО	1
142	Thane	Satisfactory	97	O ₃	1
143	Thiruvananthapuram	Good	30	CO, NO ₂	2
144	Thoothukudi	Good	38	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Tirupati	Satisfactory	66	PM _{2.5}	1
146	Tiruppur	Satisfactory	98	PM ₁₀	1
147	Udaipur	Satisfactory	79	PM ₁₀	1
148	Varanasi	Good	48	O ₃ , PM ₁₀ , NO ₂	4
149	Vatva	Satisfactory	78	PM _{2.5}	1
150	Vijayapura	Good	40	PM ₁₀	1
151	Visakhapatnam	Good	49	PM _{2.5}	1
152	Vrindavan	Good	45	SO ₂	1
153	Yadgir	Good	28	со	1
154	Yamunanagar	Moderate	126	PM _{2.5}	1
155	vellore	Satisfactory	57	PM ₁₀	1

Notes:

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

* AQI is not calculated for today's bulletin for Amritsar, Anantapur,

- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.