Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Satisfactory	86	CO	1
2	Ahmedabad	Moderate	114	PM_{10}	1
3	Alwar	Satisfactory	72	PM_{10}	1
4	Amaravati	Good	40	$PM_{2.5}$	1
5	Ambala	Satisfactory	84	PM_{10}	1
6	Amritsar	Satisfactory	85	PM_{10}	1
7	Ankleshwar	Moderate	105	PM_{10}	1
8	Asanol	Satisfactory	90	$PM_{2.5}$	1
9	Aurangabad	Satisfactory	98	PM_{10}	1
10	Bagalkot	Satisfactory	74	PM_{10}	1
11	Bahadurgarh	Satisfactory	60	PM_{10}	1
12	Bathinda	Satisfactory	99	CO	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Moderate	121	$PM_{2.5}$, PM_{10}	9
14	Bhiwadi	Satisfactory	82	PM_{10}	1
15	Bhiwani	Moderate	165	O_3	1
16	Bhopal	Moderate	129	PM_{10}	1
17	Brajrajnagar	Good	45	O_3	1
18	Bulandshahr	Moderate	154	O_3	1
19	Chandigarh	Satisfactory	77	PM_{10}	1
20	Chandrapur	Moderate	133	PM_{10}	1
21	Chennai	Satisfactory	68	$PM_{2.5}$, CO	3
22	Chikkaballapur	Moderate	131	PM_{10}	1
23	Damoh	Satisfactory	70	PM_{10}	1
24	Delhi	Satisfactory	79	O_3, PM_{10}, $PM_{2.5}$	32

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Moderate	134	PM_{10}	1
26	Dharuhera	Satisfactory	97	CO	1
27	Eloor	Satisfactory	99	PM_{10}	1
28	Ernakulam	Satisfactory	98	CO	1
29	Faridabad	Satisfactory	59	O_3	1
30	Fatehabad	Good	46	$PM_{2.5}$	1
31	Gandhinagar	Satisfactory	88	PM_{10}	1
32	Gaya	Moderate	142	O_3	2
33	Ghaziabad	Satisfactory	74	PM_{10}	4
34	Greater Noida	Satisfactory	88	PM_{10}	2
35	Gurugram	Satisfactory	93	CO	1
36	Guwahati	Satisfactory	88	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Satisfactory	90	$PM_{2.5}$, O_3	2
38	Hapur	Good	50	$PM_{2.5}$	1
39	Hisar	Satisfactory	90	$PM_{2.5}$	1
40	Howrah	Satisfactory	91	PM_{10}, NO_2, $PM_{2.5}$	3
41	Hubballi	Satisfactory	88	PM_{10}	1
42	Hyderabad	Moderate	118	$PM_{2.5}$, PM_{10}	5
43	Indore	Moderate	128	PM_{10}	1
44	Jabalpur	Moderate	127	PM_{10}	1
45	Jaipur	Satisfactory	76	O_3	2
46	Jalandhar	Satisfactory	88	$PM_{2.5}$	1
47	Jodhpur	Moderate	189	$PM_{2.5}$	1
48	Jorapokhar	Satisfactory	97	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Satisfactory	65	PM_{10}	1
50	Kalyan	Moderate	165	O_3	1
51	Kannur	Satisfactory	88	PM_{10}	1
52	Kanpur	Satisfactory	86	$PM_{2.5}$	1
53	Karnal	Satisfactory	74	PM_{10}	1
54	Katni	Satisfactory	87	O_3	1
55	Khanna	Satisfactory	85	CO	1
56	Kochi	Moderate	110	PM_{10}	1
57	Kolkata	Satisfactory	74	CO, PM_{10}, O_3	7
58	Kollam	Satisfactory	89	PM_{10}	1
59	Kota	Satisfactory	95	PM_{10}	1
60	Kozhikode	Satisfactory	64	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kurukshetra	Satisfactory	70	PM_{10}	1
62	Lucknow	Moderate	167	$PM_{2.5}$	4
63	Ludhiana	Satisfactory	84	PM_{10}	1
64	Maihar	Satisfactory	53	PM_{10}	1
65	Mandi Gobindgarh	Satisfactory	87	PM_{10}	1
66	Mandideep	Moderate	113	PM_{10}	1
67	Mandikhera	Satisfactory	72	O_3	1
68	Manesar	Satisfactory	60	PM_{10}	1
69	Meerut	Satisfactory	66	CO, PM_{10}	2
70	Mumbai	Moderate	104	PM_{10}	10
71	Muzaffarnagar	Satisfactory	86	PM_{10}	1
72	Muzaffarpur	Poor	241	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nandesari	Moderate	166	NO_2	1
74	Narnaul	Good	44	$PM_{2.5}$	1
75	Nashik	Moderate	110	PM_{10}	1
76	Navi Mumbai	Moderate	116	PM_{10}, CO	3
77	Noida	Satisfactory	74	PM_{10}, CO	4
78	Pali	Moderate	121	PM_{10}	1
79	Palwal	Satisfactory	74	PM_{10}	1
80	Panchkula	Good	49	O_3	1
81	Panipat	Moderate	105	PM_{10}	1
82	Patiala	Satisfactory	58	PM_{10}	1
83	Patna	Moderate	172	$PM_{2.5}$, PM_{10}	2
84	Pithampur	Moderate	132	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Pune	Moderate	103	$PM_{2.5}$	1
86	Rajamahendravaram	Good	50	O_3	1
87	Ramanagara	Satisfactory	90	$PM_{2.5}$	1
88	Ratlam	Moderate	121	PM_{10}	1
89	Rohtak	Satisfactory	69	$PM_{2.5}$	1
90	Rupnagar	Moderate	131	$PM_{2.5}$	1
91	Sagar	Satisfactory	74	PM_{10}	1
92	Satna	Satisfactory	80	PM_{10}	1
93	Shillong	Good	45	$PM_{2.5}$	1
94	Siliguri	Satisfactory	76	PM_{10}	1
95	Singrauli	Moderate	130	PM_{10}	1
96	Sirsa	Satisfactory	54	SO_2	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Solapur	Moderate	110	PM_{10}	1
98	Talcher	Satisfactory	64	SO_2	1
99	Thane	Satisfactory	53	PM_{10}	1
100	Thiruvananthapuram	Satisfactory	82	CO, $PM_{2.5}$	2
101	Tirupati	Satisfactory	76	PM_{10}	1
102	Udaipur	Moderate	105	PM_{10}	1
103	Ujjain	Moderate	110	PM_{10}	1
104	Vapi	Moderate	112	$PM_{2.5}$	1
105	Varanasi	Moderate	119	$PM_{2.5}$	1
106	Vatva	Moderate	126	PM_{10}	1
107	Vijayapura	Satisfactory	86	$PM_{2.5}$	1
108	Visakhapatnam	Satisfactory	56	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Mar 05, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Yadgir	Satisfactory	71	PM_{10}	1
110	Yamunanagar	Moderate	133	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ajmer, Ballabgarh, Chikkamagaluru, Coimbatore, Hajipur, Jind, Kalaburgi, Moradabad, Mysuru, Nagpur, Sonipat as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.