

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Moderate	167	PM _{2.5}	1
2	Aizawl	Satisfactory	69	PM _{2.5}	1
3	Amaravati	Good	43	O ₃	1
4	Ambala	Moderate	122	PM ₁₀	1
5	Amritsar	Moderate	105	PM ₁₀	1
6	Ankleshwar	Moderate	198	O ₃	1
7	Asanol	Moderate	137	PM ₁₀	1
8	Aurangabad	Satisfactory	96	O ₃	1
9	Bagalkot	Satisfactory	64	со	1
10	Bahadurgarh	Moderate	180	PM _{2.5}	1
11	Ballabgarh	Moderate	149	PM ₁₀	1
12	Bathinda	Moderate	145	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	84	O ₃ , PM _{2.5} , PM ₁₀	9
14	Bhiwadi	Poor	241	PM _{2.5}	1
15	Bhopal	Moderate	102	PM ₁₀	1
16	Brajrajnagar	Moderate	144	PM ₁₀	1
17	Bulandshahr	Poor	218	PM _{2.5}	1
18	Chandigarh	Satisfactory	86	PM ₁₀	1
19	Chandrapur	Satisfactory	80	O ₃ , PM ₁₀	2
20	Chennai	Satisfactory	68	PM _{2.5} , CO	3
21	Chikkaballapur	Satisfactory	85	PM ₁₀	1
22	Chikkamagaluru	Satisfactory	60	O ₃	1
23	Coimbatore	Satisfactory	98	NO ₂	1
24	Damoh	Satisfactory	76	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Delhi	Moderate	186	PM _{2.5} , PM ₁₀	32
26	Dewas	Moderate	173	03	1
27	Dharuhera	Moderate	182	PM ₁₀	1
28	Eloor	Satisfactory	82	PM ₁₀	1
29	Ernakulam	Satisfactory	83	СО	1
30	Faridabad	Moderate	194	O ₃ , PM _{2.5}	3
31	Fatehabad	Moderate	123	PM _{2.5}	1
32	Gandhinagar	Satisfactory	99	PM ₁₀	1
33	Gaya	Moderate	178	03	1
34	Ghaziabad	Poor	236	PM _{2.5}	4
35	Greater Noida	Moderate	198	PM ₁₀ , O ₃	2
36	Gurugram	Moderate	192	PM ₁₀ , PM _{2.5}	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Guwahati	Poor	232	PM _{2.5}	1
38	Gwalior	Moderate	130	PM ₁₀	2
39	Hajipur	Moderate	189	PM ₁₀	1
40	Hapur	Moderate	168	PM ₁₀	1
41	Hisar	Moderate	149	PM _{2.5}	1
42	Howrah	Moderate	199	PM _{2.5} , PM ₁₀	3
43	Hubballi	Satisfactory	70	PM ₁₀	1
44	Hyderabad	Satisfactory	86	PM ₁₀ , PM _{2.5}	6
45	Indore	Moderate	126	PM ₁₀	1
46	Jabalpur	Satisfactory	95	PM ₁₀	1
47	Jaipur	Moderate	107	PM _{2.5} , PM ₁₀ , O ₃	3
48	Jalandhar	Moderate	106	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Jind	Moderate	153	PM _{2.5}	1
50	Jodhpur	Poor	204	PM _{2.5}	1
51	Jorapokhar	Moderate	127	O ₃	1
52	Kaithal	Moderate	101	PM ₁₀	1
53	Kalyan	Moderate	147	PM _{2.5}	1
54	Kannur	Satisfactory	83	PM _{2.5}	1
55	Kanpur	Moderate	170	PM _{2.5}	1
56	Karnal	Moderate	132	PM _{2.5}	1
57	Katni	Moderate	151	PM ₁₀	1
58	Khanna	Satisfactory	96	PM ₁₀	1
59	Kochi	Moderate	120	PM ₁₀	1
60	Kolkata	Poor	216	PM _{2.5} , O ₃	7

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kollam	Satisfactory	80	PM _{2.5}	1
62	Kota	Satisfactory	90	PM ₁₀	1
63	Kozhikode	Satisfactory	64	PM ₁₀	1
64	Kurukshetra	Moderate	106	PM _{2.5}	1
65	Lucknow	Moderate	174	PM _{2.5}	4
66	Ludhiana	Satisfactory	88	PM ₁₀	1
67	Maihar	Good	50	NO ₂	1
68	Mandi Gobindgarh	Moderate	124	PM _{2.5}	1
69	Mandideep	Satisfactory	92	PM ₁₀	1
70	Mandikhera	Satisfactory	88	O ₃	1
71	Manesar	Moderate	152	PM _{2.5}	1
72	Meerut	Moderate	183	PM _{2.5}	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Satisfactory Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Oor Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Mumbai	Moderate	102	PM ₁₀ , O ₃	10
74	Muzaffarnagar	Moderate	163	PM _{2.5}	1
75	Muzaffarpur	Poor	241	O ₃	1
76	Mysuru	Satisfactory	80	O ₃	1
77	Nagpur	Satisfactory	64	NO ₂	1
78	Nandesari	Moderate	157	PM ₁₀	1
79	Narnaul	Moderate	116	PM ₁₀	1
80	Nashik	Satisfactory	73	O ₃	1
81	Navi Mumbai	Moderate	126	PM ₁₀ , CO	3
82	Noida	Moderate	184	PM _{2.5} , PM ₁₀	4
83	Pali	Moderate	107	PM ₁₀	1
84	Palwal	Moderate	136	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Panchkula	Satisfactory	65	PM _{2.5}	1
86	Panipat	Moderate	157	PM ₁₀	1
87	Patiala	Satisfactory	84	PM ₁₀	1
88	Patna	Moderate	170	PM _{2.5} , PM ₁₀ , CO	6
89	Pithampur	Moderate	122	PM ₁₀	1
90	Pune	Satisfactory	88	со	1
91	Rajamahendravaram	Satisfactory	52	PM ₁₀	1
92	Ramanagara	Satisfactory	58	PM ₁₀	1
93	Ratlam	Moderate	129	PM _{2.5}	1
94	Rohtak	Moderate	120	PM _{2.5}	1
95	Rupnagar	Moderate	135	PM _{2.5}	1
96	Sagar	Satisfactory	72	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Satna	Moderate	132	PM ₁₀	1
98	Shillong	Moderate	101	PM _{2.5}	1
99	Siliguri	Poor	247	PM _{2.5}	1
100	Singrauli	Moderate	171	PM ₁₀	1
101	Sirsa	Satisfactory	97	PM ₁₀	1
102	Solapur	Satisfactory	96	со	1
103	Sonipat	Moderate	118	PM ₁₀	1
104	Thane	Moderate	115	PM ₁₀	1
105	Thiruvananthapuram	Satisfactory	54	CO, O ₃	2
106	Tirupati	Good	50	PM ₁₀	1
107	Udaipur	Satisfactory	85	PM _{2.5}	1
108	Ujjain	Moderate	179	O ₃	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Vapi	Moderate	175	PM _{2.5}	1
110	Varanasi	Moderate	118	PM _{2.5}	1
111	Vatva	Moderate	172	PM ₁₀	1
112	Vijayapura	Moderate	169	O ₃	1
113	Visakhapatnam	Moderate	102	PM ₁₀	1
114	Yadgir	Satisfactory	59	O ₃	1
115	Yamunanagar	Moderate	146	PM _{2.5}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Ahmedabad, Ajmer, Alwar, Bhiwani, Kalaburgi, Moradabad, Talcher as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.