



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	69	PM <sub>2.5</sub>	1
2	Agra	Satisfactory	64	PM <sub>10</sub>	6
3	Ahmedabad	Satisfactory	81	O <sub>3</sub>	7
4	Aizawl	Good	17	PM <sub>10</sub>	1
5	Akola	Good	31	PM <sub>10</sub>	1
6	Alwar	Satisfactory	58	PM <sub>10</sub>	1
7	Amaravati	Good	23	PM <sub>2.5</sub>	1
8	Ambala	Satisfactory	97	CO	1
9	Amravati	Good	28	PM <sub>10</sub> , O <sub>3</sub>	2
10	Amritsar	Moderate	124	PM <sub>2.5</sub>	1
11	Ankleshwar	Satisfactory	65	O <sub>3</sub>	1
12	Ariyalur	Good	38	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Arrah	Moderate	109	PM <sub>10</sub>	1
14	Asansol	Good	32	PM <sub>10</sub>	1
15	Aurangabad (Bihar)	Satisfactory	59	CO	1
16	Aurangabad (Maharashtra)	Good	36	O <sub>3</sub>	2
17	Baddi	Good	49	O <sub>3</sub>	1
18	Bagalkot	Good	46	PM <sub>10</sub>	1
19	Baghpat	Satisfactory	70	NO <sub>2</sub>	1
20	Bahadurgarh	Satisfactory	86	PM <sub>10</sub>	1
21	Ballabgarh	Good	36	PM <sub>10</sub>	1
22	Banswara	Satisfactory	76	PM <sub>10</sub>	1
23	Baran	Poor	233	PM <sub>2.5</sub>	1
24	Bareilly	Satisfactory	52	PM <sub>10</sub> , O <sub>3</sub>	2

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Baripada	Good	35	PM <sub>10</sub>	1
26	Barmer	Satisfactory	67	PM <sub>10</sub>	1
27	Bathinda	Good	37	PM <sub>10</sub>	1
28	Begusarai	Moderate	157	PM <sub>10</sub>	1
29	Belapur	Good	33	PM <sub>10</sub>	1
30	Belgaum	Good	46	CO	1
31	Bengaluru	Satisfactory	71	PM <sub>2.5</sub> , PM <sub>10</sub>	10
32	Bettiah	Satisfactory	70	PM <sub>2.5</sub>	1
33	Bhagalpur	Satisfactory	68	PM <sub>10</sub>	2
34	Bharatpur	Satisfactory	98	PM <sub>10</sub>	1
35	Bhilai	Satisfactory	56	PM <sub>2.5</sub>	2
36	Bhilwara	Moderate	133	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Bhiwadi	Moderate	107	PM <sub>10</sub>	1
38	Bhiwandi	Good	24	PM <sub>10</sub>	1
39	Bhiwani	Satisfactory	55	PM <sub>10</sub>	1
40	Bhopal	Satisfactory	58	PM <sub>10</sub>	3
41	Bihar Sharif	Good	28	O <sub>3</sub>	1
42	Bikaner	Moderate	107	PM <sub>10</sub>	1
43	Bilaspur	Satisfactory	65	PM <sub>10</sub>	1
44	Bileipada	Satisfactory	74	PM <sub>10</sub>	1
45	Bulandshahr	Satisfactory	62	PM <sub>10</sub>	1
46	Byrnihat	Poor	212	PM <sub>2.5</sub>	1
47	Chamarajanagar	Good	40	PM <sub>10</sub>	1
48	Chandigarh	Satisfactory	53	O <sub>3</sub> , PM <sub>10</sub>	3

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Chandrapur	Good	48	PM <sub>10</sub>	1
50	Charkhi Dadri	Satisfactory	81	PM <sub>10</sub>	1
51	Chennai	Satisfactory	88	NO <sub>2</sub> , CO	8
52	Chhapra	Good	50	PM <sub>2.5</sub>	1
53	Chikkaballapur	Good	29	PM <sub>10</sub>	1
54	Chittoor	Good	33	O <sub>3</sub>	1
55	Chittorgarh	Satisfactory	66	PM <sub>10</sub>	1
56	Churu	Satisfactory	61	PM <sub>10</sub>	1
57	Coimbatore	Satisfactory	71	PM <sub>10</sub>	1
58	Cuddalore	Moderate	120	NO <sub>2</sub>	2
59	Damoh	Good	22	PM <sub>10</sub>	1
60	Dausa	Satisfactory	77	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Davanagere	Good	19	PM <sub>2.5</sub>	1
62	Dehradun	Good	31	PM <sub>10</sub>	1
63	Delhi	Satisfactory	93	O <sub>3</sub> , PM <sub>10</sub>	11
64	Dewas	Good	42	O <sub>3</sub>	1
65	Dhanbad	Moderate	185	CO	1
66	Dharuhera	Moderate	105	PM <sub>10</sub>	1
67	Dholpur	Satisfactory	79	PM <sub>10</sub>	1
68	Dhule	Good	38	PM <sub>2.5</sub>	1
69	Dindigul	Good	48	PM <sub>10</sub>	1
70	Eloor	Satisfactory	67	PM <sub>10</sub>	1
71	Faridabad	Satisfactory	75	PM <sub>10</sub> , PM <sub>2.5</sub>	3
72	Fatehabad	Moderate	160	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Firozabad	Satisfactory	55	PM <sub>10</sub>	2
74	Gadag	Good	46	SO <sub>2</sub>	1
75	Gandhinagar	Satisfactory	58	CO, PM <sub>2.5</sub>	3
76	Gangtok	Satisfactory	57	SO <sub>2</sub>	1
77	Gaya	Satisfactory	59	O <sub>3</sub>	3
78	Ghaziabad	Satisfactory	82	PM <sub>10</sub>	4
79	Gorakhpur	Satisfactory	57	PM <sub>10</sub>	1
80	Greater Noida	Poor	262	PM <sub>10</sub>	1
81	Gurugram	Satisfactory	84	PM <sub>2.5</sub>	4
82	Guwahati	Moderate	101	O <sub>3</sub> , SO <sub>2</sub>	4
83	Gwalior	Satisfactory	75	PM <sub>10</sub> , O <sub>3</sub>	4
84	Hajipur	Satisfactory	69	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Haldia	Good	35	PM <sub>10</sub>	1
86	Hanumangarh	Satisfactory	78	PM <sub>10</sub>	1
87	Hapur	Good	49	PM <sub>10</sub>	1
88	Hosur	Good	50	PM <sub>10</sub>	1
89	Howrah	Good	42	NO <sub>2</sub>	3
90	Hubballi	Satisfactory	57	PM <sub>10</sub>	1
91	Hyderabad	Good	49	PM <sub>10</sub> , PM <sub>2.5</sub>	14
92	Indore	Satisfactory	56	PM <sub>2.5</sub>	1
93	Jabalpur	Satisfactory	72	PM <sub>10</sub>	2
94	Jaipur	Satisfactory	63	PM <sub>10</sub>	5
95	Jaisalmer	Moderate	122	PM <sub>10</sub>	1
96	Jalandhar	Satisfactory	65	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:





## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Jalgaon	Satisfactory	56	PM <sub>10</sub>	1
98	Jalna	Satisfactory	57	PM <sub>10</sub>	1
99	Jhalawar	Good	45	O <sub>3</sub>	1
100	Jhansi	Satisfactory	60	PM <sub>2.5</sub>	1
101	Jhunjhunu	Satisfactory	80	PM <sub>10</sub>	1
102	Jind	Satisfactory	71	CO	1
103	Jodhpur	Moderate	114	PM <sub>10</sub>	5
104	Kaithal	Satisfactory	55	PM <sub>2.5</sub>	1
105	Kalyan	Satisfactory	67	CO	1
106	Kannur	Satisfactory	70	PM <sub>10</sub>	1
107	Kanpur	Satisfactory	75	CO	3
108	Karauli	Satisfactory	73	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Karnal	Good	48	PM <sub>10</sub>	1
110	Kashipur	Good	50	PM <sub>10</sub>	1
111	Katihar	Satisfactory	73	PM <sub>10</sub>	1
112	Katni	Satisfactory	59	PM <sub>10</sub>	1
113	Keonjhar	Good	38	PM <sub>10</sub>	1
114	Khanna	Satisfactory	51	PM <sub>10</sub>	1
115	Khurja	Satisfactory	84	O <sub>3</sub>	1
116	Kishanganj	Satisfactory	68	PM <sub>10</sub>	1
117	Kohima	Good	48	SO <sub>2</sub>	1
118	Kolar	Good	37	PM <sub>10</sub>	1
119	Kolhapur	Good	36	PM <sub>10</sub> , PM <sub>2.5</sub>	2
120	Kolkata	Good	32	O <sub>3</sub> , PM <sub>10</sub>	7

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Kollam	Satisfactory	73	PM <sub>10</sub>	1
122	Koppal	Good	29	SO <sub>2</sub>	1
123	Korba	Good	33	NO <sub>2</sub>	2
124	Kota	Moderate	124	PM <sub>2.5</sub> , PM <sub>10</sub>	3
125	Kurukshetra	Satisfactory	57	O <sub>3</sub>	1
126	Latur	Good	38	PM <sub>10</sub>	1
127	Lucknow	Satisfactory	66	PM <sub>10</sub>	6
128	Ludhiana	Moderate	103	PM <sub>10</sub>	1
129	Madikeri	Good	29	PM <sub>10</sub>	1
130	Maihar	Good	31	PM <sub>10</sub>	1
131	Mandi Gobindgarh	Satisfactory	55	PM <sub>2.5</sub>	1
132	Mandideep	Moderate	134	O <sub>3</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Mandikhera	Good	42	PM <sub>10</sub>	1
134	Manesar	Satisfactory	69	PM <sub>2.5</sub>	1
135	Mangalore	Satisfactory	78	PM <sub>10</sub>	1
136	Manguraha	Good	42	PM <sub>10</sub>	1
137	Meerut	Satisfactory	58	CO, PM <sub>10</sub>	2
138	Moradabad	Moderate	103	PM <sub>2.5</sub>	6
139	Motihari	Satisfactory	58	PM <sub>10</sub>	1
140	Mumbai	Satisfactory	86	PM <sub>2.5</sub> , NO <sub>2</sub>	20
141	Munger	Moderate	131	PM <sub>10</sub>	1
142	Muzaffarnagar	Satisfactory	54	PM <sub>10</sub>	1
143	Muzaffarpur	Satisfactory	80	PM <sub>10</sub> , O <sub>3</sub>	3
144	Mysuru	Satisfactory	53	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Nagaon	Moderate	103	PM <sub>10</sub>	1
146	Nagaur	Satisfactory	92	PM <sub>10</sub>	1
147	Nagpur	Good	34	CO	4
148	Naharlagun	Good	37	PM <sub>2.5</sub>	1
149	Nalbari	Satisfactory	66	PM <sub>10</sub>	1
150	Nanded	Good	33	PM <sub>10</sub>	1
151	Nashik	Good	38	PM <sub>10</sub> , CO	4
152	Navi Mumbai	Good	30	PM <sub>10</sub>	4
153	Nayagarh	Good	37	NO <sub>2</sub>	1
154	Noida	Satisfactory	92	PM <sub>2.5</sub>	4
155	Ooty	Satisfactory	51	SO <sub>2</sub>	1
156	Palkalaiperur	Satisfactory	67	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, Vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Panchkula	Satisfactory	54	O <sub>3</sub>	1
158	Panipat	Satisfactory	70	PM <sub>10</sub>	1
159	Parbhani	Good	49	CO	1
160	Patiala	Good	41	CO	1
161	Patna	Satisfactory	95	PM <sub>2.5</sub>	6
162	Pimpri Chinchwad	Good	36	NO <sub>2</sub> , PM <sub>10</sub>	3
163	Pratapgarh	Good	50	O <sub>3</sub>	1
164	Prayagraj	Satisfactory	74	PM <sub>10</sub>	3
165	Puducherry	Satisfactory	66	PM <sub>10</sub>	1
166	Pune	Satisfactory	85	NO <sub>2</sub> , CO	4
167	Raichur	Satisfactory	78	O <sub>3</sub>	1
168	Raipur	Satisfactory	68	PM <sub>10</sub>	4

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Rairangpur	Good	30	PM <sub>10</sub>	1
170	Rajamahendravaram	Good	22	CO	1
171	Rajgir	Satisfactory	72	PM <sub>10</sub>	1
172	Rajsamand	Moderate	168	PM <sub>10</sub>	1
173	Ramanagara	Satisfactory	51	PM <sub>10</sub>	1
174	Rishikesh	Good	28	O <sub>3</sub>	1
175	Rohtak	Good	47	PM <sub>2.5</sub>	1
176	Rourkela	Good	40	PM <sub>10</sub>	2
177	Rupnagar	Moderate	186	PM <sub>10</sub>	1
178	Sagar	Satisfactory	59	O <sub>3</sub>	1
179	Saharsa	Satisfactory	85	PM <sub>10</sub>	1
180	Salem	Satisfactory	82	SO <sub>2</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Samastipur	Moderate	139	CO	1
182	Sangli	Good	24	PM <sub>10</sub>	1
183	Sasaram	Good	24	O <sub>3</sub>	1
184	Satna	Satisfactory	64	PM <sub>10</sub>	1
185	Sawai Madhopur	Satisfactory	67	PM <sub>10</sub>	1
186	Shillong	Good	34	PM <sub>2.5</sub>	1
187	Shivamogga	Satisfactory	57	O <sub>3</sub>	1
188	Sikar	Satisfactory	79	O <sub>3</sub>	1
189	Silchar	Good	38	CO	1
190	Siliguri	Satisfactory	59	PM <sub>10</sub>	1
191	Singrauli	Satisfactory	82	NO <sub>2</sub>	1
192	Sirohi	Satisfactory	95	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases





## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
193	Sivasagar	Good	32	SO <sub>2</sub>	1
194	Siwan	Satisfactory	98	PM <sub>10</sub>	1
195	Solapur	Good	46	CO, NO <sub>2</sub>	3
196	Sonipat	Satisfactory	85	PM <sub>10</sub>	1
197	Sri Ganganagar	Very Poor	329	PM <sub>10</sub>	1
198	Srinagar	Good	35	PM <sub>10</sub>	1
199	Suakati	Good	48	CO	1
200	Surat	Good	32	PM <sub>10</sub>	1
201	Tensa	Good	38	NO <sub>2</sub>	1
202	Thane	Good	35	PM <sub>10</sub>	3
203	Thiruvananthapuram	Good	29	CO	1
204	Thoothukudi	Satisfactory	69	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



## Air Quality Index on Jul 20, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
205	Thrissur	Satisfactory	60	PM <sub>10</sub>	1
206	Tirupati	Satisfactory	54	PM <sub>2.5</sub> , PM <sub>10</sub>	2
207	Tonk	Moderate	130	PM <sub>2.5</sub>	1
208	Tumakuru	Moderate	146	PM <sub>10</sub>	1
209	Tumidih	Good	25	PM <sub>10</sub>	1
210	Udaipur	Satisfactory	63	PM <sub>10</sub>	1
211	Vapi	Satisfactory	91	CO	1
212	Varanasi	Good	31	SO <sub>2</sub> , PM <sub>10</sub>	4
213	Vatva	Satisfactory	71	PM <sub>2.5</sub>	1
214	Vijayapura	Good	46	PM <sub>10</sub>	1
215	Visakhapatnam	Satisfactory	82	PM <sub>10</sub>	1
216	Vrindavan	Good	32	PM <sub>10</sub>	1

\* AQI is not calculated for today's bulletin for Ahmednagar, Ajmer, Anantapur, Araria, Badlapur, Bidar, Boisar, Brajrajnagar, Bundi, Buxar, Chengalpattu, Chhal, Chikkamagaluru, Darbhanga, Dharwad, Durgapur, Ernakulam, Gummidipoondi, Hassan, Haveri, Hisar, Imphal, Jorapokhar, Kadapa, Kalaburgi, Kanchipuram, Kochi, Kozhikode, Kunjemura, Mahad, Malegaon, Milupara, Mira-Bhayandar, Nandesari, Narnaul, Pali, Palwal, Pithampur, Purnia, Ramanathapuram, Ratlam, Sirsa, Talcher, Tirupur, Udipi, Ujjain, Ulhasnagar, Vijayawada, Virar, Yadgir, Yamunanagar, vellore as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

### Possible Health Impacts

### Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases