

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	31	PM <sub>10</sub>	1
2	Agra	Good	33	O <sub>3</sub> , PM <sub>10</sub>	4
3	Ahmedabad	Satisfactory	59	CO, PM <sub>10</sub>	7
4	Alwar	Good	47	PM <sub>10</sub>	1
5	Amaravati	Satisfactory	73	PM <sub>10</sub>	1
6	Ambala	Satisfactory	52	PM <sub>10</sub>	1
7	Amritsar	Satisfactory	53	PM <sub>10</sub>	1
8	Ankleshwar	Satisfactory	70	PM <sub>2.5</sub>	1
9	Asansol	Satisfactory	56	03	1
10	Aurangabad	Satisfactory	67	PM <sub>10</sub>	1
11	Bagalkot	Good	46	PM <sub>10</sub>	1
12	Baghpat	Good	33	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bahadurgarh	Satisfactory	59	NO <sub>2</sub>	1
14	Ballabgarh	Good	48	PM <sub>10</sub>	1
15	Bengaluru	Satisfactory	74	CO, PM <sub>10</sub>	10
16	Bhiwadi	Moderate	108	PM <sub>2.5</sub>	1
17	Bhiwani	Good	43	03	1
18	Bhopal	Good	38	03	1
19	Bidar	Satisfactory	83	PM <sub>10</sub>	1
20	Bulandshahr	Good	42	03	1
21	Chamarajanagar	Good	40	PM <sub>10</sub>	1
22	Chandigarh	Good	43	O <sub>3</sub> , CO	2
23	Chandrapur	Good	50	PM <sub>10</sub>	2
24	Charkhi Dadri	Good	38	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chennai	Satisfactory	62	PM <sub>10</sub>	6
26	Chikkaballapur	Satisfactory	61	PM <sub>10</sub>	1
27	Chikkamagaluru	Good	36	03	1
28	Delhi	Satisfactory	62	CO, PM <sub>10</sub>	36
29	Dewas	Good	25	PM <sub>10</sub>	1
30	Dharuhera	Satisfactory	51	PM <sub>10</sub>	1
31	Durgapur	Satisfactory	89	PM <sub>10</sub>	1
32	Eloor	Satisfactory	70	СО	1
33	Ernakulam	Satisfactory	75	PM <sub>10</sub>	1
34	Faridabad	Satisfactory	62	O <sub>3</sub> , PM <sub>10</sub>	3
35	Fatehabad	Good	39	O <sub>3</sub>	1
36	Gadag	Good	32	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gandhinagar	Good	47	PM <sub>2.5</sub> , CO, PM <sub>10</sub>	3
38	Gaya	Satisfactory	68	СО	2
39	Ghaziabad	Good	50	PM <sub>10</sub> , CO	4
40	Gorakhpur	Good	17	со	1
41	Greater Noida	Satisfactory	60	PM <sub>10</sub> , O <sub>3</sub>	2
42	Gummidipoondi	Satisfactory	92	PM <sub>10</sub>	1
43	Gurugram	Good	44	PM <sub>10</sub> , PM <sub>2.5</sub> , O <sub>3</sub>	4
44	Guwahati	Satisfactory	65	SO <sub>2</sub> , PM <sub>10</sub>	2
45	Gwalior	Good	24	O <sub>3</sub>	1
46	Hajipur	Satisfactory	65	со	1
47	Haldia	Good	44	PM <sub>10</sub>	1
48	Hapur	Satisfactory	55	СО	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hisar	Good	46	PM <sub>10</sub>	1
50	Howrah	Satisfactory	53	PM <sub>10</sub> , CO	2
51	Hubballi	Satisfactory	72	PM <sub>10</sub>	1
52	Hyderabad	Satisfactory	65	PM <sub>10</sub> , PM <sub>2.5</sub>	5
53	Indore	Good	40	PM <sub>10</sub>	1
54	Jabalpur	Good	42	PM <sub>10</sub>	1
55	Jaipur	Good	50	PM <sub>10</sub>	3
56	Jalandhar	Good	50	PM <sub>10</sub>	1
57	Jodhpur	Satisfactory	94	PM <sub>10</sub>	1
58	Kaithal	Good	46	PM <sub>10</sub>	1
59	Kalyan	Satisfactory	73	PM <sub>10</sub>	1
60	Kannur	Satisfactory	53	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Good	30	NO <sub>2</sub> , O <sub>3</sub> , CO	4
62	Karnal	Good	39	PM <sub>10</sub>	1
63	Katni	Good	31	PM <sub>10</sub>	1
64	Khanna	Good	43	PM <sub>10</sub>	1
65	Kochi	Good	43	со	1
66	Kolar	Satisfactory	77	PM <sub>10</sub>	1
67	Kolkata	Good	49	PM <sub>10</sub> , PM <sub>2.5</sub>	5
68	Kollam	Satisfactory	91	СО	1
69	Koppal	Good	41	PM <sub>10</sub>	1
70	Kota	Good	38	PM <sub>10</sub>	1
71	Kozhikode	Satisfactory	60	со	1
72	Kurukshetra	Good	45	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Satisfactory	66	CO, O <sub>3</sub> , PM <sub>10</sub>	3
74	Ludhiana	Good	40	PM <sub>10</sub>	1
75	Maihar	Good	20	со	1
76	Mandi Gobindgarh	Good	48	PM <sub>2.5</sub>	1
77	Mandideep	Good	22	PM <sub>10</sub>	1
78	Mandikhera	Good	31	со	1
79	Manesar	Good	46	PM <sub>10</sub>	1
80	Medikeri	Good	42	PM <sub>10</sub>	1
81	Meerut	Good	47	PM <sub>10</sub> , NO <sub>2</sub>	3
82	Moradabad	Satisfactory	53	PM <sub>10</sub>	1
83	Mumbai	Satisfactory	68	PM <sub>10</sub> , CO	15
84	Muzaffarnagar	Satisfactory	87	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Muzaffarpur	Satisfactory	57	CO, PM <sub>10</sub>	2
86	Mysuru	Good	36	PM <sub>10</sub>	1
87	Nagpur	Satisfactory	88	со	1
88	Nandesari	Moderate	174	PM <sub>2.5</sub>	1
89	Narnaul	Good	43	NO <sub>2</sub>	1
90	Nashik	Satisfactory	55	PM <sub>10</sub>	1
91	Navi Mumbai	Satisfactory	82	PM <sub>10</sub>	3
92	Noida	Satisfactory	57	CO, NO <sub>2</sub> , SO <sub>2</sub>	4
93	Pali	Satisfactory	77	PM <sub>2.5</sub>	1
94	Palwal	Good	47	PM <sub>10</sub>	1
95	Panchkula	Satisfactory	55	со	1
96	Panipat	Satisfactory	52	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Patiala	Good	32	PM <sub>10</sub>	1
98	Patna	Satisfactory	67	PM <sub>10</sub> , O <sub>3</sub> , CO	5
99	Pithampur	Satisfactory	65	PM <sub>10</sub>	1
100	Prayagraj	Good	23	PM <sub>10</sub> , NO <sub>2</sub>	3
101	Puducherry	Satisfactory	83	03	1
102	Pune	Satisfactory	73	SO <sub>2</sub> , PM <sub>2.5</sub> , CO	4
103	Raichur	Satisfactory	77	PM <sub>10</sub>	1
104	Rajamahendravaram	Satisfactory	94	PM <sub>10</sub>	1
105	Ramanagara	Satisfactory	55	PM <sub>10</sub>	1
106	Rohtak	Satisfactory	78	NO <sub>2</sub>	1
107	Sagar	Good	22	NO <sub>2</sub>	1
108	Satna	Good	44	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Shivamogga	Good	43	PM <sub>10</sub>	1
110	Siliguri	Good	31	PM <sub>10</sub>	1
111	Singrauli	Good	38	PM <sub>10</sub>	1
112	Sirsa	Good	36	NO <sub>2</sub>	1
113	Sonipat	Satisfactory	53	PM <sub>10</sub>	1
114	Srinagar	Poor	217	PM <sub>10</sub>	1
115	Thiruvananthapuram	Satisfactory	52	PM <sub>10</sub> , CO	2
116	Thoothukudi	Satisfactory	52	PM <sub>10</sub>	1
117	Thrissur	Good	50	O <sub>3</sub>	1
118	Tirupati	Satisfactory	59	PM <sub>10</sub>	1
119	Udaipur	Satisfactory	61	PM <sub>10</sub>	1
120	Udupi	Satisfactory	99	СО	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Ujjain	Satisfactory	63	PM <sub>10</sub>	1
122	Vapi	Satisfactory	56	PM <sub>10</sub>	1
123	Varanasi	Good	32	CO, PM <sub>10</sub>	4
124	Vatva	Satisfactory	72	PM <sub>10</sub>	1
125	Vijayapura	Satisfactory	64	PM <sub>2.5</sub>	1
126	Visakhapatnam	Moderate	119	PM <sub>10</sub>	1
127	Vrindavan	Good	21	O <sub>3</sub>	1
128	Yadgir	Satisfactory	55	PM <sub>10</sub>	1

## Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- \* AQI is not calculated for today's bulletin for Aizawl, Ajmer, Bathinda, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Damoh, Darbhanga, Davanagere, Firozabad, Hassan, Jind, Jorapokhar, Kalaburgi, Kohima, Manglore, Motihari, Naharlagun, Ratlam, Rupnagar, Shillong, Solapur, Talcher, Thane, Yamunanagar as data was not available.
- # Some stations have data available at 3PM
- \* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- \* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.