

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Ahmedabad	Moderate	114	со	1
2	Ajmer	Good	50	PM ₁₀	1
3	Alwar	Good	47	OZONE	1
4	Ambala	Good	36	SO ₂	1
5	Amritsar	Good	41	PM ₁₀	1
6	Ankleshwar	Satisfactory	59	СО	1
7	Asanol	Good	25	PM _{2.5}	1
8	Aurangabad	Satisfactory	90	PM _{2.5}	1
9	Baghpat	Good	45	СО	1
10	Bahadurgarh	Good	39	OZONE	1
11	Ballabgarh	Good	41	PM ₁₀	1
12	Bathinda	Satisfactory	72	со	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bengaluru	Satisfactory	91	PM ₁₀ , PM _{2.5} , OZONE	10
14	Bhiwadi	Satisfactory	90	PM ₁₀	1
15	Bhiwani	Satisfactory	52	PM ₁₀	1
16	Bhopal	Good	36	OZONE	1
17	Brajrajnagar	Satisfactory	96	СО	1
18	Bulandshahr	Satisfactory	72	СО	1
19	Chandrapur	Good	29	PM ₁₀	1
20	Chennai	Satisfactory	79	OZONE, PM _{2.5} , CO	3
21	Chikkaballapur	Satisfactory	62	PM _{2.5}	1
22	Coimbatore	Satisfactory	84	СО	1
23	Damoh	Good	16	PM ₁₀	1
24	Delhi	Satisfactory	60	PM ₁₀ , CO, NO ₂	33

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Dewas	Good	33	PM ₁₀	1
26	Dharuhera	Satisfactory	63	PM ₁₀	1
27	Eloor	Good	30	со	1
28	Faridabad	Good	35	со	1
29	Fatehabad	Good	50	PM ₁₀	1
30	GandhiNagar	Good	36	PM ₁₀	1
31	Gaya	Good	48	NO ₂	1
32	Ghaziabad	Satisfactory	54	CO, PM ₁₀	2
33	Greater_Noida	Satisfactory	62	со	2
34	Gurugram	Good	46	PM ₁₀	1
35	Guwahati	Good	33	PM ₁₀	1
36	Hisar	Satisfactory	59	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Howrah	Good	43	PM ₁₀	1
38	Hyderabad	Satisfactory	58	PM ₁₀ , PM _{2.5}	6
39	Indore	Satisfactory	51	PM ₁₀	1
40	Jabalpur	Good	34	со	1
41	Jaipur	Satisfactory	54	PM ₁₀	3
42	Jalandhar	Good	24	PM ₁₀	1
43	Jind	Good	34	PM ₁₀	1
44	Jodhpur	Satisfactory	91	PM ₁₀	1
45	Jorapokhar	Satisfactory	69	PM _{2.5}	1
46	Kaithal	Satisfactory	79	NO ₂	1
47	Kalaburagi	Good	38	PM ₁₀	1
48	Kalyan	Moderate	101	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kanpur	Satisfactory	70	PM _{2.5}	1
50	Karnal	Good	26	PM ₁₀	1
51	Katni	Good	32	OZONE	1
52	Khanna	Satisfactory	57	СО	1
53	Kolkata	Good	32	PM _{2.5} , OZONE	6
54	Kota	Good	36	PM ₁₀	1
55	Kurukshetra	Good	37	PM ₁₀	1
56	Loni_Dehat	Satisfactory	56	PM ₁₀	1
57	Lucknow	Good	42	PM _{2.5} , CO, OZONE	4
58	Ludhiana	Good	34	PM _{2.5}	1
59	Maihar	Good	26	СО	1
60	Mandi Gobindgarh	Good	23	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Mandideep	Good	37	PM ₁₀	1
62	Mandikhera	Good	46	со	1
63	Moradabad	Satisfactory	54	PM ₁₀	1
64	Mumbai	Good	33	PM ₁₀	8
65	Muzaffarnagar	Good	46	PM ₁₀	1
66	Mysuru	Good	48	PM ₁₀	1
67	Nagpur	Good	43	NO ₂	1
68	Narnaul	Good	32	PM ₁₀	1
69	Nashik	Good	33	OZONE	1
70	Navi Mumbai	Satisfactory	91	СО	1
71	Noida	Good	40	PM ₁₀	4
72	Pali	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	derate Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Poor Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe Affects healthy people and seriously impacts those with existing disease		

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Palwal	Good	42	NH ₃	1
74	Panchkula	Good	18	PM _{2.5}	1
75	Panipat	Good	45	PM ₁₀	1
76	Patiala	Good	22	PM ₁₀	1
77	Patna	Satisfactory	59	SO ₂	1
78	Pithampur	Good	35	PM ₁₀	1
79	Pune	Satisfactory	86	SO ₂	1
80	Rajamahendravaram	Good	43	со	1
81	Ramanagara	Satisfactory	51	PM _{2.5}	1
82	Ratlam	Good	27	PM ₁₀	1
83	Rohtak	Good	33	СО	1
84	Rupnagar	Satisfactory	54	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Shillong	Good	29	OZONE	1
86	Siliguri	Good	28	NO ₂	1
87	Sirsa	Satisfactory	77	PM ₁₀	1
88	Solapur	Satisfactory	63	PM ₁₀	1
89	Sonipat	Good	37	PM ₁₀	1
90	Thiruvananthapuram	Satisfactory	69	со	1
91	Tirupati	Good	29	PM ₁₀	1
92	Udaipur	Satisfactory	61	PM ₁₀	1
93	Ujjain	Good	37	OZONE	1
94	Vapi	Good	48	PM ₁₀	1
95	Vatva	Good	48	PM ₁₀	1
96	Vijayawada	Satisfactory	60	СО	1

Possible Health Impacts

Good Minimal Impact		
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati, Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli, Talcher, Thane, Varanasi as data was not available.
- # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Visakhapatnam	Satisfactory	63	СО	1
98	Yadgir	Good	37	OZONE	1
99	Yamunanagar	Good	48	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory Minor breathing discomfort to sensitive people		
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Agra, Amaravati,
 Chandigarh, Haldia, Hubballi, Manesar, Muzaffarpur, Satna, Singrauli,
 Talcher, Thane, Varanasi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.