



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	73	SO ₂	1
2	Agra	Satisfactory	70	PM ₁₀	6
3	Ahmedabad	Moderate	103	PM _{2.5}	7
4	Ajmer	Satisfactory	89	PM ₁₀	1
5	Alwar	Satisfactory	74	PM ₁₀	1
6	Amaravati	Satisfactory	91	PM ₁₀	1
7	Ambala	Moderate	118	PM _{2.5}	1
8	Anantapur	Good	46	PM ₁₀	1
9	Ankleshwar	Satisfactory	54	CO	1
10	Arrah	Moderate	157	PM ₁₀	1
11	Asansol	Moderate	117	PM ₁₀	1
12	Aurangabad (Bihar)	Poor	204	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad (Maharashtra)	Satisfactory	67	PM ₁₀	1
14	Baddi	Moderate	167	O ₃	1
15	Bagalkot	Good	46	PM ₁₀	1
16	Baghpat	Moderate	168	PM ₁₀	1
17	Bahadurgarh	Moderate	128	PM ₁₀	1
18	Ballabgarh	Satisfactory	83	PM ₁₀	1
19	Banswara	Moderate	106	PM ₁₀	1
20	Bareilly	Moderate	102	PM ₁₀	2
21	Baripada	Moderate	120	PM ₁₀	1
22	Barmer	Satisfactory	92	PM ₁₀	1
23	Bathinda	Moderate	125	PM ₁₀	1
24	Belgaum	Good	44	CO	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bengaluru	Satisfactory	69	CO, PM _{2.5}	10
26	Bettiah	Moderate	123	PM ₁₀	1
27	Bhagalpur	Moderate	129	PM ₁₀	2
28	Bharatpur	Moderate	151	PM ₁₀	1
29	Bhilai	Satisfactory	70	PM ₁₀	2
30	Bhiwadi	Moderate	142	PM ₁₀	1
31	Bhiwani	Moderate	112	PM _{2.5}	1
32	Bhopal	Satisfactory	92	PM ₁₀	3
33	Bikaner	Poor	230	PM ₁₀	1
34	Bilaspur	Moderate	148	PM _{2.5}	1
35	Bileipada	Moderate	173	PM ₁₀	1
36	Bulandshahr	Moderate	102	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chamarajanagar	Good	41	PM ₁₀	1
38	Chandigarh	Moderate	139	O ₃ , PM _{2.5}	3
39	Chandrapur	Satisfactory	92	PM ₁₀	1
40	Charkhi Dadri	Moderate	200	PM _{2.5}	1
41	Chennai	Satisfactory	92	SO ₂ , PM ₁₀	7
42	Chhal	Satisfactory	84	PM ₁₀	1
43	Chhapra	Poor	217	PM ₁₀	1
44	Chikkaballapur	Satisfactory	69	PM ₁₀	1
45	Chikkamagaluru	Satisfactory	60	PM ₁₀	1
46	Chittorgarh	Satisfactory	83	PM ₁₀	1
47	Cuddalore	Satisfactory	92	NO ₂	2
48	Damoh	Good	15	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Dehradun	Moderate	101	PM ₁₀	1
50	Delhi	Moderate	162	PM _{2.5} , O ₃	38
51	Dewas	Moderate	135	PM ₁₀	1
52	Dhanbad	Poor	236	PM _{2.5}	1
53	Dharuhera	Moderate	171	PM ₁₀	1
54	Dholpur	Satisfactory	83	O ₃	1
55	Durgapur	Satisfactory	91	PM ₁₀	1
56	Faridabad	Satisfactory	100	PM _{2.5}	3
57	Fatehabad	Satisfactory	94	O ₃	1
58	Firozabad	Moderate	101	PM ₁₀	2
59	Gadag	Good	46	SO ₂	1
60	Gandhinagar	Satisfactory	78	PM _{2.5} , PM ₁₀	3

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Gangtok	Good	41	O ₃	1
62	Gaya	Moderate	151	PM ₁₀ , O ₃	3
63	Ghaziabad	Moderate	160	O ₃ , PM ₁₀	4
64	Greater Noida	Moderate	171	PM ₁₀	2
65	Gurugram	Poor	273	PM ₁₀ , PM _{2.5}	3
66	Guwahati	Satisfactory	86	O ₃ , PM ₁₀	3
67	Gwalior	Moderate	122	PM ₁₀ , O ₃	3
68	Hajipur	Moderate	124	PM ₁₀	1
69	Haldia	Satisfactory	77	PM ₁₀	1
70	Hanumangarh	Poor	204	PM ₁₀	1
71	Hapur	Satisfactory	86	O ₃	1
72	Haveri	Good	42	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udipi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Hosur	Satisfactory	80	PM ₁₀	1
74	Howrah	Satisfactory	70	PM ₁₀	2
75	Hubballi	Good	50	CO	1
76	Hyderabad	Satisfactory	84	PM ₁₀	11
77	Indore	Satisfactory	68	PM ₁₀	2
78	Jabalpur	Moderate	129	PM ₁₀	1
79	Jaipur	Moderate	127	PM ₁₀	5
80	Jalandhar	Satisfactory	93	PM ₁₀	1
81	Jhalawar	Satisfactory	98	PM ₁₀	1
82	Jhansi	Satisfactory	57	PM _{2.5}	1
83	Jhunjhunu	Poor	213	O ₃	1
84	Jind	Satisfactory	91	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udipi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Jodhpur	Satisfactory	82	PM ₁₀	3
86	Jorapokhar	Moderate	173	PM ₁₀	1
87	Kadapa	Satisfactory	53	O ₃	1
88	Kaithal	Moderate	120	PM ₁₀	1
89	Kalaburgi	Satisfactory	62	PM ₁₀	1
90	Kalyan	Satisfactory	75	PM ₁₀	1
91	Kanchipuram	Poor	233	O ₃	1
92	Kanpur	Moderate	164	NO ₂	3
93	Karauli	Satisfactory	80	O ₃	1
94	Karnal	Satisfactory	93	PM ₁₀	1
95	Katni	Moderate	168	PM ₁₀	1
96	Keonjhar	Moderate	137	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Tirupati, Tirupur, Tumidih, Udipi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Khanna	Moderate	108	PM ₁₀	1
98	Kochi	Moderate	114	PM ₁₀	1
99	Kohima	Good	35	SO ₂	1
100	Kolhapur	Satisfactory	54	O ₃ , PM ₁₀	2
101	Kolkata	Satisfactory	69	PM ₁₀	7
102	Korba	Moderate	150	PM _{2.5} , PM ₁₀	2
103	Kota	Satisfactory	90	PM ₁₀ , O ₃	2
104	Kurukshetra	Moderate	144	PM _{2.5}	1
105	Lucknow	Moderate	182	PM _{2.5}	6
106	Ludhiana	Moderate	127	PM _{2.5}	1
107	Madikeri	Good	42	PM ₁₀	1
108	Mandi Gobindgarh	Moderate	111	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Mandideep	Moderate	117	PM ₁₀	1
110	Manesar	Moderate	115	PM _{2.5}	1
111	Mangalore	Satisfactory	95	PM ₁₀	1
112	Meerut	Moderate	170	O ₃ , PM ₁₀	3
113	Milupara	Satisfactory	78	PM ₁₀	1
114	Moradabad	Satisfactory	98	PM ₁₀	6
115	Mumbai	Satisfactory	68	PM ₁₀	13
116	Munger	Moderate	184	PM ₁₀	1
117	Muzaffarnagar	Moderate	149	PM ₁₀	1
118	Muzaffarpur	Poor	260	O ₃	3
119	Mysuru	Satisfactory	59	O ₃	1
120	Nagaon	Satisfactory	100	O ₃	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Nagpur	Satisfactory	92	PM ₁₀	1
122	Nalbari	Moderate	159	PM ₁₀	1
123	Narnaul	Satisfactory	69	PM ₁₀	1
124	Nashik	Good	49	PM ₁₀	1
125	Navi Mumbai	Satisfactory	63	PM ₁₀	2
126	Nayagarh	Moderate	191	PM ₁₀	1
127	Noida	Moderate	186	NO ₂ , PM ₁₀	4
128	Ooty	Moderate	115	PM ₁₀	1
129	Pali	Moderate	127	PM _{2.5}	1
130	Palwal	Satisfactory	74	PM ₁₀	1
131	Panchkula	Moderate	108	PM _{2.5}	1
132	Patiala	Moderate	120	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidiipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Patna	Moderate	186	PM ₁₀ , PM _{2.5}	5
134	Pithampur	Satisfactory	89	PM ₁₀	1
135	Pratapgarh	Moderate	114	PM ₁₀	1
136	Prayagraj	Satisfactory	96	PM ₁₀	3
137	Puducherry	Satisfactory	58	PM ₁₀	1
138	Pune	Moderate	116	NO ₂	3
139	Purnia	Moderate	103	PM _{2.5}	1
140	Raipur	Satisfactory	93	PM _{2.5} , PM ₁₀	4
141	Rairangpur	Moderate	104	PM _{2.5}	1
142	Rajamahendravaram	Moderate	131	PM ₁₀	1
143	Rajgir	Moderate	168	PM ₁₀	1
144	Rajsamand	Satisfactory	98	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Ramanagara	Satisfactory	80	PM ₁₀	1
146	Ramanathapuram	Good	18	CO	1
147	Ratlam	Satisfactory	93	PM ₁₀	1
148	Rishikesh	Satisfactory	68	PM ₁₀	1
149	Rohtak	Poor	249	PM _{2.5}	1
150	Rourkela	Moderate	156	PM _{2.5}	2
151	Rupnagar	Moderate	175	PM ₁₀	1
152	Sagar	Satisfactory	90	O ₃	1
153	Salem	Satisfactory	59	PM _{2.5}	1
154	Satna	Moderate	149	PM ₁₀	1
155	Shillong	Good	39	SO ₂	1
156	Shivamogga	Good	48	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
157	Sikar	Satisfactory	86	PM ₁₀	1
158	Silchar	Satisfactory	52	CO	1
159	Siliguri	Satisfactory	66	O ₃	1
160	Singrauli	Moderate	187	PM _{2.5}	1
161	Sirsa	Moderate	169	PM ₁₀	1
162	Sivasagar	Good	21	PM ₁₀	1
163	Siwan	Moderate	185	PM ₁₀	1
164	Solapur	Moderate	116	PM ₁₀	1
165	Sonipat	Moderate	177	PM ₁₀	1
166	Sri Ganganagar	Poor	206	PM ₁₀	1
167	Srinagar	Satisfactory	96	PM ₁₀	1
168	Suakati	Moderate	130	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirahi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
169	Surat	Satisfactory	65	CO	1
170	Talcher	Satisfactory	58	PM ₁₀	1
171	Tensa	Moderate	137	PM _{2.5}	1
172	Thane	Moderate	114	PM ₁₀	1
173	Thiruvananthapuram	Good	15	CO	1
174	Thoothukudi	Good	34	PM ₁₀	1
175	Thrissur	Satisfactory	58	PM ₁₀	1
176	Tonk	Moderate	112	PM ₁₀	1
177	Tumakuru	Satisfactory	100	PM ₁₀	1
178	Udaipur	Moderate	136	PM _{2.5}	1
179	Ujjain	Moderate	113	PM ₁₀	1
180	Vapi	Satisfactory	56	PM _{2.5}	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Tirupati, Tirupur, Tumidih, Udupi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases



Air Quality Index on May 15, 2023 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
181	Varanasi	Satisfactory	76	PM ₁₀ , PM _{2.5}	4
182	Vatva	Moderate	102	PM ₁₀	1
183	Vijayapura	Good	49	PM ₁₀	1
184	Visakhapatnam	Moderate	153	PM ₁₀	1
185	Vrindavan	Moderate	126	PM ₁₀	1
186	Yadgir	Good	46	PM ₁₀	1
187	Yamunanagar	Moderate	142	PM ₁₀	1

* AQI is not calculated for today's bulletin for Aizawl, Amritsar, Araria, Ariyalur, Begusarai, Bhilwara, Bidar, Bihar Sharif, Brajrajnagar, Bundi, Buxar, Byrnihat, Chengalpattu, Chittoor, Churu, Coimbatore, Darbhanga, Dausa, Davanagere, Dharwad, Dindigul, Eloor, Ernakulam, Gorakhpur, Gummidipoondi, Hassan, Hisar, Imphal, Jaisalmer, Kannur, Kashipur, Katihar, Khurja, Kishanganj, Kolar, Kollam, Koppal, Kozhikode, Kunjemura, Maihar, Mandikhera, Manguraha, Motihari, Naharlagun, Nandesari, Palkalaiperur, Panipat, Pimpri Chinchwad, Raichur, Saharsa, Samastipur, Sasaram, Sawai Madhopur, Sirohi, Tirupati, Tirupur, Tumidih, Udipi, Vijayawada, vellore as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Possible Health Impacts

Notes:

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases