



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Poor	210	PM <sub>2.5</sub>	1
2	Agra	Poor	231	PM <sub>2.5</sub>	1
3	Ahmedabad	Moderate	112	PM <sub>10</sub>	1
4	Aizawl	Good	24	PM <sub>10</sub>	1
5	Ajmer	Moderate	120	PM <sub>10</sub>	1
6	Alwar	Poor	272	O <sub>3</sub>	1
7	Amaravati	Poor	204	PM <sub>2.5</sub>	1
8	Ambala	Moderate	180	PM <sub>2.5</sub>	1
9	Amritsar	Moderate	129	PM <sub>10</sub>	1
10	Ankleshwar	Moderate	159	PM <sub>10</sub>	1
11	Asansol	Poor	226	PM <sub>2.5</sub>	1
12	Aurangabad	Satisfactory	90	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Satisfactory	71	PM <sub>10</sub>	1
14	Baghat	Poor	286	PM <sub>2.5</sub>	1
15	Bahadurgarh	Poor	268	PM <sub>2.5</sub>	1
16	Ballabgarh	Moderate	167	PM <sub>2.5</sub>	1
17	Bathinda	Moderate	108	PM <sub>10</sub>	1
18	Bengaluru	Moderate	106	PM <sub>2.5</sub> , O <sub>3</sub>	9
19	Bhiwadi	Poor	259	PM <sub>2.5</sub>	1
20	Bhopal	Moderate	130	PM <sub>2.5</sub>	1
21	Bulandshahr	Very Poor	364	PM <sub>2.5</sub>	1
22	Chamarajanagar	Satisfactory	53	PM <sub>10</sub>	1
23	Chandigarh	Moderate	125	PM <sub>2.5</sub>	1
24	Chandrapur	Satisfactory	98	PM <sub>10</sub>	2

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.

# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Charkhi Dadri	Moderate	163	PM <sub>10</sub>	1
26	Chennai	Satisfactory	94	PM <sub>2.5</sub> , PM <sub>10</sub>	4
27	Chikkaballapur	Moderate	104	PM <sub>2.5</sub>	1
28	Chikkamagaluru	Satisfactory	97	O <sub>3</sub>	1
29	Damoh	Moderate	175	PM <sub>2.5</sub>	1
30	Delhi	Very Poor	321	PM <sub>2.5</sub>	34
31	Dewas	Satisfactory	94	O <sub>3</sub>	1
32	Dharuhera	Poor	296	PM <sub>2.5</sub>	1
33	Durgapur	Moderate	187	PM <sub>10</sub>	1
34	Ernakulam	Moderate	119	PM <sub>2.5</sub>	1
35	Faridabad	Poor	294	PM <sub>2.5</sub> , PM <sub>10</sub>	4
36	Gandhinagar	Satisfactory	66	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gaya	Poor	203	PM <sub>2.5</sub> , O <sub>3</sub>	2
38	Ghaziabad	Very Poor	346	PM <sub>2.5</sub>	4
39	Greater Noida	Very Poor	346	PM <sub>2.5</sub>	2
40	Gurugram	Poor	262	PM <sub>2.5</sub>	4
41	Guwahati	Poor	286	PM <sub>2.5</sub>	1
42	Gwalior	Poor	250	PM <sub>2.5</sub>	1
43	Hajipur	Poor	264	PM <sub>10</sub>	1
44	Haldia	Moderate	166	PM <sub>10</sub>	1
45	Hapur	Moderate	194	PM <sub>10</sub>	1
46	Hisar	Poor	248	PM <sub>2.5</sub>	1
47	Howrah	Poor	297	PM <sub>2.5</sub>	3
48	Hubballi	Moderate	144	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Hyderabad	Moderate	138	PM <sub>2.5</sub>	5
50	Indore	Satisfactory	85	PM <sub>10</sub>	1
51	Jabalpur	Moderate	188	PM <sub>10</sub>	1
52	Jaipur	Moderate	193	PM <sub>10</sub> , PM <sub>2.5</sub>	3
53	Jalandhar	Moderate	177	PM <sub>2.5</sub>	1
54	Jind	Poor	283	PM <sub>2.5</sub>	1
55	Jodhpur	Moderate	159	PM <sub>2.5</sub>	1
56	Jorapokhar	Moderate	133	PM <sub>10</sub>	1
57	Kaithal	Moderate	172	PM <sub>10</sub>	1
58	Kalaburgi	Moderate	128	PM <sub>10</sub>	1
59	Kalyan	Moderate	136	PM <sub>10</sub>	1
60	Kannur	Satisfactory	97	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Kanpur	Very Poor	364	PM <sub>2.5</sub>	2
62	Karnal	Moderate	200	PM <sub>2.5</sub>	1
63	Katni	Poor	243	PM <sub>2.5</sub>	1
64	Khanna	Moderate	187	PM <sub>2.5</sub>	1
65	Kochi	Moderate	114	PM <sub>2.5</sub>	1
66	Kohima	Satisfactory	85	PM <sub>2.5</sub>	1
67	Kolkata	Poor	282	PM <sub>2.5</sub>	7
68	Kollam	Moderate	163	CO	1
69	Koppal	Moderate	112	PM <sub>2.5</sub>	1
70	Kota	Moderate	191	PM <sub>2.5</sub>	1
71	Kozhikode	Satisfactory	72	PM <sub>10</sub>	1
72	Kurukshetra	Poor	246	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Lucknow	Severe	406	PM <sub>2.5</sub> , PM <sub>10</sub>	4
74	Ludhiana	Moderate	158	PM <sub>2.5</sub>	1
75	Maihar	Good	50	PM <sub>10</sub>	1
76	Mandi Gobindgarh	Moderate	117	PM <sub>10</sub>	1
77	Mandideep	Moderate	155	PM <sub>2.5</sub>	1
78	Mandikhera	Satisfactory	78	PM <sub>10</sub>	1
79	Manesar	Moderate	156	PM <sub>2.5</sub>	1
80	Medikeri	Satisfactory	78	PM <sub>10</sub>	1
81	Meerut	Very Poor	329	PM <sub>2.5</sub>	2
82	Moradabad	Very Poor	391	PM <sub>2.5</sub>	1
83	Mumbai	Moderate	178	PM <sub>2.5</sub>	19
84	Muzaffarpur	Severe	453	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Nagpur	Satisfactory	67	PM <sub>2.5</sub>	1
86	Nandesari	Moderate	112	CO	1
87	Narnaul	Moderate	198	PM <sub>10</sub>	1
88	Nashik	Moderate	107	PM <sub>2.5</sub>	1
89	Navi Mumbai	Poor	239	PM <sub>2.5</sub>	3
90	Noida	Very Poor	333	PM <sub>2.5</sub> , PM <sub>10</sub>	3
91	Pali	Satisfactory	86	PM <sub>2.5</sub>	1
92	Palwal	Moderate	141	PM <sub>2.5</sub>	1
93	Panchkula	Poor	265	PM <sub>2.5</sub>	1
94	Panipat	Moderate	179	PM <sub>10</sub>	1
95	Patiala	Moderate	128	PM <sub>10</sub>	1
96	Patna	Very Poor	330	PM <sub>2.5</sub> , PM <sub>10</sub>	6

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.





## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Pithampur	Moderate	101	PM <sub>10</sub>	1
98	Pune	Moderate	140	PM <sub>2.5</sub>	3
99	Raichur	Moderate	121	PM <sub>2.5</sub>	1
100	Rajamahendravaram	Moderate	180	PM <sub>2.5</sub>	1
101	Rohtak	Poor	265	PM <sub>2.5</sub>	1
102	Sagar	Satisfactory	86	PM <sub>2.5</sub>	1
103	Satna	Moderate	105	PM <sub>10</sub>	1
104	Shivamogga	Satisfactory	84	PM <sub>10</sub>	1
105	Siliguri	Poor	291	PM <sub>2.5</sub>	1
106	Singrauli	Poor	204	PM <sub>2.5</sub>	1
107	Sirsa	Moderate	109	PM <sub>2.5</sub>	1
108	Solapur	Moderate	114	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Sonipat	Moderate	152	PM <sub>10</sub>	1
110	Talcher	Moderate	133	PM <sub>10</sub>	1
111	Thane	Poor	243	PM <sub>10</sub>	1
112	Thiruvananthapuram	Satisfactory	72	PM <sub>10</sub>	2
113	Thoothukudi	Satisfactory	83	O <sub>3</sub>	1
114	Thrissur	Moderate	106	O <sub>3</sub>	1
115	Tirupati	Moderate	130	PM <sub>2.5</sub>	1
116	Udaipur	Moderate	155	PM <sub>2.5</sub>	1
117	Ujjain	Moderate	176	PM <sub>2.5</sub>	1
118	Vapi	Poor	230	PM <sub>2.5</sub>	1
119	Varanasi	Very Poor	358	PM <sub>2.5</sub>	1
120	Vatva	Moderate	115	PM <sub>10</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



## Air Quality Index on Dec 20, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Vijayapura	Satisfactory	99	PM <sub>10</sub>	1
122	Visakhapatnam	Moderate	150	O <sub>3</sub>	1
123	Yadgir	Moderate	102	PM <sub>2.5</sub>	1
124	Yamunanagar	Very Poor	315	PM <sub>2.5</sub>	1

### Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

### Notes:

\* AQI is not calculated for today's bulletin for Bhiwani, Brajrajnagar, Coimbatore, Eloor, Fatehabad, Muzaffarnagar, Mysuru, Ramanagara, Rattlam, Rupnagar, Shillong as data was not available.  
# Some stations have data available at 3PM

\* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(<http://cpcb.nic.in>) website may be referred.

\* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.