Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agra	Poor	241	$PM_{2.5}$	1
2	Ahmedabad	Moderate	200	$PM_{2.5}$	1
3	Ajmer	Moderate	109	PM_{10}	1
4	Alwar	Satisfactory	94	$PM_{2.5}$	1
5	Amaravati	Good	50	PM_{10}	1
6	Ambala	Poor	252	$PM_{2.5}$	1
7	Amritsar	Satisfactory	95	PM_{10}	1
8	Ankleshwar	Moderate	132	$PM_{2.5}$	1
9	Asanol	Moderate	169	$PM_{2.5}$	1
10	Aurangabad	Moderate	101	$PM_{2.5}$	1
11	Bahadurgarh	Moderate	176	PM_{10}	1
12	Ballabgarh	Poor	257	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bathinda	Moderate	182	$PM_{2.5}$	1
14	Bengaluru	Satisfactory	72	CO, $PM_{2.5}$, PM_{10}	10
15	Bhiwadi	Poor	293	$PM_{2.5}$	1
16	Bhiwani	Poor	216	$PM_{2.5}$	1
17	Bhopal	Moderate	110	PM_{10}	1
18	Brajrajnagar	Moderate	181	$PM_{2.5}$	1
19	Bulandshahr	Very Poor	333	$PM_{2.5}$	1
20	Chandigarh	Moderate	114	PM_{10}	1
21	Chandrapur	Satisfactory	75	$PM_{2.5}$	1
22	Chennai	Satisfactory	76	$PM_{2.5}$, PM_{10}, CO	4
23	Chikkaballapur	Satisfactory	80	PM_{10}	1
24	Chikkamagaluru	Satisfactory	62	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Coimbatore	Satisfactory	60	NO_2	1
26	Damoh	Satisfactory	79	PM_{10}	1
27	Delhi	Very Poor	310	$PM_{2.5}$, PM_{10}	35
28	Dharuhera	Moderate	199	PM_{10}	1
29	Eloor	Moderate	104	PM_{10}	1
30	Faridabad	Poor	270	$PM_{2.5}$	1
31	Fatehabad	Satisfactory	81	PM_{10}	1
32	Gaya	Poor	207	$PM_{2.5}$	1
33	Ghaziabad	Very Poor	342	$PM_{2.5}$	4
34	Greater_Noida	Very Poor	320	PM_{10}	1
35	Gurugram	Poor	231	$PM_{2.5}$	2
36	Guwahati	Poor	294	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Gwalior	Poor	218	$PM_{2.5}$, O_3	2
38	Hapur	Moderate	159	PM_{10}	1
39	Hisar	Moderate	197	$PM_{2.5}$	1
40	Howrah	Poor	213	$PM_{2.5}$, O_3	2
41	Hyderabad	Satisfactory	68	PM_{10}, $PM_{2.5}$	4
42	Indore	Moderate	112	PM_{10}	1
43	Jabalpur	Moderate	147	$PM_{2.5}$	1
44	Jaipur	Moderate	106	PM_{10}, $PM_{2.5}$	3
45	Jalandhar	Satisfactory	97	$PM_{2.5}$	1
46	Jind	Moderate	184	$PM_{2.5}$	1
47	Jodhpur	Moderate	135	$PM_{2.5}$	1
48	Jorapokhar	Moderate	172	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Kaithal	Moderate	186	$PM_{2.5}$	1
50	Kalaburagi	Satisfactory	60	PM_{10}	1
51	Kalyan	Poor	252	$PM_{2.5}$	1
52	Kanpur	Very Poor	322	$PM_{2.5}$	1
53	Karnal	Poor	276	$PM_{2.5}$	1
54	Katni	Moderate	115	$PM_{2.5}$	1
55	Khanna	Moderate	106	PM_{10}	1
56	Kolkata	Moderate	176	O_3, $PM_{2.5}$	7
57	Kota	Satisfactory	98	PM_{10}	1
58	Kurukshetra	Poor	216	$PM_{2.5}$	1
59	Lucknow	Poor	293	$PM_{2.5}$	4
60	Ludhiana	Moderate	147	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Maihar	Satisfactory	89	PM_{10}	1
62	Mandi Gobindgarh	Moderate	137	$PM_{2.5}$	1
63	Mandideep	Satisfactory	95	PM_{10}	1
64	Mandikhera	Moderate	189	$PM_{2.5}$	1
65	Manesar	Poor	208	PM_{10}	1
66	Meerut	Poor	202	$PM_{2.5}$, PM_{10}	2
67	Mumbai	Moderate	176	$PM_{2.5}$, O_3	9
68	Muzaffarnagar	Poor	269	$PM_{2.5}$	1
69	Muzaffarpur	Very Poor	312	$PM_{2.5}$	1
70	Mysuru	Satisfactory	67	PM_{10}	1
71	Nagpur	Satisfactory	89	PM_{10}	1
72	Narnaul	Moderate	121	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Nashik	Moderate	115	PM_{10}	1
74	Navi Mumbai	Moderate	174	$PM_{2.5}$, CO	3
75	Noida	Very Poor	324	$PM_{2.5}$	4
76	Pali	Moderate	136	$PM_{2.5}$	1
77	Palwal	Poor	257	$PM_{2.5}$	1
78	Panchkula	Satisfactory	88	$PM_{2.5}$	1
79	Panipat	Very Poor	320	PM_{10}	1
80	Patiala	Moderate	131	$PM_{2.5}$	1
81	Patna	Poor	233	$PM_{2.5}$, PM_{10}	4
82	Pithampur	Moderate	118	PM_{10}	1
83	Pune	Satisfactory	95	$PM_{2.5}$	1
84	Rajamahendravaram	Satisfactory	53	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Ramanagara	Good	46	PM_{10}	1
86	Ratlam	Moderate	110	PM_{10}	1
87	Rupnagar	Moderate	105	PM_{10}	1
88	Satna	Satisfactory	98	PM_{10}	1
89	Shillong	Moderate	114	$PM_{2.5}$	1
90	Siliguri	Very Poor	301	$PM_{2.5}$	1
91	Singrauli	Poor	276	$PM_{2.5}$	1
92	Sirsa	Satisfactory	96	PM_{10}	1
93	Solapur	Moderate	126	PM_{10}	1
94	Sonipat	Moderate	145	PM_{10}	1
95	Talcher	Moderate	149	$PM_{2.5}$	1
96	Thane	Satisfactory	77	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.

Air Quality Index on Feb 04, 2020 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Thiruvananthapuram	Satisfactory	52	PM_{10}	1
98	Tirupati	Satisfactory	76	CO	1
99	Udaipur	Moderate	121	$PM_{2.5}$	1
100	Vapi	Poor	291	$PM_{2.5}$	1
101	Varanasi	Poor	238	$PM_{2.5}$	1
102	Vatva	Moderate	194	$PM_{2.5}$	1
103	Vijayapura	Satisfactory	81	$PM_{2.5}$	1
104	Visakhapatnam	Satisfactory	68	CO	1
105	Yamunanagar	Poor	287	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes

* AQI is not calculated for today's bulletin for Baghpat, Dewas, GandhiNagar, Haldia, Hubballi, Moradabad, Rohtak, Sagar, Ujjain, Yadgir as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website (http://cpcb.nic.in) may be referred.