

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Good	47	PM ₁₀	1
2	Agra	Satisfactory	57	PM ₁₀ , PM _{2.5}	5
3	Ahmedabad	Satisfactory	63	NO ₂ , PM _{2.5} , PM ₁₀	8
4	Aizawl	Good	21	SO ₂	1
5	Ajmer	Satisfactory	63	PM ₁₀	1
6	Alwar	Satisfactory	70	PM ₁₀	1
7	Amaravati	Good	36	03	1
8	Ambala	Satisfactory	66	PM ₁₀	1
9	Amritsar	Satisfactory	66	PM ₁₀	1
10	Ankleshwar	Satisfactory	58	PM _{2.5}	1
11	Asansol	Good	48	03	1
12	Aurangabad	Satisfactory	62	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Bagalkot	Good	36	PM ₁₀	1
14	Bahadurgarh	Satisfactory	77	PM _{2.5}	1
15	Ballabgarh	Satisfactory	54	PM _{2.5}	1
16	Bathinda	Good	46	со	1
17	Bengaluru	Satisfactory	54	CO, PM ₁₀	9
18	Bhiwadi	Satisfactory	97	PM ₁₀	1
19	Bhiwani	Satisfactory	75	PM ₁₀	1
20	Bhopal	Good	47	PM ₁₀	1
21	Bidar	Good	42	СО	1
22	Bulandshahr	Satisfactory	69	PM ₁₀	1
23	Chamarajanagar	Good	43	PM _{2.5}	1
24	Chandigarh	Good	44	NO ₂ , PM ₁₀	2

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Chandrapur	Good	19	PM ₁₀	1
26	Charkhi Dadri	Good	34	PM _{2.5}	1
27	Chennai	Satisfactory	53	CO, O ₃ , PM ₁₀	7
28	Chikkaballapur	Good	36	PM ₁₀	1
29	Chikkamagaluru	Good	34	03	1
30	Damoh	Good	30	PM _{2.5}	1
31	Davanagere	Good	18	03	1
32	Delhi	Satisfactory	83	CO, PM ₁₀	37
33	Dewas	Good	40	PM ₁₀	1
34	Dharuhera	Satisfactory	68	со	1
35	Durgapur	Good	50	PM ₁₀	1
36	Eloor	Satisfactory	70	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Ernakulam	Satisfactory	67	PM ₁₀	1
38	Faridabad	Satisfactory	92	O ₃ , PM ₁₀	4
39	Fatehabad	Satisfactory	52	PM ₁₀	1
40	Firozabad	Good	43	PM ₁₀	1
41	Gadag	Good	24	со	1
42	Gandhinagar	Good	45	PM _{2.5} , CO	3
43	Gaya	Satisfactory	65	СО	2
44	Ghaziabad	Satisfactory	95	PM ₁₀	4
45	Gorakhpur	Good	22	со	1
46	Greater Noida	Satisfactory	92	PM ₁₀	2
47	Gurugram	Satisfactory	74	PM ₁₀ , PM _{2.5}	4
48	Guwahati	Satisfactory	64	SO ₂	2

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gwalior	Satisfactory	60	PM ₁₀	1
50	Hajipur	Satisfactory	77	со	1
51	Haldia	Good	44	03	1
52	Hapur	Satisfactory	70	PM ₁₀	1
53	Hisar	Satisfactory	77	PM ₁₀	1
54	Howrah	Good	34	со	3
55	Hubballi	Good	35	PM ₁₀	1
56	Hyderabad	Good	37	NO ₂ , PM ₁₀	5
57	Indore	Good	48	PM ₁₀	1
58	Jabalpur	Good	49	со	1
59	Jaipur	Good	46	PM ₁₀ , CO	2
60	Jalandhar	Satisfactory	53	PM ₁₀	1

Possible Health Impacts

Severe

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure

Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Jind	Satisfactory	57	со	1
62	Jodhpur	Satisfactory	73	PM ₁₀	1
63	Kaithal	Satisfactory	75	PM ₁₀	1
64	Kalaburgi	Good	27	PM ₁₀	1
65	Kalyan	Satisfactory	54	PM _{2.5}	1
66	Kannur	Good	50	PM _{2.5}	1
67	Kanpur	Satisfactory	64	PM ₁₀ , O ₃	4
68	Karnal	Satisfactory	85	PM ₁₀	1
69	Katni	Satisfactory	78	PM ₁₀	1
70	Khanna	Good	47	PM _{2.5}	1
71	Kochi	Good	46	PM ₁₀	1
72	Kohima	Good	47	PM ₁₀	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases

Poor Breathing discomfort to most people on prolonged exposure

Very Poor Respiratory illness on prolonged exposure

Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kolkata	Good	36	PM ₁₀ , NO ₂ , O ₃	5
74	Kollam	Satisfactory	88	СО	1
75	Koppal	Good	35	со	1
76	Kota	Good	42	PM ₁₀	1
77	Kozhikode	Good	47	со	1
78	Kurukshetra	Satisfactory	72	PM ₁₀	1
79	Lucknow	Satisfactory	61	PM ₁₀ , CO, O ₃	6
80	Ludhiana	Satisfactory	62	PM ₁₀	1
81	Maihar	Good	26	PM ₁₀	1
82	Mandi Gobindgarh	Satisfactory	82	PM _{2.5}	1
83	Mandideep	Good	40	PM ₁₀	1
84	Mandikhera	Good	31	СО	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Manesar	Satisfactory	61	PM ₁₀	1
86	Medikeri	Good	32	O ₃	1
87	Meerut	Satisfactory	70	PM ₁₀ , O ₃	3
88	Moradabad	Satisfactory	86	PM ₁₀	1
89	Mumbai	Good	47	O ₃ , CO, NO ₂	17
90	Muzaffarnagar	Satisfactory	83	со	1
91	Muzaffarpur	Satisfactory	62	CO, PM ₁₀	2
92	Mysuru	Good	38	PM ₁₀	1
93	Nandesari	Satisfactory	97	СО	1
94	Narnaul	Satisfactory	68	PM _{2.5}	1
95	Nashik	Good	23	PM _{2.5}	1
96	Navi Mumbai	Good	47	СО	3

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor	Respiratory illness on prolonged exposure	
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available. # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Noida	Satisfactory	74	CO, PM ₁₀	4
98	Pali	Satisfactory	82	PM _{2.5}	1
99	Palwal	Satisfactory	74	PM ₁₀	1
100	Panipat	Satisfactory	93	PM ₁₀	1
101	Patiala	Satisfactory	55	PM ₁₀	1
102	Patna	Satisfactory	71	PM ₁₀ , CO, PM _{2.5}	5
103	Pithampur	Satisfactory	71	PM ₁₀	1
104	Prayagraj	Satisfactory	52	PM ₁₀ , PM _{2.5}	3
105	Puducherry	Satisfactory	61	03	1
106	Pune	Satisfactory	66	NO ₂ , CO, PM _{2.5}	6
107	Raichur	Good	35	PM ₁₀	1
108	Rajamahendravaram	Good	27	СО	1

Possible Health Impacts

Good Minimal Impact Satisfactory Minor breathing discomfort to sensitive people Moderate Breathing discomfort to the people with lungs, asthma and heart diseases Poor Breathing discomfort to most people on prolonged exposure Very Poor Respiratory illness on prolonged exposure Severe Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Ramanagara	Good	42	PM ₁₀	1
110	Ratlam	Good	28	PM _{2.5}	1
111	Rohtak	Moderate	158	со	1
112	Rupnagar	Good	44	PM ₁₀	1
113	Sagar	Good	22	NO ₂	1
114	Satna	Satisfactory	56	PM ₁₀	1
115	Shivamogga	Good	40	PM ₁₀	1
116	Siliguri	Satisfactory	58	PM ₁₀	1
117	Singrauli	Satisfactory	84	PM ₁₀	1
118	Sirsa	Good	46	PM ₁₀	1
119	Solapur	Good	45	СО	1
120	Sonipat	Moderate	127	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	Minor breathing discomfort to sensitive people	
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Srinagar	Good	27	PM _{2.5}	1
122	Thiruvananthapuram	Satisfactory	52	PM ₁₀	2
123	Thoothukudi	Satisfactory	61	PM ₁₀	1
124	Tirupati	Good	46	со	1
125	Udaipur	Satisfactory	86	PM ₁₀	1
126	Ujjain	Satisfactory	56	PM ₁₀	1
127	Vapi	Good	39	PM ₁₀	1
128	Varanasi	Good	47	PM ₁₀	4
129	Vatva	Moderate	103	NO ₂	1
130	Vijayapura	Good	46	PM ₁₀	1
131	Visakhapatnam	Moderate	104	PM ₁₀	1
132	Vrindavan	Satisfactory	60	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact	
Satisfactory	atisfactory Minor breathing discomfort to sensitive people	
Moderate	Moderate Breathing discomfort to the people with lungs, asthma and heart disease	
Poor	Breathing discomfort to most people on prolonged exposure	
Very Poor Respiratory illness on prolonged exposure		
Severe	Affects healthy people and seriously impacts those with existing diseases	

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.



(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Yadgir	Good	21	O ₃	1
134	Yamunanagar	Moderate	147	PM ₁₀	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

- * AQI is not calculated for today's bulletin for Baghpat, Bettiah, Bihar Sharif, Brajrajnagar, Coimbatore, Darbhanga, Gummidipoondi, Hassan, Jorapokhar, Kolar, Manglore, Motihari, Nagpur, Naharlagun, Panchkula, Shillong, Talcher, Thane, Thrissur, Udupi as data was not available.
 # Some stations have data available at 3PM
- * In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
- * The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.