Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
1	Agartala	Satisfactory	74	SO_2, $PM_{2.5}$	2
2	Agra	Moderate	134	PM_{10}	5
3	Ahmedabad	Moderate	194	$PM_{2.5}$	8
4	Aizawl	Moderate	108	O_3	1
5	Ajmer	Moderate	145	PM_{10}	1
6	Alwar	Moderate	125	PM_{10}	1
7	Amaravati	Good	50	PM_{10}	1
8	Ambala	Moderate	199	$PM_{2.5}$	1
9	Amritsar	Moderate	112	PM_{10}	1
10	Ankleshwar	Moderate	106	$PM_{2.5}$	1
11	Araria	Moderate	101	$PM_{2.5}$	1
12	Arrah	Moderate	183	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
13	Aurangabad	Poor	268	PM_{10}	1
14	Aurangabad	Moderate	104	PM_{10}	1
15	Baddi	Moderate	154	PM_{10}	1
16	Bagalkot	Good	50	$PM_{2.5}$	1
17	Baghpat	Poor	274	$PM_{2.5}$	1
18	Bahadurgarh	Very Poor	312	PM_{10}	1
19	Ballabgarh	Very Poor	314	PM_{10}	1
20	Bathinda	Satisfactory	88	PM_{10}	1
21	Bengaluru	Moderate	102	PM_{10}, $PM_{2.5}$, CO	8
22	Bhagalpur	Moderate	193	$PM_{2.5}$	2
23	Bhiwadi	Poor	298	$PM_{2.5}$	1
24	Bhiwani	Poor	231	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
25	Bhopal	Moderate	126	O_3	1
26	Bidar	Moderate	137	PM_{10}	1
27	Bilaspur	Satisfactory	56	PM_{10}	1
28	Brajrajnagar	Poor	201	$PM_{2.5}$	1
29	Bulandshahr	Poor	289	PM_{10}	1
30	Chamarajanagar	Good	47	PM_{10}	1
31	Chandigarh	Moderate	197	$O_3, PM_{2.5}, PM_{10}$	3
32	Chandrapur	Moderate	182	$PM_{2.5}$	2
33	Charkhi Dadri	Poor	274	$PM_{2.5}$	1
34	Chennai	Good	45	CO, O_3, PM_{10}	6
35	Chhapra	Very Poor	305	PM_{10}	1
36	Chikkaballapur	Satisfactory	93	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
37	Chikkamagaluru	Good	48	PM_{10}	1
38	Coimbatore	Satisfactory	56	$PM_{2.5}$	1
39	Damoh	Moderate	177	PM_{10}	1
40	Davanagere	Moderate	103	PM_{10}	1
41	Delhi	Poor	298	NO_2, PM_{10}	32
42	Dewas	Moderate	108	PM_{10}	1
43	Dharuhera	Poor	281	PM_{10}	1
44	Durgapur	Poor	209	$PM_{2.5}$	1
45	Ernakulam	Good	44	$PM_{2.5}$	1
46	Faridabad	Very Poor	336	$PM_{2.5}$	2
47	Fatehabad	Moderate	198	O_3	1
48	Firozabad	Moderate	150	O_3	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
49	Gadag	Satisfactory	66	$PM_{2.5}$	1
50	Gandhinagar	Moderate	185	$PM_{2.5}$, PM_{10}	3
51	Gaya	Moderate	158	$PM_{2.5}$, PM_{10}	3
52	Ghaziabad	Poor	299	PM_{10}	4
53	Gorakhpur	Satisfactory	65	$PM_{2.5}$	1
54	Greater Noida	Very Poor	316	PM_{10}	1
55	Gurugram	Poor	264	$PM_{2.5}$	3
56	Guwahati	Satisfactory	76	$PM_{2.5}$	2
57	Gwalior	Moderate	169	$PM_{2.5}$	1
58	Hajipur	Moderate	145	$PM_{2.5}$	1
59	Haldia	Good	34	$PM_{2.5}$	1
60	Hapur	Poor	203	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
61	Hassan	Moderate	103	PM_{10}	1
62	Hisar	Poor	216	$PM_{2.5}$	1
63	Howrah	Satisfactory	82	PM_{10}	2
64	Hubballi	Moderate	103	PM_{10}	1
65	Hyderabad	Moderate	138	$PM_{2.5}$, PM_{10}	5
66	Indore	Moderate	152	O_3	1
67	Jabalpur	Poor	216	PM_{10}	1
68	Jaipur	Moderate	166	$PM_{2.5}$	2
69	Jalandhar	Moderate	123	PM_{10}	1
70	Jhansi	Moderate	167	PM_{10}	1
71	Jind	Moderate	179	$PM_{2.5}$	1
72	Jodhpur	Poor	218	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
73	Kaithal	Poor	214	$PM_{2.5}$	1
74	Kalyan	Moderate	152	PM_{10}	1
75	Kannur	Satisfactory	55	PM_{10}	1
76	Kanpur	Moderate	139	$PM_{2.5}$, PM_{10}	3
77	Karnal	Poor	206	PM_{10}	1
78	Katni	Poor	247	PM_{10}	1
79	Khanna	Moderate	118	PM_{10}	1
80	Kishanganj	Satisfactory	89	PM_{10}	1
81	Kochi	Satisfactory	67	$PM_{2.5}$	1
82	Kolar	Satisfactory	90	PM_{10}	1
83	Kolkata	Satisfactory	64	PM_{10}, NO_2	7
84	Kollam	Satisfactory	66	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
85	Koppal	Satisfactory	67	$PM_{2.5}$	1
86	Kota	Moderate	143	$PM_{2.5}$	1
87	Kozhikode	Satisfactory	53	$PM_{2.5}$	1
88	Kurukshetra	Poor	269	$PM_{2.5}$	1
89	Lucknow	Poor	234	$PM_{2.5}$, PM_{10}	6
90	Madikeri	Satisfactory	66	PM_{10}	1
91	Mandi Gobindgarh	Satisfactory	79	$PM_{2.5}$	1
92	Mandideep	Satisfactory	94	PM_{10}	1
93	Mandikhera	Satisfactory	100	PM_{10}	1
94	Manesar	Poor	292	$PM_{2.5}$	1
95	Manglore	Satisfactory	51	CO	1
96	Manguraha	Moderate	159	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

\# Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
97	Meerut	Very Poor	313	PM_{10}, $PM_{2.5}$	3
98	Moradabad	Moderate	181	PM_{10}, $PM_{2.5}$, O_3	4
99	Motihari	Moderate	160	O_3	1
100	Mumbai	Moderate	105	PM_{10}, $PM_{2.5}$	18
101	Munger	Poor	209	PM_{10}	1
102	Muzaffarnagar	Very Poor	319	$PM_{2.5}$	1
103	Muzaffarpur	Moderate	142	O_3, $PM_{2.5}$, PM_{10}	3
104	Mysuru	Satisfactory	53	PM_{10}	1
105	Nagpur	Satisfactory	71	PM_{10}	1
106	Nandesari	Satisfactory	78	$PM_{2.5}$	1
107	Narnaul	Moderate	178	$PM_{2.5}$	1
108	Nashik	Satisfactory	63	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.
# Some stations have data available at 3PM
* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.
* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
109	Navi Mumbai	Moderate	159	O_3, SO_2, PM_{10}	3
110	Noida	Poor	293	PM_{10}	4
111	Pali	Moderate	186	$PM_{2.5}$	1
112	Palwal	Moderate	179	PM_{10}	1
113	Panchkula	Moderate	181	$PM_{2.5}$	1
114	Patiala	Moderate	158	O_3	1
115	Patna	Poor	243	$PM_{2.5}$, PM_{10}	6
116	Pithampur	Moderate	115	$PM_{2.5}$	1
117	Prayagraj	Moderate	140	PM_{10}	3
118	Puducherry	Good	31	PM_{10}	1
119	Pune	Moderate	104	$PM_{2.5}$, PM_{10}, CO	6
120	Rajamahendravaram	Good	43	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
121	Rajgir	Moderate	143	PM_{10}	1
122	Ramanagara	Satisfactory	96	PM_{10}	1
123	Ratlam	Moderate	136	PM_{10}	1
124	Rohtak	Poor	278	$PM_{2.5}$	1
125	Rupnagar	Moderate	137	PM_{10}	1
126	Sagar	Satisfactory	68	$PM_{2.5}$	1
127	Saharsa	Moderate	164	PM_{10}	1
128	Samastipur	Poor	240	PM_{10}	1
129	Sasaram	Poor	231	$PM_{2.5}$	1
130	Satna	Satisfactory	74	PM_{10}	1
131	Shillong	Good	38	$PM_{2.5}$	1
132	Shivamogga	Satisfactory	78	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
133	Siliguri	Satisfactory	74	PM_{10}	1
134	Sirsa	Poor	208	O_3	1
135	Siwan	Moderate	172	PM_{10}	1
136	Srinagar	Good	33	PM_{10}	1
137	Talcher	Satisfactory	72	CO	1
138	Thane	Poor	268	O_3	1
139	Thiruvananthapuram	Good	38	$PM_{2.5}$, PM_{10}	2
140	Thoothukudi	Good	49	PM_{10}	1
141	Thrissur	Satisfactory	95	$PM_{2.5}$	1
142	Tirupati	Satisfactory	89	PM_{10}	1
143	Udaipur	Moderate	141	$PM_{2.5}$	1
144	Ujjain	Moderate	162	PM_{10}	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.

Air Quality Index on Mar 31, 2022 @ 4 PM

(Average of past 24 hours)

S.No	City	Air Quality	Index Value	Prominent Pollutant	Based on Number of Monitoring Stations
145	Varanasi	Moderate	136	PM_{10}	4
146	Vatva	Moderate	129	PM_{10}	1
147	Vijayapura	Good	50	PM_{10}	1
148	Visakhapatnam	Moderate	109	PM_{10}	1
149	Vrindavan	Moderate	146	PM_{10}	1
150	Yadgir	Moderate	103	PM_{10}	1
151	Yamunanagar	Poor	275	$PM_{2.5}$	1

Possible Health Impacts

Good	Minimal Impact
Satisfactory	Minor breathing discomfort to sensitive people
Moderate	Breathing discomfort to the people with lungs, asthma and heart diseases
Poor	Breathing discomfort to most people on prolonged exposure
Very Poor	Respiratory illness on prolonged exposure
Severe	Affects healthy people and seriously impacts those with existing diseases

Notes:

* AQI is not calculated for today's bulletin for Asansol, Bettiah, Bhilai, Bihar Sharif, Buxar, Darbhanga, Eloor, Gummidipoondi, Jorapokhar, Kalaburgi, Katihar, Kohima, Ludhiana, Maihar, Naharlagun, Panipat, Purnia, Raichur, Singrauli, Solapur, Sonipat, Udupi, Vapi as data was not available.

Some stations have data available at 3PM

* In case of a city with multiple monitoring locations, average value is used to indicate air quality. Air quality may show variations across locations, and averaging is not a scientifically sound approach. However, for the sake of simplicity this method is being followed. For AQI of monitoring locations, website(http://cpcb.nic.in) website may be referred.

* The data available at the portal is provided by different agencies. Any use of this data in research publication or any other form of publication shall duly acknowledge the contribution of respective agencies in generating the data.